



Publisher Correction: Many-body localization enables iterative quantum optimization

Correction to: *Nature Communications*
<https://doi.org/10.1038/s41467-022-33179-y>,
published online 20 September 2022

<https://doi.org/10.1038/s41467-022-33655-5>

Published online: 06 October 2022

Check for updates

Hanteng Wang , Hsiu-Chung Yeh & Alex Kamenev

The original version of this Article contained an error in Equation 8 in the PDF version. The right hand side was written as a single matrix element instead of a two-by-two matrix, and incorrectly read:

$$H_{l,l'}^{block} = (\tilde{E}_l t_{ll'} t_{ll'} \tilde{E}_{l'})$$

The correct form of Equation 8 is:

$$H_{l,l'}^{block} = \begin{pmatrix} \tilde{E}_l & t_{ll'} \\ t_{ll'} & \tilde{E}_{l'} \end{pmatrix}$$

This has been corrected in the PDF version of the Article. The html version was correct and has not been changed.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2022