




## Author Correction: Organ-specific genome diversity of replication-competent SARS-CoV-2

Correction to: *Nature Communications*  
<https://doi.org/10.1038/s41467-021-26884-7>,  
published online 16 November 2021

<https://doi.org/10.1038/s41467-022-33970-x>

Published online: 21 October 2022

 Check for updates

Jolien Van Cleemput , Willem van Snippenberg , Laurens Lambrechts ,  
Amélie Dendooven, Valentino D'Onofrio , Liesbeth Couck , Wim Trypsteen ,  
Jan Vanrusselt, Sebastiaan Theuns, Nick Vereecke , Thierry P. P. van den Bosch,  
Martin Lammens, Ann Driessen, Ruth Achten, Ken R. Bracke ,  
Wim Van den Broeck, Jan Von der Thüsen , Hans Nauwynck, Jo Van Dorpe ,  
Sarah Gerlo, Piet Maes , Janneke Cox & Linos Vandekerckhove 

The original version of this Article contained an error in 'Virion pelleting from plasma' in Methods, which incorrectly read 'One microliter of plasma (citrate tubes) was diluted in 10 mL of ...'. The correct version states 'milliliter' in place of 'microliter'. This has been corrected in both the PDF and HTML versions of the Article.

**Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2022