


AUTHOR CORRECTION OPEN



Author Correction: Optotracing for selective fluorescence-based detection, visualization and quantification of live *S. aureus* in real-time

Karen Butina, Ana Tomac, Ferdinand X. Choong, Hamid Shirani, K. Peter R. Nilsson, Susanne Löffler and Agneta Richter-Dahlfors 

npj Biofilms and Microbiomes (2021)7:4; <https://doi.org/10.1038/s41522-020-00179-z>

Correction to: *npj Biofilms Microbiomes* <https://doi.org/10.1038/s41522-020-00150-y>, published online 9 October 2020

The original version of the published Article contained an error in the “Methods” section and the flow chart depicted in Fig. 3. The statistical test used should be a one sample *t*-test, and the alpha level 0.05. This has been corrected in the HTML and PDF version of the Article.



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2021