

# Author Correction: Virological assessment of hospitalized patients with COVID-2019

---

<https://doi.org/10.1038/s41586-020-2984-3>

---

Correction to: *Nature* <https://doi.org/10.1038/s41586-020-2196-x>

---

Published online 01 April 2020

---

 Check for updates

---

**Roman Wölfel, Victor M. Corman, Wolfgang Guggemos,  
Michael Seilmaier, Sabine Zange, Marcel A. Müller,  
Daniela Niemeyer, Terry C. Jones, Patrick Vollmar, Camilla Rothe,  
Michael Hoelscher, Tobias Bleicker, Sebastian Brünink,  
Julia Schneider, Rosina Ehmann, Katrin Zwirgmaier,  
Christian Drosten & Clemens Wendtner**

---

In this Article, the text “For swab and sputum samples, interpolation based on a probit model was done to obtain laboratory-based infectivity criteria for the discharge of patients (Fig. 1e, f).” should have been updated when another panel was added to Fig. 1. The new Fig. 1f and g only contain data from sputum samples because their viral loads are relevant for the discharge decision. The sentence should read: “For sputum samples, interpolation based on a probit model was done to obtain laboratory-based infectivity criteria for the discharge of patients (Fig. 1f, g).” This error has been corrected online.