

SCIENTIFIC REPORTS

OPEN

Author Correction: Non-Invasive whole-body detection of complement activation using radionuclide imaging in a mouse model of myocardial ischaemia-reperfusion injury

Ehsan Sharif-Paghaleh^{1,2,3}, May Lin Yap¹, Sarah-Lena Puhl⁴, Adam Badar¹, Julia Baguña Torres¹, Krisanat Chuamsaamarkkee¹, Florian Kampmeier¹, Richard A. Smith², James Clark⁴, Philip J. Blower¹, Steven Sacks² & Gregory E. Mullen^{1,2}

Correction to: *Scientific Reports* <https://doi.org/10.1038/s41598-017-16387-1>, published online 23 November 2017

The Acknowledgements section in this Article is incomplete.

“The authors acknowledge the financial support from King’s College London, Medical Research Council Centre of Transplantation, the British Heart Foundation, the Centre of Excellence in Medical Engineering funded by the Wellcome Trust and the EPSRC under grant number WT088641/Z/09/Z, the King’s College London and University College London Comprehensive Cancer Imaging Centre funded by CRUK and EPSRC in association with the MRC and DoH (England), and the National Institute for Health Research (NIHR) Biomedical Research Centre based at Guy’s and St Thomas’ NHS Foundation Trust and King’s College London. PET/CT scanning equipment was funded by the Wellcome Trust. JBT was supported by the Alzheimer’s Society. We also thank Dr Kavitha Sunassee and Mr Stephen Clark for expert assistance with preclinical imaging. The views expressed are those of the authors and not necessarily those of the NHS, the NIHR or the Department of Health.”

should read:

“The authors acknowledge the financial support from King’s College London, Medical Research Council Centre of Transplantation, the British Heart Foundation [PG/11/111/29270], the Centre of Excellence in Medical Engineering funded by the Wellcome Trust and the EPSRC under grant number WT088641/Z/09/Z, the King’s College London and University College London Comprehensive Cancer Imaging Centre funded by CRUK and EPSRC in association with the MRC and DoH (England), and the National Institute for Health Research (NIHR) Biomedical Research Centre based at Guy’s and St Thomas’ NHS Foundation Trust and King’s College London. PET/CT scanning equipment was funded by the Wellcome Trust. JBT was supported by the Alzheimer’s Society. We also thank Dr Kavitha Sunassee and Mr Stephen Clark for expert assistance with preclinical imaging. The views expressed are those of the authors and not necessarily those of the NHS, the NIHR or the Department of Health.”

¹Division of Imaging Sciences and Biomedical Engineering, St Thomas’ Hospital, King’s College London, London, UK. ²MRC Centre for Transplantation, King’s College London, London, UK. ³Department of Immunology, School of Medicine, Tehran University of Medical Sciences, Tehran, Iran. ⁴Cardiovascular Division, Faculty of Life Sciences and Medicine, King’s College London, London, UK. May Lin Yap and Sarah-Lena Puhl contributed equally to this work. Steven Sacks and Gregory E. Mullen jointly supervised this work. Correspondence and requests for materials should be addressed to S.S. (email: steven.sacks@kcl.ac.uk) or G.E.M. (email: greg.mullen@kcl.ac.uk)



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2018