

Published online: 29 June 2018

OPEN Publisher Correction: TGF- β

concentrations and activity are down-regulated in the aqueous humor of patients with neovascular age-related macular degeneration

Gian Marco Tosi¹, Giovanni Neri¹, Elena Caldi², Fiorella Fusco¹, Tommaso Bacci¹, Antonio Tarantello¹, Elisabetta Nuti¹, Davide Marigliani¹, Stefano Baiocchi¹, Claudio Traversi¹, Marcella Barbarino³, Chiara M. Eandi⁴, Barbara Parolini⁵, Lucia Mundo⁶, Annalisa Santucci², Maurizio Orlandini² & Federico Galvagni 10²

Correction to: Scientific Reports https://doi.org/10.1038/s41598-018-26442-0, published online 23 May 2018

The Article contains errors in the Reference list. The order of References 28 – 35 is incorrect. The correct order of References 28-35 appears below.

- 28) Saed, G. M., Collins, K. L. & Diamond, M. P. Transforming growth factors beta 1, beta 2 and beta 3 and their receptors are differentially expressed in human peritoneal fibroblasts in response to hypoxia. Am. J. Reprod. Immunol. 48(6), 387-93 (2002).
- 29) Yafai, Y. et al. Müller glial cells inhibit proliferation of retinal endothelial cells via TGF-β2 and Smad signaling. Glia 62(9), 1476-85 (2014).
- 30) López-Casillas, F., Payne, H. M., Andres, J. L. & Massagué, J. Betaglycan can act as a dual modulator of TGF-beta access to signaling receptors: mapping of ligand binding and GAG attachment sites. J. Cell. Biol. 124(4), 557-68 (1994).
- 31) Sankar, S., Mahooti-Brooks, N., Centrella, M., McCarthy, T. L. & Madri, J. A. Expression of transforming growth factor type III receptor in vascular endothelial cells increases their responsiveness to transforming growth factor beta 2. J. Biol. Chem. 270(22), 13567-72 (1995).
- 32) Yamashita, H. et al. Endoglin forms a heteromeric complex with the signaling receptors for transforming growth factor-beta. J. Biol. Chem. 269(3), 1995-2001 (1994).
- 33) Yamauchi, K. et al. Vascular endothelial cell growth factor attenuates actions of transforming growth factor-beta in human endothelial cells. J. Biol. Chem. 279(53), 55104-8 (2004).
- 34) Galvagni, F. et al. CD93 and dystroglycan cooperation in human endothelial cell adhesion and migration adhesion and migration. Oncotarget 7(9), 10090-103 (2016).

 1 University of Siena, Ophthalmology Unit of the Department of Medicine, Surgery and Neuroscience, Siena, 53100, Italy. ²University of Siena, Department of Biotechnology, Chemistry and Pharmacy, Siena, 53100, Italy. ³University of Siena, Department of Medicine, Surgery and Neuroscience, Siena, 53100, Italy. ⁴University of Turin, Department of Surgical Science, Turin, 10124, Italy. 5Vitreoretinal Unit, Sant'Anna Hospital, Brescia, Italy. 6University of Siena, Department of Medical Biotechnology, Siena, 53100, Italy. Correspondence and requests for materials should be addressed to M.O. (email: maurizio.orlandini@unisi.it) or F.G. (email: federico.galvaqni@unisi.it)

35) Tosi, G. M. et al. CD93 as a Potential Target in Neovascular Age-Related Macular Degeneration. J. Cell. Physiol. 232(7), 1767-1773 (2017).

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit https://creativecommons.org/licenses/by/4.0/.

© The Author(s) 2018