

Published online: 10 December 2018

OPEN Author Correction: Correctionfree force calibration for magnetic tweezers experiments

Eugen Ostrofet, Flávia Stal Papini & David Dulin

Correction to: Scientific Reports https://doi.org/10.1038/s41598-018-34360-4, published online 29 October 2018

The original version of this Article contained errors in the Abstract.

"By significantly reducing τsh to at least 4-fold the characteristic times of the tethered magnetic bead, we accurately evaluated the variance of the magnetic bead position along the axis parallel to the magnetic field, estimating the force with a relative error of ~10% (standard deviation), being only limited by the bead-to-bead difference."

now reads:

"By significantly reducing ⊤sh to at most 1/4 the characteristic time of the tethered magnetic bead, we accurately evaluated the variance of the magnetic bead position along the axis parallel to the magnetic field, estimating the force with a relative error of ~10% (standard deviation), being only limited by the bead-to-bead difference."

These errors have now been corrected in the PDF and HTML versions of the Article.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit http://creativecommons.org/licenses/by/4.0/.

© The Author(s) 2018

Junior Research Group 2, Interdisciplinary Center for Clinical Research, Friedrich Alexander University Erlangen-Nürnberg (FAU), Hartmannstr. 14, 91052, Erlangen, Germany. Correspondence and requests for materials should be addressed to D.D. (email: david.dulin@uk-erlangen.de)