

Published online: 27 February 2019

## **OPEN** Author Correction: T-cell tolerance and exhaustion in the clearance of Echinococcus multilocularis: role of inoculum size in a quantitative hepatic experimental model

Chuanshan Zhanq<sup>1</sup>, Yinqmei Shao<sup>2</sup>, Shuting Yanq<sup>1</sup>, Xiaojuan Bi<sup>1</sup>, Liang Li<sup>4</sup>, Hui Wanq<sup>3</sup>, Ning Yang<sup>1</sup>, Zhide Li<sup>1</sup>, Cheng Sun<sup>4</sup>, Liang Li<sup>3</sup>, Guodong Lü<sup>1</sup>, Tuerganaili Aji<sup>2</sup>, Dominique A. Vuitton<sup>5</sup>, Renyong Lin<sup>1</sup> & Hao Wen<sup>1,2</sup>

Correction to: Scientific Reports https://doi.org/10.1038/s41598-017-11703-1, published online 11 September 2017

This Article contains typographical errors in the Acknowledgements section.

"This work was supported by Xinjiang Uygur Autonomous Region Science and Technology Program (No. 201430123) and National Natural Science Foundation of China (U1303222, 81660341, 81560330, 81560098)."

should read:

"This work was supported by Xinjiang Uygur Autonomous Region Science and Technology Program (No. 201430123) and National Natural Science Foundation of China (U1303222, 81371838, 81560330, 81560098)."

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit http://creativecommons.org/licenses/by/4.0/.

© The Author(s) 2019

<sup>1</sup>State Key Laboratory Incubation Base of Xinjiang Major Diseases Research, and WHO Collaborating Centre on Prevention and Case Management of Echinococcosis, Clinical Medicine Institute, The First Affiliated Hospital of Xinjiang Medical University, Urumqi, Xinjiang, China. <sup>2</sup>Department of Hepatic Hydatid and Hepatobiliary Surgery, Digestive and Vascular Surgery Centre, The First Affiliated Hospital of Xinjiang Medical University, Urumqi, Xinjiang, China. <sup>3</sup>Xinjiang Key Laboratory of Echinococcosis, Clinical Medicine Institute, The First Affiliated Hospital of Xinjiang Medical University, Urumqi, Xinjiang, China. <sup>4</sup>Institute of Immunology, The Key Laboratory of Innate Immunity and Chronic Disease (Chinese Academy of Medical Science), School of Life Sciences and Medical Center, University of Science & Technology of China, Hefei, Anhui, China. 5WHO-Collaborating Centre for the Prevention and Treatment of Human Echinococcosis, Department of Parasitology, University Bourgogne Franche-Comté (EA 3181) and University Hospital, Besançon, France. Chuanshan Zhang, Yingmei Shao and Shuting Yang contributed equally. Correspondence and requests for materials should be addressed to R.L. (email: renyong\_lin@sina.com) or H.W. (email: Dr.wenhao@163.com)