

# SCIENTIFIC REPORTS

**OPEN**


## **Author Correction:** Effects of Precipitates Evolution on Low Stress Creep Properties in P92 Heat-resistant Steel

Hongguang Han<sup>1,2</sup>, Junjie Shen <sup>1,2</sup> & Jiaxing Xie<sup>1,2</sup>


Correction to: *Scientific Reports* <https://doi.org/10.1038/s41598-018-33814-z>, published online 18 October 2018

This Article contains errors in Figures 1, 2, 3, 4, 5, 6, 7 and 10, where images are unlabelled. The correct Figures 1, 2, 3, 4, 5, 6, 7 and 10 appear below as Figures 1–8 respectively.


<sup>1</sup>Tianjin Key Laboratory for Advanced Mechatronic System Design and Intelligent Control, School of Mechanical Engineering, Tianjin University of Technology, Tianjin, 300384, China. <sup>2</sup>National Demonstration Center for Experimental Mechanical and Electrical Engineering Education, Tianjin University of Technology, Tianjin, 300384, China. Correspondence and requests for materials should be addressed to J.S. (email: [58920151@qq.com](mailto:58920151@qq.com))




**Figure 1.** OM micrographs of P92 heat-resistant steels without aging (a) and following thermal aging for 3000 h (b) and 8000 h (c).




**Figure 2.** SEM (a) and SEM-BSE (b) micrographs of P92 heat-resistant steels following thermal aging for 3000 h.




**Figure 3.** SEM-EDS diagrams of bright particles A (a) and dark particles B (b) in P92 heat-resistant steels following thermal aging for 3000 h.




**Figure 4.** TEM micrographs of P92 heat-resistant steels following thermal aging for 3000 h (a,b) and the corresponding SAED patterns and EDS diagrams of particles A (c) and B (d).




**Figure 5.** SEM-BSE micrographs of P92 heat-resistant steels following thermal aging for 0 h (a), 1500 h (b), 3000 h (c), 4000 h (d), 5500 h (e), 8000 h (f).



**Figure 6.** Average diameter of precipitates (a) and the number of precipitates per unit area (b) of  $M_{23}C_6$  carbides and Laves phases in P92 heat-resistant steels following thermal aging for different times.



**Figure 7.** Creep curves of P92 heat-resistant steel specimens following thermal aging for different times at 923 K under stress of 20 MPa (a), 35 MPa (b), 65 MPa (c) and 75 MPa (d).



**Figure 8.** Comparison between the variation trends of  $\varepsilon_M$  values for P92 heat-resistant steel at 923 K under different stresses (20 MPa (a,b), 35 MPa (c,d), 65 MPa (e,f) and 75 MPa (g,h)) and  $H_s$  values for Laves phases and  $M_{23}C_6$  carbides.

**Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2019