

SCIENTIFIC REPORTS

OPEN

Author Correction: Critical steps in clinical shotgun metagenomics for the concomitant detection and typing of microbial pathogens

Natacha Couto¹, Leonard Schuele^{1,2}, Erwin C. Raangs¹, Miguel P. Machado³, Catarina I. Mendes^{1,3}, Tiago F. Jesus³, Monika Chlebowicz¹, Sigrid Rosema¹, Mário Ramirez³, João A. Carriço³, Ingo B. Autenrieth², Alex W. Friedrich¹, Silke Peter² & John W. Rossen¹

Correction to: *Scientific Reports* <https://doi.org/10.1038/s41598-018-31873-w>, published online 13 September 2018

This Article contains errors in Tables 2, 5 and 6.

In Table 2, the subheading ‘Kraken^b’ should read ‘Kraken^{bd}’

In Table 5, for the MetaPhlan2 (Unix) method, the sensitivity and PPV values should read as 78% and 54% respectively. For the MIDAS (Unix) method, the sensitivity and PPV values should read as 78% and 21% respectively.

In Table 6, the subscript note ^a has been incorrectly included in the subheading ‘CLC Genomics Workbench^a’, which should read ‘CLC Genomics Workbench’



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article’s Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article’s Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2019

¹University of Groningen, University Medical Center Groningen, Department of Medical Microbiology, Groningen, The Netherlands. ²Institute of Medical Microbiology and Hygiene, University of Tübingen, Tübingen, Germany. ³Instituto de Microbiologia, Instituto de Medicina Molecular, Faculdade de Medicina, Universidade de Lisboa, Lisbon, Portugal. Correspondence and requests for materials should be addressed to N.C. (email: n.monge.gomes.do.couto@umcg.nl)