

Published online: 16 April 2019

## OPEN Publisher Correction: Increase in Interfacial Adhesion and **Electrochemical Charge** Storage Capacity of Polypyrrole on Au Electrodes Using Polyethyleneimine

Kyung-Geun Kim & Sung Yeol Kim

Correction to: Scientific Reports https://doi.org/10.1038/s41598-019-38615-6, published online 18 February 2019

In this Article, Figure 6 is a duplication of Figure 4. The correct Figure 6 appears below as Figure 1.

School of Mechanical Engineering, Kyungpook National University, Daegu, 702-701, Republic of Korea. Correspondence and requests for materials should be addressed to S.Y.K. (email: sykim.knu@gmail.com)




Figure 1. (a) Cyclic voltammograms of 4- $\mu$ m-thick pPy layers on surface-treated electrodes: Scan rate = 1 mV/s, electrolyte = 0.2 M HCl. (b) Charge capacity retention of the pPy layers as a function of scan rate (mV/s).

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <a href="https://creativecommons.org/licenses/by/4.0/">https://creativecommons.org/licenses/by/4.0/</a>.

© The Author(s) 2019