SCIENTIFIC REPORTS

OPEN

Author Correction: Influences of scan-position on clinical ultra-high-resolution CT scanning: a preliminary study

Lu Li¹, HuiMin Li², JinEr Shu¹, JiangFeng Pan¹, XiaoRong Chen¹, MingLiang Ying¹, YiBin Xu¹, Dingjun Wang¹ & Peipei Pang³

Correction to: *Scientific Reports* <https://doi.org/10.1038/s41598-018-37514-6>, published online 04 February 2019

The Acknowledgements section in this Article was omitted. The Acknowledgements section should read:

“This work was supported by Zhejiang Provincial Natural Science Foundation (Grant Number LGF18H180011) and Jinhua Science and Technology Bureau (Grant Number 2017-3-004)”.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2019

¹Department of Radiology, Jinhua Central Hospital of Zhejiang University, Jinhua, 321000, China. ²Department of Radiology, Xinhua Hospital Affiliated to Shanghai Jiaotong University School of Medicine, Shanghai, 200092, China. ³GE healthcare, Hangzhou, 310000, China. Lu Li and HuiMin Li contributed equally. Correspondence and requests for materials should be addressed to J.S. (email: shujiner@163.com)