OPEN

Author Correction: Visual Field Prediction using Recurrent Neural Network

Keunheung Park^{1,3}, Jinmi Kim² & Jiwoong Lee^{1,3}Correction to: *Scientific Reports* <https://doi.org/10.1038/s41598-019-44852-6>, published online 10 June 2019

This Article contains typographical errors in the Acknowledgements section.

“This research was supported by the Bio & Medical Technology Development Program of the National Research Foundation (NRF) funded by the Korean government (MSIT) (No. NRF-2018M3A9E8066253).”

should read:

“This research was supported by the Bio & Medical Technology Development Program of the National Research Foundation (NRF) funded by the Korean government (MSIT) (No. NRF-2018M3A9E8066254).”

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2019

¹Department of Ophthalmology, Pusan National University College of Medicine, Busan, Korea. ²Department of Biostatistics, Clinical Trial Center, Biomedical Research Institute, Pusan National University Hospital, Busan, Korea.

³Biomedical Research Institute, Pusan National University Hospital, Busan, Korea. Correspondence and requests for materials should be addressed to J.L. (email: glaucoma@pnu.ac.kr)