







OPEN

Author Correction: Quantitative phase contrast imaging of a shock-wave with a laser-plasma based X-ray source

F. Barbato, S. Atzeni , D. Batani, D. Bleiner, G. Boutoux, C. Brabetz, P. Bradford, D. Mancelli , P. Neumayer, A. Schiavi, J. Trela, L. Volpe, G. Zeraouli, N. Woolsey  & L. Antonelli 

Correction to: *Scientific Reports* <https://doi.org/10.1038/s41598-019-55074-1>, published online 11 December 2019

This Article contains a repeated typographical error where the unit “ μm ” is incorrectly given as “m” or “um” and “o” is incorrectly given as “deg”.



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2020