



OPEN

# Author Correction: Combined spatiotemporal and frequency-dependent shear wave elastography enables detection of vulnerable carotid plaques as validated by MRI

David Marlevi , Sharon L. Mulvagh, Runqing Huang, J. Kevin DeMarco, Hideki Ota , John Huston III, Reidar Winter, Thanila A. Macedo, Sahar S. Abdelmoneim, Matilda Larsson, Patricia A. Pellikka & Matthew W. Urban 

Correction to: *Scientific Reports* <https://doi.org/10.1038/s41598-019-57317-7>, published online 15 January 2020

In the original version of this Article, the author J. Kevin DeMarco was incorrectly indexed. This error has now been corrected.



**Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2020