
## scientific reports



## **OPEN Author Correction: Enhanced** super-resolution microscopy by extreme value based emitter recovery

Published online: 16 November 2021

Honggiang Ma, Wei Jiang, Jianguan Xu & Yang Liu

Correction to: Scientific Reports https://doi.org/10.1038/s41598-021-00066-3, published online 14 October 2021

The original version of this Article contained an error in Reference 7, which was incorrectly given as:

Hoogendoorn, E. et al. The fidelity of stochastic single-molecule super-resolution reconstructions critically depends upon robust background estimation. Sci. Rep. 4, 3854 (2015).

The correct reference is listed below:

Hoogendoorn, E. et al. The fidelity of stochastic single-molecule super-resolution reconstructions critically depends upon robust background estimation. Sci. Rep. 4, 3854 (2014).

As a result, Reference 11 was a duplication of Reference 7 and therefore removed from the Article. The References have been renumbered.

The original Article has been corrected.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/.

© The Author(s) 2021