scientific reports



OPEN Proprioception and neuromuscular control at return to sport after ankle surgery with the modified Broström procedure


Jin Hyuck Lee¹, Hae Woon Jung³ & Woo Young Jang^{1,2}


The modified Broström procedure (MBP) is an initial treatment for symptomatic chronic ankle instability (CAI) patients. This study aimed to compare the proprioception and neuromuscular control ability of both affected and unaffected ankles at the time of return to sports after MBP for patients with scores of normal controls. 75 individuals (40 who underwent MBP, 35 normal controls) participated. The dynamic balance test scores were significantly higher in the affected ankle of the patients than in the controls (1.5 ± 0.6° vs. 1.1 ± 0.4°, p < 0.003). The time to peak torque for dorsiflexion (60.8±13.9 ms vs. 52.2±17.5 ms, p < 0.022) and eversion (68.9±19.1 ms vs. 59.3±21.1 ms, p < 0.043) was significantly delayed in the affected ankle of the patients than in the controls. The dynamic balance test and time to peak torque in CAI patients remained significantly reduced at the time of return-to-sport after MBP. Clinicians and therapists should be aware of potential deficits in proprioception and neuromuscular control when determining the timing of return to sports after MBP.

The potential implications of chronic ankle instability (CAI) include mechanical joint instability, peroneal muscle weakness, and a lack of proprioception and neuromuscular control^{1–5}. In particular, lateral ankle ligament injuries, including those of the anterior talofibular ligament (ATFL) and calcaneofibular ligament (CFL), can cause mechanical ankle instability (MAI), whereas proprioception and neuromuscular deficits can lead to functional ankle instability (FAI). Thus, MAI and FAI are a component of CAI^{6,7}. Most patients with CAI can recover to their pre-injury activity levels with conservative treatment, but some clinicians argue that surgical intervention is required in 10-30% of patients in whom conservative treatment is unsuccessful^{2,8,9}. For these reasons, the modified Broström procedure (MBP) is typically the initial treatment in symptomatic CAI patients in whom recovery was not attained with conservative treatment¹⁰.

Several studies have noted that postural control¹¹⁻¹⁴ and peroneal muscle reaction time^{11-13,15} may be significant factors in assessing the recovery of proprioception and neuromuscular control in CAI patients after conservative or surgical treatment. While some authors have reported good clinical outcomes in most CAI patients after MBP¹⁶, patients can still experience subjective instability and persistent pain¹⁷⁻¹⁹, which may be due to proprioception and neuromuscular control deficits⁵. However, the extent of the recovery of proprioception and neuromuscular control after MBP for CAI has rarely been investigated. Furthermore, although the recommended timeframe for a return to non-contact sports after ligament surgery has generally been 3 months postoperative^{20–23}, no studies have investigated the proprioception and neuromuscular control at 3 months after MBP. Therefore, this study aimed to compare the proprioception and neuromuscular control of both affected and unaffected ankles in CAI patients at 3 months after a MBP with scores for normal controls. We hypothesized that patients' proprioception and neuromuscular control scores at 3 months after MBP would recover to the same level as that of normal controls.

¹Department of Sports Medical Center, Korea University College of Medicine, Anam Hospital, Seoul, Republic of Korea. ²Department of Orthopedic Surgery, College of Medicine, Korea University, 73, Inchon-ro, Seongbuk-gu, Seoul 02841, Republic of Korea. ³Department of Pediatrics, Kyung Hee University Medical Center, Seoul, Republic of Korea. [⊠]email: opmanse@gmail.com





Methods **Participant enrollment.** Ethics approval was provided by the Institutional Review Board of the Korea University Anam Hospital (no: ED17143), and all research was performed in accordance with the relevant guidelines and regulations. Informed consent was obtained from all participants. A total of 73 patients who underwent MBP surgery between 2013 and 2017 among 168 patients with CAI were included in this retrospective case-control study. All patients underwent plain radiographic testing of both ankles to identify the lateral ankle ligament injuries. MAI was assessed as the presence of a talar tilt of more than 9° or an inter-ankle difference of more than 3° or 3 mm in the anterior drawer^{24,25}. Any disagreements regarding physical examination or imaging findings were resolved by consensus of two experienced surgeons. All patients with CAI underwent conservative treatment for 3 months. If they reported constant symptomatic ankle instability and persistent pain despite conservative treatment, MBP was recommended for MAI with FAI. All patients who underwent MBP exhibited an ATFL tear with or without a CFL tear (grade 2 or 3 lesion) on magnetic resonance images and instability on stress plain radiographs²⁵. Thirty-three patients were excluded for the following reasons (Fig. 1): bilateral ankle injury, medial ankle ligament injury, revised ankle surgery, refusal to be examined due to persistent postoperative pain, neuromuscular disease, acute ankle sprain, and osteochondral lesions. Then, 40 patients were allocated to the MBP group (12.4 weeks after MBP on average), and 35 normal control subjects were selected from our database of volunteers with no history of ankle joint injury. Finally, 75 participants (40 who underwent MBP vs. 35 normal controls) were enrolled.

Evaluation tests. Recent studies reported that patients who underwent MBP returned to sports at 12 weeks^{23,26} and that proprioception and neuromuscular control are critical factors for a successful return to sports^{12,27}. However, the terminology for proprioception and neuromuscular control in these studies has often

	Modified Broström procedure group (n=40)	Normal control group (n = 35)	<i>p</i> value
Sex (male/female)	25/15	21/14	
Age (years) ^a	27.3±3.6	24.8±2.2	0.542
Height (cm) ^a	176.1±0.8	175.3 ± 0.4	0.794
Weight (kg) ^a	61.3±4.4	63.2±6.5	0.626
Body mass index (kg/m ²) ^a	22.1±2.4	23.2±3.6	0.512
Injured side (right/left)	28/12	21/14	
Sports and activity level, n (low:high) ^a	15:25	12:23	0.412

 Table 1. Demographic data of subjects in the modified Broström procedure and normal control groups.

 ^aValues expressed as mean ± standard deviation.

.....

been used interchangeably^{12,27}. In the present study, proprioception and neuromuscular control tests were separately evaluated using postural stability and time to peak torque tests, respectively.

Since proprioception plays an important role in balance control²⁸, the postural stability test was performed using the Biodex Stability System (BSS; Biodex Medical Systems, Shirley, NY, USA). While the static balance test involves maintaining the patient's posture on a platform at level 12 (most stable), the dynamic balance test involves maintaining posture as the platform stability gradually decreases from level 12 (most stable) to level 1 (most unstable) with the level automatically declining every 1.66 s. The BSS provides a 20° platform tilt and 360° platform rotation. For this test, all participants stood barefoot with one leg on the platform while holding the opposite leg in a flexed position off the platform with the hands held behind the pelvis. Each test was performed for 2 trials, with rest time of 10 s between testing each leg. If the participant was unable to maintain a stable posture, that test was canceled. Each test was performed for 20 s to record postural stability parameters including the overall stability index (OSI, in degrees), with a lower OSI indicating better postural stability^{24,29}.

In this study, to quantify the test–retest reliability for postural stability, intraclass correlation coefficients (ICCs) were calculated for two trials of static and dynamic balance. ICCs for static and dynamic balance were 0.90 and 0.85, respectively.

The neuromuscular control test was performed using a quantified isokinetic device (Biodex Multi-Joint System 4, Biodex Medical Systems Inc., Shirley, NY, USA). Neuromuscular control can be defined as the coordination or co-contraction of muscles for joint stability³⁰. Neuromuscular control was measured using the time to peak torque, which reflects muscular reaction time and was defined as the arrival time (in milliseconds) from the initial contraction to the peak torque during muscle contraction³¹. Time to peak torque was recorded during 15 muscle contractions at 120°/s, with rest times of 30 s between feet and 1 min between tests performed in eversion and dorsiflexion.

Postoperative rehabilitation protocol. Postoperative rehabilitation is divided into three phases at our clinic. All patients underwent cast immobilization for 2 weeks after the MBP. The initial phase started at 2–4 weeks postoperative and included range of motion and isometric muscle strengthening exercises with gradual full weight bearing. Starting at 6 weeks postoperative, the second phase introduced concentric and eccentric muscle strengthening of the hip, knee, and ankle joints and balance exercises to improve proprioception. Starting at 10 weeks postoperative, the third phase involved incremental muscle strengthening and plyometric exercises, including dynamic balance exercises, to improve neuromuscular control. Running and return to noncontact sports were allowed at 12 weeks. All participants performed the rehabilitation protocol for both ankles once or twice per week for 12 weeks postoperative and were taught the home rehabilitation program.

Statistical analysis. Based on a previous study of postural stability in patients with ankle instability^{24,32}, an intergroup OSI difference > 0.5° was considered a clinical difference. A power analysis was performed to determine the sample size, with an alpha level of 0.05 and a power of 0.8. The results of a pilot study with five ankles in each group indicated that 54 ankles were required to detect significant intergroup differences in OSI (> 0.5°). The power available to detect such differences in OSI was 0.810.

All continuous variables are described as mean \pm SD. The Student's *t*-test was used to compare proprioception (postural stability) and neuromuscular control (time to peak torque) the affected and unaffected ankles of the MBP versus normal control groups. A paired t-test was used to compare all pre- versus postoperative variables in the MBP group. The Shapiro test was used to determine whether continuous variables were normally distributed. The statistical significance was set at p <0.05. The statistical analysis was performed using SPSS Statistics software (ver. 21.0; IBM, Chicago, IL, USA).

Ethics approval and consent to participate. The study protocol was approved by Korea University Anam Hospital Institutional Review Board (No: ED 17143). All study participants provided written informed consent before being enrolled in this study.

Results

Table 1 presents the participants' demographic data. There were no significant differences in age, height, and weight between the 40 patients who underwent MBP and the 35 normal controls.




Figure 2. Pre- and postoperative postural stability (degrees) and time to peak torque (milliseconds) of the affected versus unaffected ankles between preoperative and postoperative in the MBP group. *MBP* modified Broström procedure.

	Unaffected ankle			Affected ankle		
	Modified Broström procedure group	Normal control group	<i>p</i> value	Modified Broström procedure group	Normal control group	<i>p</i> value
Static balance, mean±SD	1.1 ± 0.4	1.0 ± 0.4		1.2 ± 0.4	1.1±0.4	
MD, (95% CI)	0.1 (- 0.2, 0.2)		0.806	0.1 (- 0.1, 0.3)		0.245
Effect size	0.250		-	0.249		
Dynamic balance, mean±SD	1.3±0.6	1.1±0.3		1.5±0.6	1.1 ± 0.4	
MD, 95% CI	0.2 (0, 0.4)		0.088	0.4 (0.1, 0.6)		0.003ª
Effect size	0.421			0.784		

Table 2. Postural stability between the modified Broström procedure and normal control groups. Significant values are in bold. Values expressed as mean ± standard deviation. The measurement units for the balance test was the degree. *SD* Standard deviation, *MD* mean difference, *CI* confidence interval. ^aStatistically significant.

Pre- versus postoperative outcome measures in the MBP group. Preoperative dynamic balance test scores of the affected ankles were significantly improved after MBP $(1.8 \pm 1.1^{\circ} \text{ vs. } 1.5 \pm 0.6^{\circ}, p = 0.002; \text{ Fig. 2})$, whereas the static balance test scores did not improve (p > 0.05). Preoperative time to peak torque for dorsiflexion and eversion of the affected ankles were significantly improved after MBP (dorsiflexion: $68.8 \pm 15.0 \text{ ms vs.}$ $60.8 \pm 13.9 \text{ ms}, p = 0.035$; eversion: $76.1 \pm 18.4 \text{ ms vs.}$ $68.9 \pm 19.1 \text{ ms}, p = 0.047$; Fig. 2), whereas those for the unaffected ankles remained unchanged (p > 0.05).

Intergroup comparison of postoperative outcome measures. The static balance test showed no significant intergroup difference in the affected or unaffected ankles (p > 0.05; Table 2). The dynamic balance test scores were significantly higher for the affected ankles of the MBP group than for the ankles of the control group ($1.5 \pm 0.6^{\circ}$ vs. $1.1 \pm 0.4^{\circ}$; 95% confidence interval [CI]: 0.1-0.6; effect size: 0.784; p < 0.003; Table 2), with no difference noted in the unaffected ankles (p > 0.05). Times to peak torque for dorsiflexion and eversion were significantly delayed in the affected ankles of the MBP group versus those of the control group (dorsiflexion: 60.8 ± 13.9 ms vs. 52.2 ± 17.5 ms; 95% CI – 12.8 to 15.8; effect size: 0.544; p < 0.022; eversion: 68.9 ± 19.1 ms vs. 59.3 ± 21.1 ms; 95% CI 3.3-18.8; effect size: 0.477; p < 0.043; Table 3), and no intergroup differences were noted in the unaffected ankles (p > 0.05).

Discussion

The most important result of the present study was that dynamic balance test scores and times to peak torque of dorsiflexion and eversion were significantly reduced in the affected ankles of the MBP group versus those of the normal control group.

In the postural stability tests, dynamic balance test was significantly reduced in the affected ankles of the MBP group compared with those of the normal controls, except for static balance test. Although the reason

	Unaffected ankle			Affected ankle		
	Modified Broström procedure group	Normal control group	<i>p</i> value	Modified Broström procedure group	Normal control group	<i>p</i> value
Dorsiflexion time to peak torque, mean ± SD	55.8±25.1	56.4±15.5		60.8±13.9	52.2±17.5	
MD, 95% CI	- 0.6 (- 10.4, 9.1)		0.892	8.6 (- 12.8, 15.8)		0.022 ^a
Effect size	- 0.028		7	0.544		
Eversion time to peak torque, Mean ± SD	64.4±15.8	56.0±22.5		68.9±19.1	59.3±21.1	
MD, (95% CI)	8.4 (- 5.3, 17.2)		0.072	9.6 (3.3, 18.8)		0.043 ^a
Effect size	0.432		1	0.477		

Table 3. Time to peak torque between the modified Broström procedure and normal control groups. Significant values are in bold. Values expressed as mean ± standard deviation. The measurement units for time to peak torque tests was the millisecond. *SD* Standard deviation, *MD* mean difference, *CI* confidence interval. ^aStatistically significant.

for this result is unclear, it can likely be explained by mechanoreceptors, sensory receptors located in the ligaments that provide sensory information from external stimuli³³. They include Pacinian corpuscles (rapidly adapting mechanoreceptors) and Ruffini endings, muscle spindles, and Golgi tendon organs (slowly adapting mechanoreceptors)^{34,35}. Recent studies reported that, compared with Ruffini endings and Golgi tendon organs, Pacinian corpuscles predominate in the lateral ligaments of the human ankle^{33,36}, which makes them especially capable of detecting motion and dynamic sense³⁷. Therefore, rapidly adapting mechanoreceptors loss can affect dynamic postural stability on the dynamic balance test^{33,36}, but not static postural stability. In addition, McKeon and Hertel, reported that the static balance test may not be an appropriate assessment to detect balance deficits in CAI patients¹². Therefore, the dynamic balance test may be helpful in identifying balance deficits between CAI patients who underwent MBP and normal controls compared with the static balance test³⁸. Another possible reason for this result may be insufficient ligament recovery. A previous study reported that lateral ankle ligament deficits may decrease postural stability due to increased mechanical instability³⁹. In the present study, the dynamic postural stability test was performed 3 months after the MBP, and the improvement of mechanical stability seems to be insufficient in this time⁴⁰.

Systematic review studies^{41,42} reported that a delayed peroneal reaction time may cause CAI. In the present study, times to peak torque as muscle reaction time for dorsiflexion and eversion were significantly increased in the affected ankles of the MBP group versus the ankles of the normal control groups. One possible explanation for the difference in results between the MBP and normal control groups is that the muscle reaction time may not be affected by surgical repair. As previously mentioned, rapidly adapting mechanoreceptors are prevalent (versus slowly adapting mechanoreceptors) in the lateral ankle ligament^{33,36}. The MBP is performed to facilitate mechanical stability improvements, but muscle reaction time is detected by slowly adapting mechanoreceptors^{43,44}. Therefore, the authors believe that the recovery of slowly adapting mechanoreceptors may be insufficient through surgical repair alone⁴⁵. Furthermore, Li et al. reported that the muscle reaction times of dorsiflexion and eversion did not improve on electromyography (EMG) after MBP⁴⁶, probably because the delayed muscle reaction time is not related to ligament injury or mechanical instability⁴⁷. Given that the results of the present study were consistent with those of previous studies, we believe that proprioception and neuromuscular training should be considered postoperatively to improve muscular reaction time in dorsiflexion and eversion^{45,48,49}.

This study had several limitations. First, it is possible that visual compensation may directly affect postural stability as reported by Li et al.¹⁴. However, in the present study, the control screen was covered to reduce any bias of the dynamic balance test. Second, we did not perform EMG in the neuromuscular response assessment. However, isokinetic devices are valid indirect measurement tools for the assessment of muscular response, including muscular reaction time, since they quantify the time to peak torque^{31,50}. Finally, we did not evaluate clinical outcomes such as the Halasi score^{51,52} or the Foot and Ankle Ability Measure-sports score⁵³; thus, further prospective studies including such clinical outcomes are necessary to confirm the optimal timing for a return to sports after MBP. Despite these limitations, to the best of our knowledge, this is the first study to determine the differences in proprioception and neuromuscular control between CAI patients who underwent MBP and normal controls.

In conclusion, dynamic balance test scores and times to peak torque of CAI patients remained significantly reduced at the timing of return-to-sport after MBP. Therefore, clinicians and therapists should be aware of potential proprioception and neuromuscular control deficits when determining the timing of return-to-sport after MBP.

Data availability

The datasets generated or analyzed during this study cannot be disclosed due to the standing policy of the Korea University Anam Hospital Research Ethics Board.

Received: 25 March 2021; Accepted: 24 December 2021 Published online: 12 January 2022

References

- Hertel, J. Functional anatomy, pathomechanics, and pathophysiology of lateral ankle instability. J. Athl. Train. 37, 364–375 (2002).
 Karlsson, J., Bergsten, T., Lansinger, O. & Peterson, L. Reconstruction of the lateral ligaments of the ankle for chronic lateral
 - Z. Karsson, J., Bergsteit, T., Lansinger, O. & Feterson, L. Reconstruction of the lateral ingainents of the article of chronic fateral instability. J. Bone Jt. Surg. Am. 70, 581–588 (1988).
 Z. Farcer, L. J. et al. Exact impactments contribute to functional limitation in individuals with and a province additional limitation.
 - 3. Fraser, J. J. et al. Foot impairments contribute to functional limitation in individuals with ankle sprain and chronic ankle instability. *Knee Surg. Sports Traumatol. Arthrosc.* 28, 1600–1610 (2020).
 - 4. Hertel, J. & Corbett, R. O. An updated model of chronic ankle instability. J. Athl. Train. 54, 572-588 (2019).
- 5. Xue, X., Ma, T., Li, Q., Song, Y. & Hua, Y. Chronic ankle instability is associated with proprioception deficits: A systematic review and meta-analysis. J. Sport Health Sci. 10, 182–191 (2021).
- Kobayashi, T. & Gamada, K. Lateral ankle sprain and chronic ankle instability: A critical review. *Foot Ankle Spec.* 7, 298–326 (2014).
 Hertel, J. Functional instability following lateral ankle sprain. *Sports Med.* 29, 361–371 (2000).
- Karlsson, J., Eriksson, B. I., Bergsten, T., Rudholm, O. & Sward, L. Comparison of two anatomic reconstructions for chronic lateral instability of the ankle joint. Am. J. Sports Med. 25, 48–53 (1997).
- 9. Konradsen, L., Bech, L., Ehrenbjerg, M. & Nickelsen, T. Seven years follow-up after ankle inversion trauma. Scand. J. Med. Sci. Sports 12, 129–135 (2002).
- 10. Michels, F. et al. Searching for consensus in the approach to patients with chronic lateral ankle instability: Ask the expert. Knee Surg. Sports Traumatol. Arthrosc. 26, 2095–2102 (2018).
- Sierra-Guzman, R., Jimenez, F. & Abian-Vicen, J. Predictors of chronic ankle instability: Analysis of peroneal reaction time, dynamic balance and isokinetic strength. *Clin. Biomech. (Bristol, Avon)* 54, 28–33 (2018).
- 12. McKeon, P. O. & Hertel, J. Systematic review of postural control and lateral ankle instability, part I: Can deficits be detected with instrumented testing. J. Athl. Train. 43, 293–304 (2008).
- 13. Cho, B. K. & Park, J. K. Correlation between joint-position sense, peroneal strength, postural control, and functional performance ability in patients with chronic lateral ankle instability. *Foot Ankle Int.* **40**, 961–968 (2019).
- 14. Li, H. Y. et al. The improvement of postural control in patients with mechanical ankle instability after lateral ankle ligaments reconstruction. *Knee Surg. Sports Traumatol. Arthrosc.* 24, 1081–1085 (2016).
- 15. Levin, O. *et al.* Proactive and reactive neuromuscular control in subjects with chronic ankle instability: Evidence from a pilot study on landing. *Gait Posture* **41**, 106–111 (2015).
- McCriskin, B. J., Cameron, K. L., Orr, J. D. & Waterman, B. R. Management and prevention of acute and chronic lateral ankle instability in athletic patient populations. World J. Orthop. 6, 161–171 (2015).
- Lynch, S. A. & Renstrom, P. A. Treatment of acute lateral ankle ligament rupture in the athlete. Conservative versus surgical treatment. Sports Med. 27, 61–71 (1999).
- 18. Kibler, W. B. Arthroscopic findings in ankle ligament reconstruction. Clin. Sports Med. 15, 799-804 (1996).
- 19. Maffulli, N. *et al.* Isolated anterior talofibular ligament Brostrom repair for chronic lateral ankle instability: 9-year follow-up. *Am. J. Sports Med.* **41**, 858–864 (2013).
- Jones, A. P., Sidhom, S. & Sefton, G. A minimally invasive surgical technique for augmented reconstruction of the lateral ankle ligaments with woven polyester tape. J. Foot Ankle Surg. 46, 416–423 (2007).
- Paterson, R., Cohen, B., Taylor, D., Bourne, A. & Black, J. Reconstruction of the lateral ligaments of the ankle using semi-tendinosis graft. Foot Ankle Int. 21, 413–419 (2000).
- 22. White, W. J., McCollum, G. A. & Calder, J. D. Return to sport following acute lateral ligament repair of the ankle in professional athletes. *Knee Surg. Sports Traumatol. Arthrosc.* 24, 1124–1129 (2016).
- Yoo, J. S. & Yang, E. A. Clinical results of an arthroscopic modified Brostrom operation with and without an internal brace. J. Orthop. Traumatol. 17, 353–360 (2016).
- Lee, J. H., Lee, S. H., Choi, G. W., Jung, H. W. & Jang, W. Y. Individuals with recurrent ankle sprain demonstrate postural instability and neuromuscular control deficits in unaffected side. *Knee Surg. Sports Traumatol. Arthrosc.* 28, 184–192 (2018).
- Usuelli, F. G. *et al.* Lateral ankle and hindfoot instability: A new clinical based classification. *Foot Ankle Surg.* 20, 231–236 (2014).
 Matsui, K., Takao, M., Miyamoto, W. & Matsushita, T. Early recovery after arthroscopic repair compared to open repair of the
- anterior talofibular ligament for lateral instability of the ankle. *Arch. Orthop. Trauma Surg.* 136, 93–100 (2016).
 27. Zech, A. *et al.* Balance training for neuromuscular control and performance enhancement: A systematic review. *J. Athl. Train.* 45, 392–403 (2010).
- Pasma, J. H., Boonstra, T. A., Campfens, S. F., Schouten, A. C. & Van der Kooij, H. Sensory reweighting of proprioceptive information of the left and right leg during human balance control. J. Neurophysiol. 108, 1138–1148 (2012).
- Lee, J. H., Heo, J. W. & Lee, D. H. Comparative postural stability in patients with lateral meniscus versus medial meniscus tears. *Knee* 25, 256-261 (2018).
- 30. Riemann, B. L. & Lephart, S. M. The sensorimotor system, Part II: The role of proprioception in motor control and functional joint stability. J. Athl. Train. 37, 80–84 (2002).
- Lee, J. H., Park, J. S., Hwang, H. J. & Jeong, W. K. Time to peak torque and acceleration time are altered in male patients following traumatic shoulder instability. J. Shoulder Elb. Surg. 27, 1505–1511 (2018).
- Lee, J. H., Lee, S. H., Jung, H. W. & Jang, W. Y. Modified Brostrom procedure in patients with chronic ankle instability is superior to conservative treatment in terms of muscle endurance and postural stability. *Knee Surg. Sports Traumatol. Arthrosc.* 28, 93–99 (2020).
- Wu, X., Song, W., Zheng, C., Zhou, S. & Bai, S. Morphological study of mechanoreceptors in collateral ligaments of the ankle joint. J. Orthop. Surg. Res. 10, 92 (2015).
- 34. Michelson, J. D. & Hutchins, C. Mechanoreceptors in human ankle ligaments. J. Bone Jt. Surg. Br. 77, 219-224 (1995).
- 35. Macefield, V. G. Physiological characteristics of low-threshold mechanoreceptors in joints, muscle and skin in human subjects. *Clin. Exp. Pharmacol. Physiol.* **32**, 135–144 (2005).
- Moraes, M. R. *et al.* Histomorphometric evaluation of mechanoreceptors and free nerve endings in human lateral ankle ligaments. *Foot Ankle Int.* 29, 87–90 (2008).
- Wikstrom, E. A., Tillman, M. D., Chmielewski, T. L. & Borsa, P. A. Measurement and evaluation of dynamic joint stability of the knee and ankle after injury. Sports Med. 36, 393–410 (2006).
- Jaffri, A. H., Amjad, M. & Saliba, S. The interrater reliability of dynamic leap and balance test in healthy and chronic ankle instability. Scand. J. Med. Sci. Sports 30, 2364–2370 (2020).
- Chen, H., Li, H. Y., Zhang, J., Hua, Y. H. & Chen, S. Y. Difference in postural control between patients with functional and mechanical ankle instability. *Foot Ankle Int.* 35, 1068–1074 (2014).
- Hubbard, T. J. & Hicks-Little, C. A. Ankle ligament healing after an acute ankle sprain: An evidence-based approach. J. Athl. Train. 43, 523–529 (2008).
- 41. de Menacho, M. O. *et al.* The peroneus reaction time during sudden inversion test: Systematic review. J. Electromyogr. Kinesiol. 20, 559–565 (2010).
- Hoch, M. C. & McKeon, P. O. Peroneal reaction time after ankle sprain: A systematic review and meta-analysis. *Med. Sci. Sports Exerc.* 46, 546–556 (2014).

- Johansson, H., Sjölander, P. & Sojka, P. Activity in receptor afferents from the anterior cruciate ligament evokes reflex effects on fusimotor neurones. *Neurosci. Res.* 8, 54–59 (1990).
- 44. Vallbo, A. B. Slowly adapting muscle receptors in man. Acta Physiol. Scand. 78, 315-333 (1970).
- Johnson, M. B. & Johnson, C. L. Electromyographic response of peroneal muscles in surgical and nonsurgical injured ankles during sudden inversion. J. Orthop. Sports Phys. Ther. 18, 497–501 (1993).
- Li, H. Y., Zheng, J. J., Zhang, J., Hua, Y. H. & Chen, S. Y. The effect of lateral ankle ligament repair in muscle reaction time in patients with mechanical ankle instability. *Int. J. Sports Med.* 36, 1027–1032 (2015).
- Konradsen, L., Beynnon, B. & Renstrom, P. Proprioception and sensorimotor control in the functionally unstable ankle. In Proprioception and Neuromuscular Control in Joint Stability. 237–246 (Human Kinetics, 2000).
- Osborne, M. D., Chou, L. S., Laskowski, E. R., Smith, J. & Kaufman, K. R. The effect of ankle disk training on muscle reaction time in subjects with a history of ankle sprain. Am. J. Sports Med. 29, 627–632 (2001).
- 49. Pozzi, F., Moffat, M. & Gutierrez, G. Neuromuscular control during performance of a dynamic balance task in subjects with and without ankle instability. *Int. J. Sports Phys. Ther.* **10**, 520–529 (2015).
- 50. Mattiello-Rosa, S. M. et al. Abnormal isokinetic time-to-peak torque of the medial rotators of the shoulder in subjects with impingement syndrome. J. Shoulder Elb. Surg. 17, 54s-60s (2008).
- Usuelli, F. G., Indino, C., Di Silvestri, C. A., Manzi, L. & Maffulli, N. Clinical outcomes and return to sport after minimally invasive reconstruction of the lateral ligament complex with semitendinosus tendon autograft in chronic lateral ankle instability. J. Am. Podiatr. Med. Assoc. 111, Article_2 (2021).
- Halasi, T., Kynsburg, A., Tállay, A. & Berkes, I. Development of a new activity score for the evaluation of ankle instability. Am. J. Sports Med. 32, 899–908 (2004).
- Lei, T., Qian, H., Lei, P. & Hu, Y. Lateral augmentation reconstruction system versus modified Brostrom-Gould procedure: A meta-analysis of RCTs. Foot Ankle Surg. 27, 263–270 (2021).

Author contributions

J.H.L. and W.Y.J. collected and analyzed the patient clinical data. J.H.L., H.W.J., and W.Y.J. interpreted data and were major contributors to writing the manuscript. All authors read and approved the final manuscript.

Funding

This work was supported by the Korea Medical Device Development Fund grant funded by the Korean government (the Ministry of Science and ICT, the Ministry of Trade, Industry and Energy, the Ministry of Health & Welfare, the Ministry of Food and Drug Safety) (KMDF_PR_20200901_0039, KMDF_PR_20200901_0131, KMDF_PR_20200901_0293). This work was supported by Institute for Information & Communications Technology Promotion (IITP) grant funded by the Korean government (MSIT) (No.2019-0-00418, 3D Printing for Family Health Based on Real-life Smart Insoles Manufactured and Consistent System Development).

Competing interests

The authors declare no competing interests.

Additional information

Correspondence and requests for materials should be addressed to W.Y.J.

Reprints and permissions information is available at www.nature.com/reprints.

Publisher's note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/.

© The Author(s) 2022