



OPEN

Author Correction: Surface acoustic wave nebulization improves compound selectivity of low-temperature plasma ionization for mass spectrometry

Andreas Kiontke , Mehrzad Roudini , Susan Billig , Armaghan Fakhfouri ,
Andreas Winkler  & Claudia Birkemeyer 

Correction to: *Scientific Reports* <https://doi.org/10.1038/s41598-021-82423-w>, published online 03 February 2021

The original version of this Article contained a typographical error in the spelling of the author Armaghan Fakhfouri, which was incorrectly given as Amarghan Fakhfouri.

Additionally, the ORCID IDs for Andreas Kiontke, Mehrzad Roudini, Susan Billig, Armaghan Fakhfouri and Andreas Winkler were omitted.

These errors have now been corrected in the PDF and HTML versions of the Article, and in the accompanying Supplementary Information files.



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2021