OPEN

Author Correction: Electro-catalytic amplified sensor for determination of N-acetylcysteine in the presence of theophylline confirmed by experimental coupled theoretical investigation

Mohsen Keyvanfard, Hassan Karimi-Maleh, Fatemeh Karimi, Francis Opoku, Ephraim Muriithi Kiarii, Poomani Penny Govender, Mehdi Taghavi, Li Fu, Aysenur Aygun & Fatih Sen

Correction to: *Scientific Reports* <https://doi.org/10.1038/s41598-020-79872-0>, published online 13 January 2021

In the original version of this Article, Francis Opoku, Ephraim Muriithi Kiarii and Poomani Penny Govender were incorrectly affiliated with 'Department of Chemical Engineering, Quchan University of Technology, Quchan, Iran'. The correct affiliation for these authors is listed below.

Department of Chemistry, University of Johannesburg, P.O. Box 17011, Doornfontein Campus, Johannesburg, 2028, South Africa

The original Article has been corrected.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2021