



OPEN **Publisher Correction:** Application of moving particle semi-implicit (MPS) method on retro-oil fluid using three-dimensional vitreous cavity models from magnetic resonance imaging

Makoto Gozawa, Naoki Watanabe, Kentaro Iwasaki, Yoshihiro Takamura & Masaru Inatani

Correction to: *Scientific Reports* <https://doi.org/10.1038/s41598-022-05886-5>, published online 02 February 2022

In the original version of this Article Naoki Watanabe was incorrectly affiliated with 'Department of Ophthalmology, Faculty of Medical Sciences, University of Fukui, 23-3 Shimoaizuki, Matsuoka, Eiheiji, Yoshida, Fukui, 910-1193, Japan'. The correct affiliation is listed below.

Prometech Software Inc, Round Terrace Fushimi, 3F, 17-26, Nishiki 1-chome, Naka-ku, Nagoya 460-0003, Japan

The original Article has been corrected.



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2022