



OPEN

An efficient Planet Optimization Algorithm for solving engineering problems

Thanh Sang-To^{1,2}, Minh Hoang-Le^{1,2}, Magd Abdel Wahab^{3✉} & Thanh Cuong-Le^{2✉}

In this study, a meta-heuristic algorithm, named The Planet Optimization Algorithm (POA), inspired by Newton's gravitational law is proposed. POA simulates the motion of planets in the solar system. The Sun plays the key role in the algorithm as at the heart of search space. Two main phases, local and global search, are adopted for increasing accuracy and expanding searching space simultaneously. A Gauss distribution function is employed as a technique to enhance the accuracy of this algorithm. POA is evaluated using 23 well-known test functions, 38 IEEE CEC benchmark test functions (CEC 2017, CEC 2019) and three real engineering problems. The statistical results of the benchmark functions show that POA can provide very competitive and promising results. Not only does POA require a relatively short computational time for solving problems, but also it shows superior accuracy in terms of exploiting the optimum.

In recent years, many nature-inspired optimization algorithms have been proposed. Some of swarm-inspired algorithms are appreciated such as Particle Swarm Optimization algorithm (PSO)¹, Firefly Algorithm (FA)², Dragonfly Algorithm (DA)³, Whale Optimization Algorithm (WOA)⁴, Grey Wolf Optimizer (GWO)⁵, Monarch Butterfly Optimization (MBO)⁶, Earthworm Optimization Algorithm (EWA)⁷, elephant herding optimization (EHO)⁸, moth search (MS) algorithm⁹, Slime Mould Algorithm (SMA)¹⁰, Colony Predation Algorithm (CPA)¹⁰ and Harris Hawks Optimization (HHO)¹¹. Besides, quite a number of physics-inspired algorithm simulated physical laws in the universe or nature, such as Curved Space Optimization (CSO)¹², Water Wave Optimization (WWO)¹³, etc. Moreover, some algorithms based on the mathematical foundations are also creative approaches, e.g. Runge Kutta optimizer (RUN)¹⁴.

On the other hand, some algorithms simulate human behavior such as Teaching–Learning-Based Optimization (TLBO)¹⁵, and Human Behavior-Based Optimization (HBBO)¹⁶. Meanwhile, Genetic Algorithm (GA)¹⁷ is inspired by evolution, and achieves a lot of success in solving optimization problems in many fields. With the growing popularity of GA, many evolutions-based algorithms are proposed in the literature, including Evolutionary Programming (EP)¹⁸, and Evolutionary Strategies (ES)¹⁹.

Nowadays, metaheuristic algorithms become an essential tool for solving complex optimization problems in various fields. Many researchers applied such algorithms to make an effort to deal with difficult issues in biology²⁰, economics²¹, engineering^{22,23}, etc. Therefore, constructing new algorithms to meet such complex requirements has a significant merit.

In this study, a strong algorithm is constructed for solving local and global optimization problems. The idea comes from the natural motion of planets in our solar system and the interplanetary interactions throughout their lifecycle. Newton's law of gravity reflects the gravitational interaction of the Sun with planets orbiting to find the optimized position through individual planets characteristics. These planets characteristics are their masses and distances.

In this paper, we propose an optimization algorithm using Newton's law of universal gravitation as the basis for its development. In this algorithm, a number of pre-eminent features are considered, such as local search, global search, to increase the ability for finding the exact solutions built into simulating the planets' movement in the universe.

This research paper is structured into several sections as follows. In the next section, the construction of a meta-heuristic algorithm is presented. The structural POA is simulated based on Newton's law of universal

¹Laboratory Soete, Department of Electromechanical, Systems and Metal Engineering, Ghent University, Technologiepark Zwijnaarde 903, 9052 Zwijnaarde, Belgium. ²Faculty of Civil Engineering, Ho Chi Minh City Open University, Ho Chi Minh City, Vietnam. ³Faculty of Mechanical - Electrical and Computer Engineering, School of Engineering and Technology, Van Lang University, Ho Chi Minh City, Vietnam. ✉email: magd.a.w@vlu.edu.vn; cuong.lt@ou.edu.vn




Figure 1. The force F acting between two planets.




Figure 2. The gravitational force acting between planets.

gravitation and astronomical phenomena. Then, a wide range of applications of various benchmark problems is used to demonstrate how effective POA is. At the same time, we present the applications of the POA to real engineering problems. Finally, based on the results presented, the last section reports the conclusions.

The Planet Optimization Algorithm (POA)

Physics is a fundamental science whose laws governs everything from the tiniest object electrons, neutrons, or protons to extremely massive stars or galaxies (about a hundred thousand light-years across). The laws of physics are widely applied in everyday life from transportation to medicine, from agriculture to industry, etc. In science, it is also the foundation for many other sciences such as chemistry, biology, even math. In the field of artificial intelligence (AI), the laws of physics are the inspiration for many optimization algorithms. In the study, we also present an algorithm based on such a physical law.

Inspiration. Inspired by the laws of the motion in the universe, an algorithm is proposed from the interaction of mutual gravitational between the planets. Specifically, this optimization algorithm simulates the universal gravitation laws of Isaac Newton. The core of this algorithm is given as follows:

$$|\vec{F}| = G \times m_1 \times m_2 / R^2 \tag{1}$$

where \vec{F} : The gravitational force acting between two planets; G : The gravitational constant; R : The distance between two planets; m_1, m_2 : The mass of the two planets.

The gravitation of a two-planet (as shown in Fig. 1) is dependent on as Eq. (1). However, in this study, we find that the value of force \vec{F} will give less effective results than when using the moment (M) as a parameter in the search process of the algorithm.

$$|\vec{M}| = |\vec{F}| \times R \tag{2}$$

The planet optimization algorithm. The universe is infinitely big and has no boundary, and it is a giant space that is filled with galaxies, stars, planets, and many and many interesting astrophysical objects. For simplicity and ease of visualization, we use the solar system to make representation for this algorithm simulation.

First of all, a system that consists of the Sun, the Earth and the Moon (as shown in Fig. 2) is considered in this case. Of course, everybody understands that the Sun maintains its gravitation to keep the Earth moving around it. Interestingly, the mass of the Sun is 330,000 times higher than that of the Earth. However, the Earth also creates a gravitational force large enough to keep the Moon in orbit around the Earth. This demonstrates that two




Figure 3. Local and global optimization: (a) 3D view; (b) plane.

factors influence the motion of a planet, not only the mass but also the distance between the two planets. An algorithm simulating the law of universal gravitation is, therefore, presented as follows:

- The Sun will act as the best solution. In the search space, it will have the greatest mass, which means it will have a greater gravitational moment for the planets around and near it.
- Between the Sun other planets, there is a gravitational attraction moment between each other. However, this moment depends on the mass as well as the distance between these two objectives. This means that, although the Sun has the largest mass compared to other planets, its moment on the too distant planets is negligible. This helps the algorithm to avoid local optimization as illustrated in Fig. 3.

In the t th iteration, the mass of red planet (see Fig. 3) is the biggest, so it represents the Sun. As the pink planets are close to the Sun, they will move to the location of the Sun because of a gravitational attraction moment (M_p^t) between the Sun and the planets.

Nevertheless, the red planet (or the Sun) in the t th iteration does not have the desired position that we are looking for, i.e. a minimum optimum. In other words, if all planets move to the red planet, the algorithm is stuck in the local space. In contrast, the blue planet is a potential location and far from the Sun. The interaction of the Sun with the blue planet (M_b^t) is small, because it is far from the Sun in the t th iteration. Thus, it is quite free for the blue planet to search a better location in the next iterations.

The main core of the algorithm is based on the above 2 principles. Besides, the Sun is the true target of searching, and of course we don't have its exact location. In this case, the planet with the highest mass in the t th iteration would act as the Sun at the same time.

The implementation of the algorithm is as follows:

Stage 1: the best start. Ideally, a good algorithm is the one in which the final best solution should be independent of the initial positions. Nevertheless, the reality is exactly the opposite for almost all stochastic algorithms. If the objective region is hilly and the global optimum is located in an isolated minor area, an initial population has an important role. If an initial random population does not create any solution in the vicinity of the global search level of the original population, the probability that the population concentrates on true optimum can be very low.

In contrast, with building initial solutions near the global optimal position, the probability of the convergence of the population to the optimal location is very high. Globalization is indeed very high, and consequently, population initialization plays a vital role. Ideally, the initiation should use the critical sampling method, such as techniques applied to the Monte Carlo method in order to sample the solutions for an objective context. This, however, requests enough intellect of the problem and cannot be satisfied for most algorithms.

Similar to choosing initial population, choosing the best solution in the original population to the role of the Sun with respect to all the other planets moving to the position is important. This selection will determine the convergence speed as well as the accuracy of the algorithm in the future.

Therefore, the algorithm's first step is to find an effective solution to play a role of the best solution to increase the convergence and accuracy of the search problem in the first iterations.

Stages 2: M factor.

$$M = \left| \vec{F} \right| R_{ij} = G \frac{m_i m_j}{R_{ij}^2} \times R_{ij} \quad (3)$$

In Eq. (3), the following parameters are defined:

- The mass of the planets:

$$m_i, m_j = \frac{1}{a^{obj_{ij}/\alpha}} \quad (4)$$

where $a = 2$ is a constant parameter, and $\alpha = |\max(obj) - obj_{sun}|$. This means that if the objective function value of a planet is smaller, the mass of this planet is larger. $obj_{i,j}$, $\max(obj)$, obj_{sun} are the values of objective function of the i th or j th planet, the worst planet and the Sun, respectively.

- The distance between any 2 objects i and j with “Dim” as dimensions, Cartesian distance, is calculated by Eq. (5):

$$R_{ij} = \left\| X_i^t - X_j^t \right\| = \sqrt{\sum_{k=1}^{Dim} (X_i^t - X_j^t)^2} \quad (5)$$

- G is a parameter, and it is equal to unity in this algorithm.

Stage 3: Global search. From the above, a formula built to simulate global search is indicated by Eq. (6)

$$\vec{X}_i^{t+1} = \vec{X}_i^t + b \times \beta \times r_1 \times (\vec{X}_{Sun}^t - \vec{X}_i^t) \quad (6)$$

The lefthand side of the formula illustrates the current position of a planet i th in the $(t + 1)$ iteration, while the righthand side consists of the main elements as follows:

- \vec{X}_i^t is the current position of a planet i th in the iteration t th.
- $\beta \Rightarrow M_i^t / M_{max}^t, r_1 = rand(0, 1), b$ is a constant parameter.
- X_{Sun}^t is the current position of the Sun in the iteration t th.

where β is a coefficient that depends on M , as shown in Eq. (3), in which M_i^t is the Sun’s gravity on a planet i th at t iteration, and M_{max}^t is the value of $\max(M_i^t)$ at t iteration. Therefore, the β coefficient contains values in the interval $(0, 1)$.

Stage 4: Local search. In the search process, the true location is always the desired target to be found. However, this goal will be difficult or easy to achieve in this process depending on the complexity of the problem. In most cases, it is only possible to find an approximate value that fits the original requirement. That is to say, the true Sun location yet is in the space between the found solutions.

Interestingly, although Jupiter is the most massive planet in the solar system, Mercury is the planet, for which its location is the closest the Sun. It means that the best solution position to true Sun location at the t iteration may not be closer than the location of some other solutions to the true location of the Sun.

When the distance between the Sun and planets is small, the local search process is run. As mentioned above, the planet with the biggest mass will operate as the Sun, and in that case, it is Jupiter. Planets near the Sun will go to the location of the Sun. In other words, the planets move a small distance between it and the Sun at t iteration instead of going straight towards the Sun. The aim of this step is to increase accuracy in a narrow area of search space. Eq. (7) indicates the process for local search as follows:

$$\vec{X}_i^{t+1} = \vec{X}_i^t + c \times r_1 \times (r_2 \times \vec{X}_{sun}^t - \vec{X}_i^t) \quad (7)$$

where $c = c_0 - t/T$, t is the t th iteration, T is the maximum number of iterations, and $c_0 = 2$. r_2 is Gauss distribution function illustrated by Eq. (8).

$$f(x, \mu, \sigma) = \frac{1}{\sigma\sqrt{2\pi}} \exp\left(-\frac{(x - \mu)^2}{2\sigma^2}\right) \quad (8)$$

Many evolutionary algorithms are also randomized by applying common stochastic processes such as power-law distribution and Lévy distribution. However, Gaussian distribution or normal distribution is the most popular since the large number of physical variables (see Fig. 4), including light intensity, errors/uncertainty in measurements, and many other processes, obey this distribution.

The coefficient r_2 is the Gaussian distribution with mean value $\mu = 0.5$ and standard deviation $\sigma = 0.2$. It means that 68.2% of r_2 is in zone 1 about $(\mu - \sigma) = 0.3$ to $(\mu + \sigma) = 0.7$, and 27.2% of its values is in zone 2 from $(\mu \pm 2\sigma)$ to $(\mu \pm \sigma)$. In other words, POA will move to around the Sun without ignoring potential solutions in local search.

Exploitation employs any data obtained from the issue of interest to create new solutions, which are better than existing solutions. This process and information (for instance gradient), however, are normally local. Therefore, this search procedure is local. The result of search process typically leads to high convergence rates, and it is the strong point of exploitation (or local search). Nevertheless, the weakness of local search is that normally it gets stuck in a local mode.




Figure 4. Gauss distribution.




Figure 5. Flow chart of the proposed POA.

In contrast, exploration is able to effectively explore the search space, and it typically creates many diverse solutions far from the current solutions. Thus, exploration (or global search) is normally on a global scale. The great strength of global search is that it rarely gets stuck in a local space. The weakness of the global search, however, is slow convergence rates. Besides, in many cases, it wastes effort and time since a lot of new solutions can be far from the global solution.

Figure 5 shows the operation of this algorithm, in which two local and global search processes are governed by the distance parameter R_{min} . This means that a planet far away from the Sun will be moved depending on Newton law. In contrast, for planets very close to the Sun, the effect of the newton force is so great. They are only moving, therefore, around the Sun. A planet, which is close to the Sun, will support the Sun in exploring a local

search space, as shown in Eq. (7), while the motion of distant planets from the Sun is less affected by this star at the same time. It means they have a chance to find new potential stars. Search local and global spaces runs simultaneously. This guarantees the enhancement of the accuracy of the search process, but this algorithm does not miss the potential locations.

The parameter R_{\min} must satisfy the following two conditions:

- If the R_{\min} is too large, the algorithm will focus on local search in the first iterations. Therefore, the probability of finding a potential location far away from the present one is difficult.
- In contrast, if R_{\min} is too small, the algorithm focuses on global search. In other words, the exploration of POA in the zone around the Sun is not thorough. Consequently, the best value of the search process may not satisfy the condition.

$$R_{\min} = \left(\sum_1^{Dim} (up_i - low_i)^2 \right) / R_0 \quad (9)$$

In this study, R_{\min} is chosen by dividing the search space into 1000 ($R_0 = 1000$) zones. Where ‘low’ and ‘up’ are lower and upper bounds of each problem, respectively. With an explicit structure consisting of 2 local and global search processes, POA has satisfied the above two issues and promises to be effective and saving of time in solving complex problems.

Results and discussion

In this section, POA is compared with a series of algorithms using well-known problems. The investigations run on the operating system of Windows 11th Gen Intel(R) Core(TM) i7-1185G7 @ 3.00 GHz 1.80 GHz with RAM 16.0 GB.

Experimental results using classical benchmark functions. In this subsection, POA is employed to handle a wide range of applications of various benchmark problems. A set of mathematical functions with known global optima is commonly employed to validate the effectiveness of the algorithms. The same process is also followed, and a set including 23 benchmark functions in the literature as test beds are employed for this comparison^{24–26}. These test functions consist of 3-group, namely unimodal (F1–F7), multi-modal (F8–F13), and fixed-dimension (F14–F23) multimodal benchmark functions. POA is compared with seven algorithms, namely PSO¹, GWO⁵, GSA²⁷, FA² and ASO²⁸, HHO¹¹, HSG²⁹ on a set of 23 benchmark functions as shown in Table 1.

Numerical examples with $Dim \leq 30$. Each benchmark function runs 30 times by the POA algorithm. A sample size of POA with 30 planets is selected to perform 500 iterations. The statistical results (average–Ave, and standard deviation–Std) are summarized in Tables 2, 3 and 4.

The results from the comparison to F5 and F6 are quite good for POA compared with the others. The F1 to F4 and F7 functions witness that POA algorithm’s accuracy is the most superior compared with all other algorithms.

In comparison with 7-unimodal functions, the most of multimodal functions consist of a lots of local optimization areas with the number increasing exponentially with dimensions. This makes them good conditions to evaluate the exploratory ability of a meta-heuristic optimization algorithm.

Table 3 indicates that POA outperforms in F10 and F11 functions, and is quite competitive with the rest.

Similar to the unimodal functions, once again the multimodal and fixed-dimension multimodal functions prove the competitiveness of POA with other algorithms, and show that the obtained results from F14 to F23 are promising.

Figure 6 illustrates the convergence of POA after 100 iterations of 100 planets. The first two metrics are qualitative metrics that illustrate the history of planets through the course of generations. During the whole optimization process, the planets are represented using red points as shown in Fig. 6. The trend of planets explores potential zones of the search space, and exploit quite accurately the global optimum. These investigations demonstrate that POA is able to get the high effectiveness in approximating the global optimum of optimization problems.

The third metric presents the movement of the 1st planet in the first dimension during optimization. This metric helps us to monitor if the first planet, which represents all planets, faces sudden movement in the initial generations and has more stability in the final generations. This movement is able to guarantee the exploration of the search region. Finally, the movement of planets is very short, which causes exploitation of the search region. Obviously, POA demonstrates that this is an algorithm that meets a requirement of accuracy, as well as a high degree of convergence.

The final quantitative metric is the convergence level of the POA algorithm. The best value of all planets in each generation is stored and the convergence curves are shown in Fig. 6. The decreasing of fitness over the generations demonstrates the convergence of the POA algorithm.

Numerical examples with high-dimensional optimization problems. To validate the performance of POA with respect to high-dimensional optimization problems, the first 13 classical benchmark functions of the above-mentioned ones with $Dim = 1000$ are employed to investigate POA. For a fair comparison, seven of the above mentioned meta-heuristic optimization algorithms and POA with population size $N = 30$ independently run in 30 times. Additionally, the maximum number of iterations is fixed at 500 for all test functions.

Function (F _i)	Range	Dim	Min _F
$F_1 = \sum_{i=1}^n (x_i)^2$	[-100,100]	30	0
$F_2 = \sum_{i=1}^n x_i + \prod_{i=1}^n x_i $	[-10,10]	30	0
$F_3 = \sum_{i=1}^n \left(\sum_{j=1}^i x_j \right)^2$	[-100,100]	30	0
$F_4 = \max_i \{ x_i , 1 \leq i \leq n\}$	[-100,100]	30	0
$F_5 = \sum_{i=1}^{n-1} (100(x_{i+1} - x_i^2)^2 + (x_i - 1)^2)$	[-30,30]	30	0
$F_6 = \sum_{i=1}^n (x_i + 0.5)^2$	[-100,100]	30	0
$F_7 = \sum_{i=1}^n ix_i^4 + rand[0, 1)$	[-1.28,1.28]	30	0
$F_8 = \sum_{i=1}^n -x_i \sin \sqrt{ x_i }$	[-500,500]	30	-418.9829 × Dim
$F_9 = \sum_{i=1}^n (x_i^2 - 10 \cos(2\pi x_i) + 10)^2$	[-5.12,5.12]	30	0
$F_{10} = -20 \exp \left(-0.2 \sqrt{\frac{1}{n} \sum_{i=1}^n x_i^2} \right) - \exp \left(\frac{1}{n} \sum_{i=1}^n \cos(2\pi x_i) \right) + 20 + e$	[-32,32]	30	0
$F_{11} = \frac{1}{4000} \sum_{i=1}^n x_i^2 - \prod_{i=1}^n \cos \left(\frac{x_i}{\sqrt{i}} \right) + 1$	[-600,600]	30	0
$F_{12} = \frac{\pi}{n} \left\{ 10 \sin(\pi y_1) + \sum_{i=1}^{n-1} (y_i - 1)^2 [1 + 10 \sin^2(\pi y_{i+1})] + (y_n - 1)^2 \right\} + \sum_{i=1}^n u(x_i, 10, 100, 4)$ where : $y_i = 1 + \frac{(x_i + 1)}{4}$	[-50,50]	30	0
$F_{13} = 0.1 \{ \sin^2(3\pi x_1) + \sum_{i=1}^n (x_i - 1)^2 [1 + 10 \sin^2(3\pi x_i + 1)] + (x_n - 1)^2 [1 + \sin^2(2\pi x_n)] \} + \sum_{i=1}^n u(x_i, 5, 100, 4)$	[-50,50]	30	0
$F_{14} = \left(\frac{1}{500} + \sum_{j=1}^{25} \frac{1}{j + \sum_{i=1}^j (x_i - a_{ij})^6} \right)^{-1}$	[-65,65]	2	1
$F_{15} = \sum_{i=1}^{11} \left[a_i - \frac{x_i(b_i^2 + b_i x_2)}{b_i^2 + b_i x_3 + x_4} \right]^2$	[-5,5]	4	0.00030
$F_{16} = 4x_1^2 - 2.1x_1^4 + \frac{1}{3}x_1^6 + x_1x_2 - 4x_2^2 + 4x_2^4$	[-5,5]	2	-1.0316
$F_{17} = (x_2 - \frac{5.1}{4\pi}x_1^2 + \frac{5}{\pi}x_1 - 6) + 10(1 - \frac{1}{8\pi}) \cos x_1 + 10$	[-5,5]	2	0.398
$F_{18} = [1 + (x_1 + x_2 + 1)^2 (19 - 14x_1 + 3x_1^2 - 14x_2 + 6x_1x_2 + 3x_2^2)] \times [30 + (2x_1 - 3x_2)^2 \times (18 - 32x_1 + 12x_1^2 + 48x_2 - 36x_1x_2 + 27x_2^2)]$	[-5,5]	2	3
$F_{19} = - \sum_{i=1}^4 c_i \exp \left(- \sum_{j=6}^3 a_{ij} (x_j - p_{ij})^2 \right)$	[1,3]	3	-3.86
$F_{20} = - \sum_{i=1}^4 c_i \exp \left(- \sum_{j=6}^6 a_{ij} (x_j - p_{ij})^2 \right)$	[0,1]	6	-3.32
$F_{21} = - \sum_{i=1}^5 [(X - a_i)(X - a_i)^T + c_i]^{-1}$	[0,10]	4	-10.1532
$F_{22} = - \sum_{i=1}^7 [(X - a_i)(X - a_i)^T + c_i]^{-1}$	[0,10]	4	10.4028
$F_{23} = - \sum_{i=1}^{10} [(X - a_i)(X - a_i)^T + c_i]^{-1}$	[0,10]	4	10.5363

Table 1. Classical benchmark functions.

The test discussed in this subsection demonstrate that POA is promising for dealing with 13 classical benchmark problems. Among the tested 23 benchmark functions, 13 functions had Dim = 1000, as presented in Table 5 and Fig. 7. This subsection confirmed the ability of POA to deal with high-dimensional problems as the dimension of those 13 classical benchmarks has been increased from 30 to 1000.

Wall-clock time analysis. In this experiment, a comparison is made between POA and the other seven algorithms in the time-consuming computation experiments of the 13 functions. The time-consuming calculation

Fi	POA		PSO		GSA		GWO		ASO		FA		HHO		HGS	
	Aver	Std	Aver	Std	Aver	Std	Aver	Std	Aver	Std	Aver	Std	Aver	Std	Aver	Std
F1	5.27E-263	0.00E+00	1.36E-04	2.02E-04	2.53E-16	9.67E-17	6.59E-28	6.34E-05	2.68E-21	3.65E-21	1.11E-02	3.49E-03	3.95E-97	1.72E-96	2.43E-146	1.3E-145
F2	1.08E-137	4.46E-137	4.21E-02	4.54E-02	5.57E-02	1.94E-01	7.18E-17	2.90E-02	3.33E-10	1.89E-10	2.74E+01	3.35E+01	1.56E-51	6.98E-51	8.16E-83	3.80E-82
F3	2.73E-212	0.00E+00	7.01E+01	2.21E+01	8.97E+02	3.19E+02	3.29E-06	7.91E+01	1.98E+02	7.97E+01	2.61E+03	9.84E+02	1.92E-63	1.05E-62	5.29E-62	2.90E-61
F4	2.45E-124	1.18E-123	1.09E+00	3.17E-01	7.35E+00	1.74E+00	5.61E-07	1.32E+00	3.24E-09	6.14E-09	8.44E-02	1.58E-02	1.02E-47	5.01E-47	1.01E-66	4.32E-66
F5	2.88E+01	1.48E-01	9.67E+01	6.01E+01	6.75E+01	6.22E+01	2.68E+01	6.99E+01	2.48E+01	5.16E-01	7.29E+04	1.78E+05	1.32E-02	1.87E-02	1.44E+01	1.28E+01
F6	1.71E-01	1.88E-01	1.02E-04	8.28E-05	2.50E-16	1.74E-16	8.17E-01	1.26E-04	0.00E+00	0.00E+00	1.19E-02	3.66E-03	1.15E-04	1.56E-04	5.64E-06	9.99E-06
F7	1.23E-04	1.34E-04	1.23E-01	4.50E-02	8.94E-02	4.34E-02	2.21E-03	1.00E-01	3.56E-02	1.95E-02	4.87E-02	3.52E-02	1.40E-04	1.07E-04	1.17E-03	2.24E-03

Table 2. Results of unimodal benchmark functions. Significant values are in bold.

Fi	POA		PSO		GSA		GWO		ASO		FA		HHO		HGS	
	Aver	Std	Aver	Std	Aver	Std	Aver	Std	Aver	Std	Aver	Std	Aver	Std	Aver	Std
F8	-8.64E+03	6.10E+02	-4.84E+03	1.15E+03	-2.82E+03	4.93E+02	-6.12E+03	-4.09E+03	-7.43E+03	4.22E+02	-6.32E+03	6.83E+02	-1.25E+04	1.47E+02	-1.26E+04	1.09E+00
F9	1.44E+00	7.88E+00	4.67E+01	1.16E+01	2.60E+01	7.47E+00	3.11E-01	4.74E+01	0.00E+00	0.00E+00	3.24E+01	9.14E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
F10	8.88E-16	0.00E+00	2.76E-01	5.09E-01	6.21E-02	2.36E-01	1.06E-13	7.78E-02	3.00E-11	2.15E-11	5.02E-02	1.83E-02	8.88E-16	4.01E-31	8.88E-16	0.00E+00
F11	0.00E+00	0.00E+00	9.22E-03	7.72E-03	2.77E+01	5.04E+00	4.49E-03	6.66E-03	0.00E+00	0.00E+00	6.05E-03	1.77E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00
F12	2.01E-03	3.50E-03	6.92E-03	2.63E-02	1.80E+00	9.51E-01	5.34E-02	2.07E-02	4.51E-23	1.88E-23	2.39E-04	1.18E-04	2.08E-06	1.19E-05	2.10E-07	2.70E-07
F13	1.63E+00	7.89E-01	6.68E-03	8.91E-03	8.90E+00	7.13E+00	6.54E-01	4.47E-03	1.91E-23	3.12E-22	2.86E-03	1.47E-03	1.57E-04	2.15E-04	6.95E-03	3.80E-02

Table 3. Results of multimodal benchmark functions. Significant values are in bold.

method is that each benchmark function independently implements 30-times all algorithms, then the values of 30-time running is saved in Table 6. For Dim = 30, not only does the computation of POA outperform some algorithms, while taking less time, such as GSA, ASO, and FA, but also it is sometimes far superior to GWO, even the time-consuming calculation of PSO. For Dim = 1000, POA always ranks first in computational time. These results show that the POA has merit for optimization problems in high dimensional problems.

Experimental results using CEC functions. In order to further clarify the efficiency of the proposed algorithm, POA is tested on the complex challenges, namely Evaluation Criteria for the CEC 2017³⁰ and CEC 2019³¹. Its results are compared with those of well-known and modern meta-heuristic algorithms: DA, WOA, and the arithmetic optimization algorithm (AOA)³². These algorithms are selected because of the reasons:

- All of them are based on the principle of PSO as with POA.
- All algorithms are well cited in the literature, and AOA is a recently published study.
- These algorithms were proven that they were superior performance both on benchmark test functions and real-world problems.
- They are publicly provided by their authors.

Like the 23 classical benchmark functions, each function of the CEC Benchmark Suite is run 30 times, and each algorithm was allowed to search the landscape for 500 iterations using 30 agents.

CEC 2017 problems. In this subsection, the IEEE CEC 2017 problems is employed to test the performance of POA. The CEC'17 standard set consists of 28 real challenging benchmark problems. The first is unimodal function, 2–7 are multimodal one. While ten functions next are Hybrid, the rest of CEC 2017 are 10 composition functions. Table 7 presents a brief description of CEC 2017.

As shown in Table 8, POA is highly efficient, because compared to WOA, DA and AOA, it outperforms all algorithms in 21/28 of CEC 2017 standard set. In addition, the Wilcoxon signed rank test with $\alpha = 0.05$ significance level is shown in Table 9 in order to analyze the significant differences between the results of POA and other algorithms. These results have proven that POA provides a great performance in terms of solution quality when handling the functions of CEC 2017.

CEC 2019 problems. Table 10 presents a brief description of CEC 2019. It can be seen from Table 11 that POA outperforms other optimization algorithms in all CEC 2019 functions. Indeed, results in many test functions (e.g. F52, F53, F56) show that POA is more powerful than others not only at the average value of 30 runs, but also at the other statistical values, such as the best, worst and Std value. Once again, The Wilcoxon signed rank test (as shown in Table 12) demonstrated the superior performance of POA to solve CEC 2019 problems.

In the next section, some classical engineering design problems are employed to further evaluate the performance of the POA. Besides, POA is also compared with other well-known techniques to confirm its results.

Fi	POA		PSO		GSA		GWO		ASO		EA		HHO		HGS	
	Aver	Std	Aver	Std	Aver	Std	Aver	Std	Aver	Std	Aver	Std	Aver	Std	Aver	Std
F14	4.76E+00	3.70E+00	3.63E+00	2.56E+00	5.86E+00	3.83E+00	4.04E+00	4.25E+00	9.98E-01	7.40E-17	1.88E+00	6.90E-01	9.98E-01	9.23E-01	1.32E+00	1.78E+00
F15	5.06E-03	1.19E-02	5.77E-04	2.22E-04	3.67E-03	1.65E-03	3.37E-04	6.25E-04	9.47E-04	2.27E-04	1.80E-03	3.54E-03	3.10E-04	1.97E-04	7.33E-04	1.94E-04
F16	-1.03E+00	4.98E-08	-1.03E+00	6.25E-16	-1.03E+00	4.88E-16	-1.03E+00	-1.03E+00	-1.03E+00	0.00E+00	-1.03E+00	3.19E-09	-1.03E+00	6.78E-16	-1.03E+00	6.58E-16
F17	3.98E-01	7.73E-08	3.98E-01	0.00E+00	3.98E-01	0.00E+00	3.98E-01	3.98E-01	3.98E-01	0.00E+00	3.98E-01	1.01E-09	3.98E-01	2.54E-06	3.98E-01	0.00E+00
F18	3.90E+00	4.93E+00	3.00E+00	1.33E-15	3.00E+00	4.17E-15	3.00E+00	3.00E+00	3.00E+00	3.00E+00	3.00E+00	1.39E-07	3.00E+00	0.00E+00	5.70E+00	1.48E+01
F19	-3.81E+00	1.96E-01	-3.86E+00	2.58E-15	-3.86E+00	2.29E-15	-3.86E+00	-3.86E+00	-3.86E+00	2.68E-15	-3.86E+00	7.74E-10	-3.86E+00	2.44E-03	-3.86E+00	2.71E-15
F20	-3.25E+00	1.01E-01	-3.27E+00	6.05E-02	-3.32E+00	2.31E-02	-3.29E+00	-3.25E+00	-3.32E+00	1.12E-15	-3.27E+00	6.92E-02	-3.32E+00	1.37E-01	-3.27E+00	6.71E-02
F21	-7.37E+00	3.13E+00	-6.87E+00	3.02E+00	-5.96E+00	3.74E+00	-1.02E+01	-9.14E+00	-8.77E+00	2.19E+00	-8.41E+00	3.21E+00	-1.01E+01	8.86E-01	-9.81E+00	1.29E+00
F22	-6.35E+00	3.43E+00	-8.46E+00	3.09E+00	-9.68E+00	2.01E+00	-1.04E+01	-8.58E+00	-1.04E+01	1.84E-15	-1.01E+01	1.40E+00	-1.04E+01	1.35E+00	-9.69E+00	1.84E+00
F23	-6.38E+00	3.35E+00	-9.95E+00	1.78E+00	-1.05E+01	2.60E-15	-1.05E+01	-8.56E+00	-1.05E+01	1.54E-15	-1.05E+01	1.48E-06	-1.05E+01	9.28E-01	-1.02E+01	1.37E+00

Table 4. Results of fixed-dimension multimodal benchmark functions. Significant values are in bold.




Figure 6. Level of convergence of POA after 100 iterations.

Fi	POA		PSO		GSA		GWO		ASO		FA		HHO		HGS	
	Aver	Std	Aver	Std	Aver	Std	Aver	Std	Aver	Std	Aver	Std	Aver	Std	Aver	Std
F1	1.84E-235	0	2,907,289	144,955	126,322.75	3842.509	0.234087	0.066678	82,745.994	12,030.5	329,872.3	27,485.71	6.46E-94	3.38E-93	6E-129	3.5E-128
F2	9.66E-130	5.3E-129	2.4E+109	1.3E+110	806.94152	64.64325	4.94E-07	1.91E-07	1434.0685	170.13	790.4466	177.5697	6.36E-49	3.27E-48	65,535	-
F3	7.191E-36	3.94E-35	25,598,720	3,619,734	26,256,697	15,611,478	1,587,902	256,574.3	5,792,444.1	1,480,296	6,497,218	981,568.6	4.12E-16	2.26E-15	1,302,171	3,079,055
F4	1.07E-106	4.5E-106	99.60416	0.126364	35.202087	1.60048	79.1974	3.345111	66.011183	7.04421	95.07072	0.824173	3.34E-47	1.32E-46	6.2E-58	3.41E-57
F5	998.90393	0.060544	2.89E+13	5.65E+11	3.102E+12	5.17E+10	5989.334	1851.481	2.013E+10	6.9E+09	5.48E+11	6.58E+10	3.76E-01	6.99E-01	462.198	501.1158
F6	207.83991	6.874046	2,867,223	179,732.3	125,969.19	5541.92	203.1294	2.189645	78,694.683	10,546.7	324,249.3	21,365.01	5.95E-03	6.43E-03	0.00427	0.008167
F7	0.000175	0.000123	240,456.4	5595.043	5621.5092	684.4318	0.146884	0.02925	6438.0108	740.576	5186.77	623.5121	1.67E-04	1.65E-04	0.00073	0.001021
F8	-106,369.8	7637.524	-96,426.4	4616.017	-130.8805	882.5566	-85,658.3	18,724.48	-38,868.24	4456.87	-126,173	9306.83	-4.19E+05	4.15E+01	-406,482	36,013.5
F9	0	0	15,435.68	765.3185	6588.5853	198.471	221.053	60.17693	7518.9635	207.096	7384.177	220.0783	0	0	0	0
F10	8.882E-16	0	20.70236	0.423177	10.911026	0.180167	0.018329	0.002733	12.466618	0.24204	15.5555	0.19581	8.88E-16	0.00E+00	8.88E-16	0
F11	0	0	26,569.83	1540.641	21,603.807	136.2224	0.020375	0.028575	214.13913	15.3359	2928.102	214.1877	0	0	0	0
F12	0.7970368	0.036669	3.63E+10	1.02E+09	133,193.57	108,367.3	1.232015	0.285816	2,928,355.2	2,134,590	88,534,017	18,592,961	1.47E-06	2.11E-06	0.03011	0.16487
F13	99.567897	0.180338	6.62E+10	1.59E+09	12,570,826	2,297,967	119.6103	6.061993	55,894,267	2.2E+07	5.36E+08	95,379,577	1.30E-03	1.43E-03	9.83355	29.99756

Table 5. Results of the first 13 benchmark functions with Dim = 1000. Significant values are in bold.




Figure 7. Performance comparison of algorithms.

Engineering design problems. In this study, three constrained engineering design problems, namely tension/compression spring, welded beam, pressure vessel designs, are used to investigate the applicability of POA. The problems have some equality and inequality constraints. The POA should be, therefore, equipped with a constraint solving technique. Meanwhile, POA can optimize constrained problems as well at the same time. It should be noted that the population size and the number of iterations are, respectively, set to 30 and 500 for 50 runs to find the results for all problems in this section.

Tension/compression spring. The main aim of this problem is to minimize the weight of a tension/compression spring. The design problem is subject to three constraints, namely surge frequency, shear stress, and minimum deflection. This problem consists of three variables: Wire diameter (d), mean coil diameter (D), and the number of active coils (N).

Tension/compression spring design problem has been solved by both mathematicians and heuristic techniques. Some researchers have made efforts to employ several methods for minimizing the weight of a tension/compression spring (Ha and Wang: PSO³³; Coello and Montes: The Evolution Strategy (ES)³⁴ and GA³⁵; Mahdavi et al.: Harmony Search (HS)³⁶; Belegundu: Mathematical optimization³⁷ and Arora: Constraint correction³⁸;

Fi	Dim = 30								Dim = 1000							
	FA	GSA	ASO	PSO	GWO	HHO	HGS	POA	FA	GSA	ASO	PSO	GWO	HHO	HGS	POA
F1	6.52	7.51	11.45	1.47	2.71	1.69	1.78	1.74	72.65	150.28	91.24	11.16	51.21	10.77	35.28	8.21
F2	6.31	7.56	11.46	1.52	2.84	1.56	1.88	1.79	52.92	1703.72	3853.03	11.56	51.76	11.36	32.64	8.62
F3	8.44	9.59	13.65	3.79	5.09	8.40	4.04	4.03	785.54	933.45	756.52	326.68	364.90	755.73	344.42	326.83
F4	6.07	7.31	11.10	1.41	2.69	1.95	1.69	1.68	126.96	311.10	196.63	15.25	105.74	12.76	30.90	8.23
F5	6.38	7.59	11.45	1.71	2.97	3.09	2.01	1.94	104.48	328.69	201.28	22.47	108.81	18.67	32.05	12.88
F6	6.08	7.31	11.16	1.41	2.68	2.30	1.70	1.67	154.86	336.07	209.36	21.30	95.95	15.99	31.44	8.38
F7	7.64	8.73	12.76	2.89	4.17	5.36	3.19	3.14	189.12	333.90	223.45	55.09	76.02	52.57	49.73	39.10
F8	6.45	7.60	11.45	1.76	3.09	4.04	2.03	2.07	170.21	333.92	208.38	36.22	114.84	32.51	37.06	26.53
F9	6.35	7.47	11.95	1.67	2.82	2.69	3.60	1.69	78.21	154.78	95.58	17.93	53.37	24.50	362.97	12.00
F10	6.37	7.47	11.45	1.73	2.81	2.81	3.21	1.76	78.86	158.87	95.81	17.60	52.84	25.08	361.28	13.66
F11	7.21	8.25	14.26	1.96	3.04	3.25	3.74	1.99	102.20	157.92	109.01	20.61	55.02	30.96	417.91	14.60
F12	10.21	11.25	15.33	5.55	6.70	12.24	5.75	5.82	114.12	188.42	131.18	53.23	90.17	113.10	152.32	48.53
F13	10.35	11.33	15.38	5.60	6.70	12.28	5.75	5.79	114.48	189.23	131.45	53.13	89.94	115.27	171.67	43.90
Sum	94.39	108.95	162.88	32.47	48.30	61.65	40.37	35.11	2144.60	5280.36	6302.91	662.26	1310.59	1219.29	2059.67	571.47
Ranking	6	7	8	1	4	5	3	2	6	7	8	2	4	3	5	1

Table 6. Wall-clock time costs (second) on benchmarks of POA and other participants.

Type function	Fi	Function name	Range	Dim	Min _F
Unimodal functions	F24	Shifted and Rotated Bent Cigar Function	[-100,100]	10	100
Simple multimodal functions	F25	Shifted and Rotated Rosenbrock's Function			300
	F26	Shifted and Rotated Rastrigin's Function			400
	F27	Shifted and Rotated Expanded Scaffer's F7 Function			500
	F28	Shifted and Rotated Lunacek Bi_Rastrigin Function			600
	F29	Shifted and Rotated Non-Continuous Rastrigin's Function			700
	F30	Shifted and Rotated Levy Function			800
	F31	Shifted and Rotated Schwefel's Function			900
Hybrid functions	F32	Hybrid Function 1 (N=3)			1000
	F33	Hybrid Function 2 (N=3)			1100
	F34	Hybrid Function 3 (N=3)			1200
	F35	Hybrid Function 4 (N=4)			1300
	F36	Hybrid Function 5 (N=4)			1400
	F37	Hybrid Function 6 (N=4)			1500
	F38	Hybrid Function 7 (N=5)			1600
	F39	Hybrid Function 8 (N=5)			1700
	F40	Hybrid Function 9 (N=5)			1800
	F41	Hybrid Function 10 (N=6)			1900
Composition functions	F42	Composition Function 1 (N=3)			2000
	F43	Composition Function 2 (N=3)			2100
	F44	Composition Function 3 (N=4)			2200
	F45	Composition Function 4 (N=4)			2300
	F46	Composition Function 5 (N=5)			2400
	F47	Composition Function 6 (N=5)			2500
	F48	Composition Function 7 (N=6)			2600
	F49	Composition Function 8 (N=6)			2700
	F50	Composition Function 9 (N=3)			2800
	F51	Composition Function 10 (N=3)			2900

Table 7. CEC 2017 problems.

Huang et al.: Differential Evolution (DE)³⁹). Additionally, GWO⁵ algorithms and HHO¹¹ have also been employed as heuristic optimizers for this problem. The comparison of the results of these methods and POA is shown in Table 13.

Fi	Measured	POA	WOA	DA	AOA	Fi	Measure	POA	WOA	DA	AOA
F24	Worst	21,616.689	446,086,810.967	1,614,920,665.975	17,989,949,690.271	F38	Worst	2207.641	2293.244	2342.246	2420.476
	Best	2369.991	2,437,147.665	95,752.700	3,713,067,906.824		Best	1601.839	1671.161	1725.183	1635.551
	Aver	9077.871	78,794,903.555	121,819,809.036	9,746,903,748.119		Aver	1914.943	1927.995	1966.959	2031.060
	Std	4926.262	105,264,259.045	295,134,280.931	3,636,949,495.724		Std	162.953	149.276	154.805	165.504
F25	Worst	329.886	14,038.326	42,054.108	18,439.573	F39	Worst	2034.458	1981.868	1984.712	2134.607
	Best	300.020	1212.600	820.018	9737.963		Best	1724.880	1756.245	1757.774	1761.719
	Aver	303.572	6419.583	8055.177	14,013.305		Aver	1789.454	1820.757	1836.497	1878.853
	Std	8.346	4312.887	9311.269	2659.791		Std	63.748	62.726	61.045	104.133
F26	Worst	484.521	605.709	570.901	2474.368	F40	Worst	55,482.667	36,953.291	55,541.892	209,928,837.936
	Best	400.004	405.435	403.243	479.108		Best	2917.407	2181.715	2364.981	2361.926
	Aver	411.796	442.972	448.726	1171.863		Aver	20,533.715	17,197.131	20,863.963	7,307,877.076
	Std	20.353	47.700	44.320	562.736		Std	15,384.264	11,293.771	16,797.329	38,300,874.924
F27	Worst	594.526	599.904	633.492	606.939	F41	Worst	22,421.717	2,451,752.098	89,900.455	237,845.333
	Best	522.888	509.439	529.121	529.864		Best	2058.212	2099.614	1968.492	4665.629
	Aver	547.603	554.825	563.587	563.214		Aver	9793.255	126,429.570	20,811.902	104,654.601
	Std	16.035	21.518	23.620	20.047		Std	6755.212	448,601.416	25,868.597	78,412.954
F28	Worst	661.566	672.090	680.871	658.735	F42	Worst	2399.638	2358.672	2344.633	2290.265
	Best	604.546	606.142	609.318	621.384		Best	2052.699	2063.242	2065.773	2062.513
	Aver	626.008	640.832	635.708	639.634		Aver	2194.909	2175.757	2194.011	2160.552
	Std	14.833	17.992	14.974	8.022		Std	91.767	83.828	78.431	69.544
F29	Worst	821.235	835.056	771.432	826.021	F43	Worst	2391.776	2422.329	2392.790	2389.428
	Best	730.816	739.591	714.955	766.210		Best	2200.022	2207.964	2205.519	2232.131
	Aver	768.674	785.295	745.035	801.622		Aver	2330.843	2323.952	2321.882	2328.732
	Std	20.930	27.487	14.838	14.756		Std	54.209	63.445	64.072	43.707
F30	Worst	863.684	877.893	872.106	859.711	F44	Worst	3780.977	4001.830	2377.450	3667.396
	Best	814.926	812.180	813.115	820.715		Best	2242.956	2250.448	2252.663	2390.081
	Aver	836.686	845.449	838.638	841.861		Aver	2428.039	2527.315	2331.853	2988.301
	Std	12.725	19.555	14.283	9.177		Std	383.046	496.162	25.432	298.582
F31	Worst	1775.443	2755.601	2974.621	1761.634	F45	Worst	2701.334	2711.230	2740.647	2850.536
	Best	941.832	977.617	920.630	1016.576		Best	2626.399	2623.470	2623.180	2688.632
	Aver	1233.102	1582.821	1329.104	1445.874		Aver	2647.105	2662.015	2686.121	2752.342
	Std	229.408	356.906	458.930	222.809		Std	18.782	22.188	29.912	39.502
F32	Worst	2805.144	2874.741	3177.011	2845.738	F46	Worst	2853.043	2842.332	2882.747	3026.458
	Best	1460.956	1595.143	1462.482	1843.645		Best	2500.121	2614.982	2756.338	2658.237
	Aver	2124.758	2178.843	2300.517	2267.726		Aver	2760.174	2782.705	2814.403	2854.468
	Std	329.156	346.841	396.083	248.939		Std	75.666	39.952	33.775	78.993
F33	Worst	1394.636	1456.809	1553.285	11,284.167	F47	Worst	3024.368	3057.139	3281.954	4031.440
	Best	1109.370	1127.720	1137.880	1170.419		Best	2897.766	2926.524	2901.047	3091.840
	Aver	1177.684	1264.158	1305.746	4259.407		Aver	2938.987	2970.737	2974.748	3433.472
	Std	64.587	97.652	105.699	2742.167		Std	32.948	30.706	73.376	240.484
F34	Worst	2,640,627.083	23,239,770.178	23,841,149.599	1,410,137,474.156	F48	Worst	4405.324	4581.077	4530.516	4693.227
	Best	9420.672	75,356.443	12,974.629	37,495.771		Best	2802.188	3108.297	2805.272	3395.848
	Aver	426,091.817	7,244,799.337	5,290,868.507	210,043,229.615		Aver	3542.206	3657.193	3371.774	4098.304
	Std	541,693.197	6,903,050.501	5,851,002.051	299,766,603.285		Std	556.018	513.032	528.992	291.224
F35	Worst	32,516.647	88,773.203	83,425.506	34,873.960	F49	Worst	3205.502	3238.281	3282.543	3407.872
	Best	2033.414	1701.946	1639.672	3600.132		Best	3089.526	3097.429	3097.862	3165.500
	Aver	6943.151	22,033.157	21,794.756	11,494.178		Aver	3135.637	3147.792	3144.096	3261.204
	Std	8029.349	21,046.434	19,381.270	8648.765		Std	38.055	44.878	50.332	65.214
F36	Worst	27,866.569	7441.839	10,005.432	27,668.496	F50	Worst	3749.371	3736.181	3731.813	3954.137
	Best	1434.406	1493.885	1512.187	1468.538		Best	3100.397	3150.013	3171.896	3481.000
	Aver	10,725.802	2937.645	2890.960	11,460.443		Aver	3362.144	3444.478	3364.905	3783.707
	Std	9776.325	1746.346	2099.952	9589.028		Std	148.755	179.170	118.383	120.887
F37	Worst	6053.120	33,587.791	98,852.122	34,674.857	F51	Worst	3588.233	3706.539	3520.137	3764.012
	Best	1572.781	2339.039	3132.247	4775.219		Best	3146.758	3193.109	3149.620	3184.949
	Aver	3710.869	12,292.528	26,066.915	18,618.951		Aver	3318.534	3377.156	3300.440	3435.494
	Std	1458.299	8834.587	24,462.365	6297.956		Std	112.592	120.658	80.176	167.909

Table 8. Results of CEC 2017 problems. Significant values are in bold.

Fi	POA vs WOA		POA vs DA		POA vs AOA	
	p-value	Winner	p-value	Winner	p-value	Winner
F24	3.02E-11	+	3.02E-11	+	3.02E-11	+
F25	3.02E-11	+	3.02E-11	+	3.02E-11	+
F26	2.20E-07	+	1.73E-07	+	3.34E-11	+
F27	2.34E-01	~	3.50E-03	+	3.50E-03	+
F28	1.37E-03	+	1.99E-02	+	2.13E-04	+
F29	2.71E-02	+	2.00E-05	-	8.35E-08	+
F30	1.12E-01	~	7.73E-01	~	4.84E-02	+
F31	3.83E-05	+	9.94E-01	~	6.55E-04	+
F32	5.30E-01	~	7.98E-02	~	7.98E-02	~
F33	1.32E-04	+	2.49E-06	+	2.15E-10	+
F34	1.61E-06	+	1.25E-05	+	6.12E-10	+
F35	4.22E-04	+	1.32E-04	+	1.41E-04	+
F36	1.70E-02	-	1.56E-02	-	5.79E-01	~
F37	7.04E-07	+	5.00E-09	+	2.15E-10	+
F38	8.42E-01	~	2.58E-01	~	1.17E-02	+
F39	1.08E-02	+	4.22E-04	+	3.16E-05	+
F40	3.79E-01	~	7.96E-01	~	7.06E-01	~
F41	5.83E-03	+	3.48E-01	~	8.35E-08	+
F42	4.38E-01	~	8.77E-01	~	1.91E-01	~
F43	7.73E-01	~	8.77E-01	~	5.01E-01	~
F44	1.78E-04	+	4.64E-05	-	6.53E-08	+
F45	5.83E-03	+	8.20E-07	+	4.50E-11	+
F46	9.33E-02	~	4.08E-05	+	9.51E-06	+
F47	1.53E-05	+	1.30E-03	+	3.02E-11	+
F48	5.37E-02	~	2.52E-01	~	3.37E-04	+
F49	2.12E-01	~	4.12E-01	~	1.41E-09	+
F50	1.17E-02	+	2.84E-01	~	1.78E-10	+
F51	5.55E-02	~	8.53E-01	~	6.10E-03	+
Sum (+/~/-)	16/11/1		13/12/3		23/5/0	

Table 9. Results of Wilcoxon sign-rank test for CEC 2017 problems with $\alpha = 0.05$.

Fi	Function name	Range	Dim	Min _F
F52	Storn's Chebyshev Polynomial Fitting Problem	[-8192, 8192]	9	1
F53	Inverse Hilbert Matrix Problem	[-16384, 16384]	16	1
F54	Lennard-Jones Minimum Energy Cluster	[-4,4]	18	1
F55	Rastrigin's Function	[-100,100]	10	1
F56	Griewangk's Function	[-100,100]	10	1
F57	Weierstrass Function	[-100,100]	10	1
F58	Modified Schwefel's Function	[-100,100]	10	1
F59	Expanded Schaffer's F6 Function	[-100,100]	10	1
F60	Happy Cat Function	[-100,100]	10	1
F61	Ackley Function	[-100,100]	10	1

Table 10. CEC 2019 problems.

Welded beam. The aim of welded beam design problem is to minimize its fabrication cost. The constraints of the problem are shear stress (τ), bending stress in the beam (θ), buckling load of the bar (P_c), end deflection of the beam (δ) and side constraints. Welded beam design problem has four variables, namely thickness of weld (h), length of attached part of bar (l), the height of the bar (t), and thickness of the bar (b). This problem is illustrated in the literature^{5,40,41}.

Lee and Geem⁴⁰ employed HS to deal with this problem, while Deb^{42,43} and Coello⁴⁴ used GA. Seyedali Mirjalili applied GWO⁵ to solve this problem. Richardson's random approach, Davidon-Fletcher-Powell, Simplex

Fi	Measure	POA	WOA	DA	AOA	Fi	Measure	POA	WOA	DA	AOA
F52	Worst	1383.962	1.22E+08	87,793,661	47,045,606	F57	Worst	10.35371	11.98996	11.97721	13.24428
	Best	1	3833.742	43,190.53	1		Best	2.578827	6.74338	3.858144	7.601071
	Aver	49.64264	16,848,021	22,172,756	1,783,859		Aver	6.845989	9.124547	7.868689	10.27923
	Std	252.1988	23,542,448	19,745,213	8,567,816		Std	1.882445	1.349568	1.754316	1.448363
F53	Worst	1005.32	10,766.06	10,927.26	18,365.92	F58	Worst	1728.034	1827.559	2059.978	1786.957
	Best	4.567066	1311.151	1092.686	3216.332		Best	614.7954	391.1025	932.6491	957.0947
	Aver	143.2106	6503.912	6160.632	10,895.68		Aver	1256.916	1265.31	1475.388	1403.671
	Std	231.2333	2678.268	2673.48	3519.805		Std	326.6572	337.8082	329.3905	199.6095
F54	Worst	10.71197	9.708243	11.7112	11.6667	F59	Worst	5.083027	5.240865	5.079878	5.300394
	Best	1.410337	2.832679	5.731269	8.944851		Best	3.739129	3.956049	3.703836	4.082092
	Aver	5.985024	6.151234	10.2168	10.44986		Aver	4.577152	4.67067	4.679051	4.765198
	Std	2.954948	1.936269	1.307939	0.795213		Std	0.360475	0.365394	0.298852	0.329205
F55	Worst	79.6702	96.71619	101.0834	101.8834	F60	Worst	1.743374	1.822469	1.85515	3.90721
	Best	18.91121	22.50731	16.74522	26.98737		Best	1.144939	1.16266	1.119194	1.562143
	Aver	41.42796	54.74208	55.51705	58.95477		Aver	1.36822	1.414833	1.427379	3.081278
	Std	15.33676	22.97717	21.37947	19.73287		Std	0.145476	0.174602	0.212619	0.654018
F56	Worst	2.081627	5.37188	29.52093	152.7949	F61	Worst	21.40822	21.63267	21.57491	21.21511
	Best	1.093455	1.943486	1.150722	30.21018		Best	21.00662	21.07732	20.99995	21.07513
	Aver	1.355729	2.709666	3.326794	85.96353		Aver	21.08235	21.27699	21.26729	21.12679
	Std	0.246973	0.775102	5.265839	28.65205		Std	0.085093	0.151047	0.145117	0.033882

Table 11. Results of CEC 2019 problems. Significant values are in bold.

Fi	F52	F53	F54	F55	F56	F57	F58	F59	F60	F61	Sum (+/-/-)
POA vs WOA											
<i>p</i> -value	1.62E-11	3.02E-11	5.89E-01	2.61E-02	4.98E-11	7.22E-06	8.77E-01	2.28E-01	3.55E-01	6.01E-08	6/4/0
Winner	+	+	~	+	+	+	~	~	~	+	
POA vs DA											
<i>p</i> -value	1.62E-11	3.02E-11	3.65E-08	6.38E-03	6.28E-06	4.51E-02	2.92E-02	3.33E-01	4.20E-01	2.68E-06	8/2/0
Winner	+	+	+	+	+	+	+	~	~	+	
POA vs AOA											
<i>p</i> -value	1.47E-09	3.02E-11	1.41E-09	3.37E-04	3.02E-11	1.56E-08	9.33E-02	3.92E-02	4.50E-11	5.87E-04	9/1/0
Winner	+	+	+	+	+	+	~	+	+	+	

Table 12. Results of Wilcoxon sign-rank test for CEC 2019 problems with $\alpha=0.05$.

technique, Griffith and Stewart’s successive linear approximation are the mathematical methods that have been adopted by Ragsdell and Philips⁴¹ for this problem. More recently, Heidari, et al.¹¹ and Yang, et al.²⁹ have used HHO and HGS, respectively, to solve the problem. Table 14 shows a comparison between the different methods. The results indicate that POA reaches a design with the minimum cost compared to other optimizations. The best result of the cost function obtained by the POA is **1.72564**.

Pressure vessel. Pressure vessel design problem is well-known, where the fabrication cost of the total cost consisting of material, forming, and welding of a cylindrical vessel should be minimized. There are four variables, namely thickness of the shell (T_s), thickness of the head (T_h), Inner radius (R) and length of the cylindrical section without considering the head (L), and four constraints.

Pressure vessel design problem has also been popular among optimization studies in different researches. Several heuristic techniques, namely DE³⁹, PSO³³, GA^{35,45,46}, ACO⁴⁷, ES [59], GWO⁵, MFO⁴⁸, HHO¹¹ and SMA¹⁰, that have been adopted for the optimization of this problem. Mathematical approaches employed are augmented Lagrangian Multiplier⁴⁹ and branch-and-bound⁵⁰. We can see that POA is again able to search a design with the minimum cost as shown in Table 15.

Conclusions

In the paper, a meta-heuristic algorithm, inspired by the gravitational law of Newton, is proposed. POA’s structure in search processes consists of 2 phases that aim for proper balance exploration and exploitation. Several outperform features are shown through the accuracy of 23 classical benchmark functions and 38 IEEE CEC test

Candidates	Optimum variables			Optimum weight
	<i>d</i>	<i>D</i>	<i>N</i>	
HHO	0.05179639	0.35930536	11.138859	0.01266544
POA	0.051767	0.358602	11.179891	0.01266588
GWO	0.051690	0.356737	11.288850	0.01266600
MFO	0.051994	0.364109	10.868422	0.01266690
DE (Huang et al.)	0.051609	0.354714	11.410831	0.01267020
HS (Mahdavi et al.)	0.051154	0.349871	12.076432	0.01267060
PSO (Ha and Wang)	0.051728	0.357644	11.244543	0.01267470
ES (Coello and Montes)	0.051989	0.363965	10.890522	0.01268100
GSA	0.050276	0.323680	13.525410	0.01270220
GA (Coello)	0.051480	0.351661	11.632201	0.01270480
Mathematical optimization (Belegundu)	0.053396	0.399180	9.185400	0.01273030
Constraint correction (Arora)	0.050000	0.315900	14.250000	0.01283340

Table 13. Comparison of results for tension/compression spring. Significant values are in bold.

Candidates	Optimum variables				Optimum cost
	(<i>h</i>)	(<i>l</i>)	(<i>t</i>)	(<i>b</i>)	
POA	0.20563	3.47242	9.03821	0.20578	1.72564
GWO	0.20568	3.47838	9.03681	0.205778	1.726240
HHO	0.204039	3.531061	9.027463	0.206147	1.731991
GA Coello	N.A	N.A	N.A	N.A	1.824500
GSA	0.182129	3.856979	10	0.202376	1.879952
HGS	0.26	5.1025	8.03961	0.26	2.302076
GA (Deb)	N.A	N.A	N.A	N.A	2.380000
HS (Lee and Geem)	0.2442	6.2231	8.2915	0.2443	2.380700
APPROX	0.2444	6.2189	8.2915	0.2444	2.381500
David	0.2434	6.2552	8.2915	0.2444	2.384100
GA (Deb)	0.2489	6.173	8.1789	0.2533	2.433100
Simplex	0.2792	5.6256	7.7512	0.2796	2.530700
Random	0.4575	4.7313	5.0853	0.6600	4.118500

Table 14. Comparison of results for welded beam design problem. Significant values are in bold.

Candidates	Optimum variables				Optimum cost
	(<i>T_s</i>)	(<i>T_h</i>)	(<i>R</i>)	(<i>L</i>)	
POA	0.7832	0.3873	40.5769	196.4752	5895.4160
SMA	0.7931	0.3932	40.6711	196.2178	5994.1857
HHO	0.81758383	0.4072927	42.09174576	176.7196352	6000.4626
GWO	0.8125	0.4345	42.089181	176.758731	6051.5639
ACO (Kaveh and Talataheri)	0.8125	0.4375	42.103624	176.572656	6059.0888
MFO	0.8125	0.4375	42.098445	176.636596	6059.7143
DE (Huang et al.)	0.8125	0.4375	42.098411	176.637690	6059.7340
ES (Montes and Coello)	0.8125	0.4375	42.098087	176.640518	6059.7456
GA (Coello and Montes)	0.8125	0.4375	42.097398	176.654050	6059.9463
PSO (He and Wang)	0.8125	0.4375	42.091266	176.746500	6061.0777
GA (Coello)	0.8125	0.4345	40.323900	200.000000	6288.7445
GA (Deb and Gene)	0.9375	0.5000	48.329000	112.679000	6410.3811
Lagrangian Multiplier (Kannan)	1.1250	0.6250	58.291000	43.690000	7198.0428
Branch-bound (Sandgren)	1.1250	0.6250	47.700000	117.701000	8129.1036
GSA	1.1250	0.6250	55.988660	84.454203	8538.8359

Table 15. Comparison of results for pressure vessel design problem.

functions (CEC2017, CEC 2019). In many functions, POA showed that the obtained results are more accurate than the others many times.

In the final evaluation section, a set of well-known test cases, including three engineering test problems, are thoroughly investigated to examine the operation of POA in practice. Each problem is a type of distinct engineering, including very diverse search spaces. Therefore, these engineering problems are employed to test the POA thoroughly. The obtained results demonstrate that POA is able to solve effectively real challenging problems with unknown search spaces and a large number of constraints. The results compared to GSA, GWO, PSO, DE, ACO, MFO, SOS, CS, HHO, SMA, HGS, etc., suggest that POA is superior.

The structure of POA is simple and explicit, very effective, even fast. Experiments revealed short computational time for handling complex optimization problems. Therefore, we firmly authenticate that POA is a powerful algorithm to solve optimization problems.

Data availability

All data generated or analyzed during this study are included in this published article.

Received: 23 March 2022; Accepted: 4 May 2022

Published online: 19 May 2022

References

- Kennedy, J. & Eberhart, R. In *Proceedings of ICNN'95 - International Conference on Neural Networks*. 1942–1948 vol.1944.
- Yang, X.-S. In *Stochastic Algorithms: Foundations and Applications*. (eds Osamu Watanabe & Thomas Zeugmann) 169–178 (Springer, Berlin) (2009).
- Mirjalili, S. Dragonfly algorithm: a new meta-heuristic optimization technique for solving single-objective, discrete, and multi-objective problems. *Neural Comput. Appl.* **27**, 1053–1073 (2016).
- Mirjalili, S. & Lewis, A. The whale optimization algorithm. *Adv. Eng. Softw.* **95**, 51–67 (2016).
- Mirjalili, S., Mirjalili, S. M. & Lewis, A. Grey wolf optimizer. *Adv. Eng. Softw.* **69**, 46–61. <https://doi.org/10.1016/j.advengsoft.2013.12.007> (2014).
- Wang, G.-G., Deb, S. & Cui, Z. Monarch butterfly optimization. *Neural Comput. Appl.* **31**, 1995–2014 (2019).
- Wang, G.-G., Deb, S. & Coelho, L. D. S. Earthworm optimisation algorithm: a bio-inspired metaheuristic algorithm for global optimisation problems. *Int. J. Bio-Inspired Comput.* **12**, 1–22 (2018).
- Wang, G.-G., Deb, S. & Coelho, L. D. S. In *2015 3rd International Symposium on Computational and Business Intelligence (ISCBI)*. 1–5 (IEEE).
- Wang, G.-G. Moth search algorithm: a bio-inspired metaheuristic algorithm for global optimization problems. *Memetic Comput.* **10**, 151–164 (2018).
- Li, S., Chen, H., Wang, M., Heidari, A. A. & Mirjalili, S. Slime mould algorithm: a new method for stochastic optimization. *Futur. Gener. Comput. Syst.* **111**, 300–323 (2020).
- Heidari, A. A. *et al.* Harris hawks optimization: algorithm and applications. *Futur. Gener. Comput. Syst.* **97**, 849–872 (2019).
- Moghaddam, F. F., Moghaddam, R. F. & Cheriet, M. Curved space optimization: a random search based on general relativity theory. *arXiv preprint arXiv:1208.2214* (2012).
- Zheng, Y.-J. Water wave optimization: a new nature-inspired metaheuristic. *Comput. Oper. Res.* **55**, 1–11 (2015).
- Ahmadianfar, L., Heidari, A. A., Gandomi, A. H., Chu, X. & Chen, H. RUN beyond the metaphor: an efficient optimization algorithm based on Runge Kutta method. *Expert Syst. Appl.* **181**, 115079 (2021).
- Rao, R. V., Savsani, V. J. & Vakharia, D. Teaching–learning-based optimization: a novel method for constrained mechanical design optimization problems. *Comput. Aided Des.* **43**, 303–315 (2011).
- Ahmadi, S.-A. Human behavior-based optimization: a novel metaheuristic approach to solve complex optimization problems. *Neural Comput. Appl.* **28**, 233–244 (2017).
- Goldberg, D. E. Genetic algorithms in search. *Optimization, and Machine Learning* (1989).
- Juste, K., Kita, H., Tanaka, E. & Hasegawa, J. An evolutionary programming solution to the unit commitment problem. *IEEE Trans. Power Syst.* **14**, 1452–1459 (1999).
- Holland, J. H. Outline for a logical theory of adaptive systems. *J. ACM* **9**, 297–314 (1962).
- Patro, S. P., Nayak, G. S. & Padhy, N. Heart disease prediction by using novel optimization algorithm: a supervised learning prospective. *Inform. Med. Unlocked* **26**, 100696, doi:<https://doi.org/10.1016/j.imu.2021.100696> (2021)
- Li, X. & Sun, Y. Stock intelligent investment strategy based on support vector machine parameter optimization algorithm. *Neural Comput. Appl.* **32**, 1765–1775 (2020).
- Sang-To, T. *et al.* Combination of intermittent search strategy and an improve particle swarm optimization algorithm (IPSO) for model updating. *Frattura ed Integrità Strutturale* **59**, 141–152 (2022).
- Minh, H.-L. *et al.* In *Proceedings of the 2nd International Conference on Structural Damage Modelling and Assessment*. 13–26 (Springer).
- Yao, X., Liu, Y. & Lin, G. Evolutionary programming made faster. *IEEE Trans. Evol. Comput.* **3**, 82–102, doi:<https://doi.org/10.1109/4235.771163> (1999).
- Digalakis, J. G. & Margaritis, K. G. On benchmarking functions for genetic algorithms. *Int. J. Comput. Math.* **77**, 481–506 (2001).
- Yang, X.-S. Test problems in optimization. *arXiv preprint arXiv:1008.0549* (2010).
- Rashedi, E., Nezamabadi-Pour, H. & Saryazdi, S. GSA: a gravitational search algorithm. *Inf. Sci.* **179**, 2232–2248 (2009).
- Zhao, W., Wang, L. & Zhang, Z. Atom search optimization and its application to solve a hydrogeologic parameter estimation problem. *Knowl.-Based Syst.* **163**, 283–304. <https://doi.org/10.1016/j.knsys.2018.08.030> (2019).
- Yang, Y., Chen, H., Heidari, A. A. & Gandomi, A. H. Hunger games search: Visions, conception, implementation, deep analysis, perspectives, and towards performance shifts. *Expert Syst. Appl.* **177**, 114864 (2021).
- Wu, G., R. Mallipeddi, and P. N. Suganthan. Problem definitions and evaluation criteria for the CEC 2017 competition on constrained real-parameter optimization. (researchgate, 2017).
- Price, K., Awad, N., Ali, M. & Suganthan, P. The 100-digit challenge: problem definitions and evaluation criteria for the 100-digit challenge special session and competition on single objective numerical optimization. *Nanyang Technol. Univ.* (2018).
- Abualigah, L., Diabat, A., Mirjalili, S., Abd Elaziz, M. & Gandomi, A. H. The arithmetic optimization algorithm. *Comput. Methods Appl. Mech. Eng.* **376**, 113609 (2021).
- He, Q. & Wang, L. An effective co-evolutionary particle swarm optimization for constrained engineering design problems. *Eng. Appl. Artif. Intell.* **20**, 89–99 (2007).
- Mezura-Montes, E. & Coello, C. A. C. An empirical study about the usefulness of evolution strategies to solve constrained optimization problems. *Int. J. Gen Syst* **37**, 443–473 (2008).

35. Coello, C. A. C. Use of a self-adaptive penalty approach for engineering optimization problems. *Comput. Ind.* **41**, 113–127 (2000).
36. Mahdavi, M., Fesanghary, M. & Damangir, E. An improved harmony search algorithm for solving optimization problems. *Appl. Math. Comput.* **188**, 1567–1579 (2007).
37. Belegundu, A. D. & Arora, J. S. A study of mathematical programming methods for structural optimization. Part I: theory. *Int. J. Numer. Methods Eng.* **21**, 1583–1599, doi:<https://doi.org/10.1002/nme.1620210904> (1985).
38. Arora, J. Introduction to optimum design with MATLAB. *Introduction to Optimum Design*, 413–432 (2004).
39. Huang, F.-Z., Wang, L. & He, Q. An effective co-evolutionary differential evolution for constrained optimization. *Appl. Math. Comput.* **186**, 340–356 (2007).
40. Lee, K. S. & Geem, Z. W. A new meta-heuristic algorithm for continuous engineering optimization: harmony search theory and practice. *Comput. Methods Appl. Mech. Eng.* **194**, 3902–3933 (2005).
41. Ragsdell, K. M. & Phillips, D. T. Optimal design of a class of welded structures using geometric programming. *J. Eng. Ind.* **98**, 1021–1025. <https://doi.org/10.1115/1.3438995> (1976).
42. Deb, K. Optimal design of a welded beam via genetic algorithms. *AIAA J.* **29**, 2013–2015 (1991).
43. Deb, K. An efficient constraint handling method for genetic algorithms. *Comput. Methods Appl. Mech. Eng.* **186**, 311–338 (2000).
44. Coello Coello, C. A. Constraint-handling using an evolutionary multiobjective optimization technique. *Civ. Eng. Syst.* **17**, 319–346 (2000).
45. Coello, C. A. C. & Montes, E. M. Constraint-handling in genetic algorithms through the use of dominance-based tournament selection. *Adv. Eng. Inform.* **16**, 193–203 (2002).
46. Deb, K. In *Evolutionary Algorithms in Engineering Applications* 497–514 (Springer, 1997).
47. Kaveh, A. & Talatahari, S. An improved ant colony optimization for constrained engineering design problems. *Eng. Comput.* (2010).
48. Mirjalili, S. Moth-flame optimization algorithm: a novel nature-inspired heuristic paradigm. *Knowl.-Based Syst.* **89**, 228–249 (2015).
49. Kannan, B. K. & Kramer, S. N. An augmented lagrange multiplier based method for mixed integer discrete continuous optimization and its applications to mechanical design. *J. Mech. Des.* **116**, 405–411. <https://doi.org/10.1115/1.2919393> (1994).
50. Sandgren, E. Nonlinear integer and discrete programming in mechanical design optimization. *J. Mech. Des.* **112**, 223–229. <https://doi.org/10.1115/1.2912596> (1990).

Acknowledgements

The authors acknowledge the financial support of VLIR-UOS TEAM Project, VN2018TEA479A103, 'Damage assessment tools for Structural Health Monitoring of Vietnamese infrastructures', funded by the Flemish Government. The authors would like to acknowledge the support from Ho Chi Minh City Open University under the basic research fund (No. E2021.06.1). The authors wish to express their gratitude to Van Lang University, Vietnam for financial support for this research.

Author contributions

T.S.T., M.A.W. and T.C.L. Conceptualization, Software, Methodology, Validation, Writing – Original draft; M.L. Writing, formal analysis and data curation; M.A.W. and T.C.L. Supervision.

Competing interests

The authors declare no competing interests.

Additional information

Correspondence and requests for materials should be addressed to M.A.W. or T.C.-L.

Reprints and permissions information is available at www.nature.com/reprints.

Publisher's note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2022