




## AUTHOR CORRECTION OPEN



# Author Correction: Feasibility of anomaly score detected with deep learning in irradiated breast cancer patients with reconstruction

Dong-Yun Kim, Soo Jin Lee , Eun-Kyu Kim, Eunyong Kang, Chan Yeong Heo, Jae Hoon Jeong , Yujin Myung, In Ah Kim and Bum-Sup Jang 

*npj Digital Medicine* (2022)5:136; <https://doi.org/10.1038/s41746-022-00688-5>

Correction to: *npj Digital Medicine* <https://doi.org/10.1038/s41746-022-00671-0>, published online 23 August 2022

In this article the author name Eun-Kyu Kim was incorrectly written as Eun Kyu Kim. The original article has been corrected.



**Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2022