Paraplegia

Index of Volume 28 (1990)

Subject Index

Activities of Daily Living

Initial factors predicting functional performance in patients with traumatic tetraplegia, by Daverat et al. 414

Ambulation

Changes in ambulation parameters in spinal cord injury individuals following rehabilitation, by Yakura et al. 364

Estimating the user population of a simple electrical stimulation system for standing, by Jaeger et al. 505

Follow-up study on the use of leg braces issued to spinal cord injury patients, by Hong et al. 172

Aortic Surgery

Case Report: hip joint instability in an infant with paraplegia following aortic surgery, by Suzuki et al. 406

Atherosclerosis

Vascular reconstruction for limb salvage in the spinal cord injured patient, by Stevick et al. 203

Book Reviews

64, 141, 213, 275, 344, 410, 466, 529, 583

Bowel Function

Cisapride stimulates small intestinal motility and relieves constipation in myelopathy due to cervical spinal stenosis: case report, by Hellstrom et al. 261

Long term follow-up of patients with sacral anterior root stimulator implants, by Brindley and Rushton 469

Cardiopulmonary Responses

Late asystole in high cervical spinal cord injury: case report, by Silbert and Davis 137

Catheterisation

Early intermittent self-catherisation after spinal cord injury, by Wyndaele and De Taeye 76
The team approach to urinary bladder management in spinal cord injury patients: a 26-year retrospective look at the Highland View Hospital Urinary Catheter Care Team, by Lindan et al. 314

Urological outcome in female patients with spinal cord injury: the effectiveness of intermittent catheterisation, by Timoney and Shaw 556

Central Cord Syndrome

Long term function following the central cord syndrome, by Bridle et al. 178

Reflex sympathetic dystrophy in central cord syndrome: case report and review of the literature, by Philip et al. 48

Cerebrospinal Fluid Fistulae

Traumatic spinal cord injury followed by cerebrospinal fluid complications, by Ohry and Zeilig 208

Cervical Spine

Cervical spine injuries: a follow-up of 332 patients, by Ersmark et al. 25

Cervical Stabilisation

Anterior plating of unstable cervical spine fractures, by Mann et al. 564

Ciprofloxacin

Peroral treatment with ciprofloxacin of patients with spinal cord lesion and bacteriuria caused by multiply resistant bacteria, by Pedersen et al. 41

Depression

Differences between rehabilitation disciplines in views of depression in spinal cord injury patients, by Dijkers and Cushman 380

Developing Countries

China's first total care unit for the spinal cord injured, by Wang et al. 318

Experience with a spinal cord unit in Brasilia, Brazil, by Masini et al. 17

The right to die of a high quadriplegic in a developing country: case report, by Kovindha 272

Ejaculation

Quality of semen after repeated ejaculation treatment in spinal cord injury men, by Siösteen et al. 96

Estimating the user population of a simple electri-

cal stimulation system for standing, by Jaeger et al. 505

Functional neuromuscular stimulation in 4 patients with complete paraplegia, by Hjeltnes and Lannem 235

Intravesical electrical stimulation for the rehabilitation of the neuropathic bladder, by Madersbacher 349

Long term follow-up of patients with sacral anterior root stimulator implants, by Brindley and Rushton 469

Neural stimulation for spinal spasticity, by Kanaka and Kumar 399

Energy Metabolism

Body composition and resting energy expenditure in long term spinal cord injury, by Sedlock and Laventure 448

Changes in ambulation parameters in spinal cord injury individuals following rehabilitation, by Yakura et al. 364

Relationship between heart rate and oxygen uptake in thoracic level paraplegics, by Bar-On et al. 87

Epidemiology

Cervical spine injuries: a follow-up of 332 patients, by Ersmark et al. 25

Epidemiology of spinal cord lesions in Denmark, Biering-Sørensen et al. 105

New estimates of traumatic SCI prevalence: a survey-based approach, by Harvey et al. 538

Euthanasia

The right to die of a high quadriplegic in a developing country: case report, by Kovindha 272

Exercise Therapy

Exercise capacity of untrained spinal cord injured individuals and the relationship of peak oxygen uptake to level of injury, by Burkett et al. 512

Physical endurance capacity, functional status and medical complications in spinal cord injured with long-standing lesions, by Hjeltnes and Jansen 428

Fluoride Poisoning

Neurological complications of endemic skeletal fluorosis, with special emphasis on radiomyelopathy, by Haimanot 244

Follow-up Studies

Cervical spine injuries: a follow-up of 332 patients, by Ersmark et al. 25

Follow-up study on the use of leg braces issued to spinal cord injury patients, by Hong et al. 172

Long term follow-up of patients with sacral anterior root stimulator implants, by Brindley and Rushton 469

Long term function following the central cord syndrome, by Bridle et al. 178

Long term prediction of self-reported problems following spinal cord injury, by Krause and Crewe 186

History of Medicine

The portrayal of paralysis in some masterpieces by European painters, by Ohry-Kossoy 489

Immediate Care

Benefits of early admission to an organised spinal cord injury care system, by DeVivo et al. 545

Kidney Calculi

Citrate excretion in spinal cord patients, by Burr and Nuseibeh 496

Leisure Activities

A comparison of past and future leisure activity participation between spinal cord injured and non-disabled persons, by Kennedy and Smith 130

Locked-in Syndrome

The locked-in syndrome: a review and presentation of two chronic cases, by Dollfus *et al.* 5 The locked-in syndrome and related states, by Ohry 73

Lumbar Vertebrae

Bone and soft tissue injuries in post-mortem lumbar spines, by Taylor et al. 119

Meetings and Notices

68, 142, 215, 277, 347, 411, 467, 530, 586

Mycoplasma Pneumoniae

Transverse myelitis associated with mycoplasma pneumoniae: care report, by Heller et al. 522

Neuropathic Bladder

Early intermittent self-catheterisation after spinal cord injury, by Wyndaele and De Taeye 76 The effect of intrathecal baclofen on the lower urinary tract in paraplegia, by Talalla et al. 420

Intravesical electrical stimulation for the rehabilitation of the neuropathic bladder, by Madersbacher 349

Long term follow-up of patients with sacral anterior root stimulator implants, by Brindley and Rushton 469

Peroral treatment with ciprofloxacin of patients with spinal cord lesion and bacteriuria caused by multiply resistant bacteria, by Pedersen et al. 41

Pharmacotherapy for urinary bladder dysfunction in spinal cord injury patients, by Wyndaele 146

Spontaneous intraperitoneal vesical rupture in association with neuropathic bladder, by Watson *et al.* 158

The team approach to urinary bladder management in spinal cord injury patients: a 26-year

retrospective look at the Highland View Hospital Urinary Catheter Care Team, by Lindan et al. 314

Urological outcome in female patients with spinal cord injury: the effectiveness of intermittent catheterisation, by Timoney and Shaw 556

Use of plasmid analysis to determine the source of bacterial invasion of the urinary tract, by Donovan et al. 573

The various types of neurogenic bladder dysfunction: an update of current therapeutic concepts, by Madersbacher 217

Obituaries

Iames Cosbie Ross 212

Orthotic Devices

Follow-up study on the use of leg braces issued to spinal cord injury patients, by Hong et al. 172 Review article: Halo versus Minerva-which orthosis? by Pringle 281

Ossification

Serum alkaline phosphate and inorganic phosporus values in spinal cord injury patients with heterotopic ossification, by Kim et al. 441

Pain

Chronic pain after spinal cord injury: an expedient diagnostic approach, by Frisbie and Aguilera 460

Paraplegia Prize

Paraplegia prize 1990—Dr P. Daverat 413

Pressure Sores

Proximal femurectomy for decubitus ulceration in the spinal cord injury patient, by Peters and Johnson 55

The use of calcium alginate dressing in the management of decubitus ulcers in patients with spinal cord lesions, by Chapuis and Dollfus 269

Prognosis

Benefits of early admission to an organised spinal cord injury care system, by DeVivo et al. 545 Initial factors predicting functional performance in patients with traumatic tetraplegia, by Daverat et al. 414

Psychological Reactions

A comparison of past and future leisure activity participation between spinal cord injured and non-disabled persons, by Kennedy and Smith 130

Long term prediction of self-reported problems following spinal cord injury, by Krause and Crewe 186

The quality of life of three functional spinal cord injury subgroups in a Swedish community, by Siösteen et al. 476

Self-actualisation of elite wheelchair athletes, by Sherrill et al. 252

Sexual ability, activity, attitudes and satisfaction as part of adjustment in spinal cord-injured subjects, by Siösteen et al. 285

Reflex Sympathetic Dystrophy

Reflex sympathetic dystrophy in central cord syndrome: case report and review of the literature, by Philip et al. 48

Rehabilitation

Spinal cord injury care system: fifteen-year experience at the Rehabilitation Institute of Chicago, by Yarkony et al. 321

Respiration

Respiratory function in patients with spinal cord injuries: effects of posture, by Chen et al. 81

Schistosomiasis

Paraplegia from Schistosomiasis, by Bloom and Freed 455

Sexual Function

Ouality of semen after repeated ejaculation treatment in spinal cord injury men, by Siösteen et al. 96

Sexual ability, activity, attitudes and satisfaction as part of adjustment in spinal cord-injured subjects, by Siösteen et al. 285

Sexual and martial adjustment of World War II spinal cord injured veterans, by Nikas et al. 164

Sleep Apnea

Obstructive disordered breathing during sleep in patients with spinal cord injury, by Bonekat et al. 392

Social Reintegration

Long term prediction of self-reported problems following spinal cord injury, by Krause and

The quality of life of three functional spinal cord injury subgroups in a Swedish community, by Siösteen et al. 476

Sexual and marital adjustment of World War II spinal cord injured veterans, by Nikas et al. 164

Spasticity

The effect of intrathecal baclofen on the lower urinary tract in paraplegia, by Talalla et al. 420

Muscle release in the management of spasticity in spinal cord injury, by Eltorai and Montrov 433

Neural stimulation for spinal spasticity, by Kanaka and Kumar 399

Spinal Injury Centres

China's first total care unit for the spinal cord injured, by Wang et al. 318

A new building for the oldest spinal cord unit in the Netherlands, by Asbeck 230

The Spina Cord Injuries Center Hamburg, by Meinecke 371

Sport

Self-actualisation of elite wheelchair athletes, by Sherrill et al. 252

Sports Injuries

Injuries to elite wheelchair athletes, by Ferrara and Davis 355

Surgical/Non-surgical Treatment

Experience with a spinal cord unit in Brasilia, Brazil, by Masini et al. 17

Syringomyelia

Neurological improvement following respiratory support in syringomyelia: case report, by Seliger *et al.* 526

Post-traumatic syringomyelia, an update, by Williams 296

Transportation of Patients

A new device for the care of acute spinal injuries: The Russell Extrication Device (RED), by Cohen et al. 151

Transverse Myelitis

Transverse myelitis associated with mycoplasma pneumoniae: case report, by Heller et al. 522

Upper Limb

Surgical rehabilitation of the upper limb in tetraplegia, by Moberg 330

Vascular Reconstruction

Vascular reconstruction for limb salvage in the spinal cord injured patient, by Stevick et al. 203

Wrestling

Wrestling causing paraplegia, by Acikgöz et el. 265