

Indexes

Subject Index

- Activities of daily living (ADL)**, Relationship between physical strain during standardised ADL tasks and physical capacity in men with SCI 844
- Aging**, A model of resource needs of aging spinal cord injured men 261
- Ambulation**
The effects of parallel bars, body weight support and speed on the modulation of the locomotor pattern of spastic paretic gait. A preliminary communication 540
Physiological costs of reciprocal gait in FES assisted walking 641, 680
Restoration of gait with orthoses in thoracic paraplegia: a multicentric investigation 608
- Antibiotics**, Use of adhesion counts to help predict symptomatic infection and the ability of fluoroquinolones to penetrate bacterial biofilms on the bladder cells of SCI patients 468
- Blood pressure**, Effect of nifedipine on cystometry-induced elevation of blood pressure in patients with a reflex urinary bladder after a high level SCI 308
- Book reviews** 130, 208, 364, 432, 506, 580, 635, 787
- Brief Symptom Inventory (BSI)**, Moderator-variable effect on the Brief Symptom Inventory test-item endorsements of SCI patients 473
- Catheterisation**
Perineal xanthogranulomatous pseudotumor due to intermittent catheterisation: a liposarcoma mimic. Case report 624
Urethral cytology in SCI patients performing intermittent catheterisation 493
- Cauda equina syndrome**, In a patient treated with oral anticoagulants. Case report 277
- Complications**
Morbidity rates of complications in persons with SCI according to the site of injury and with special reference to hypertension 246
Of spinal surgery in acute spinal cord injury 389
- Cortical magnetic stimulation (CMS)**, Prognostic value of CMS in SCI 554
- Cystitis**, Gangrenous cystitis in a paraplegic patient. Case report 622
- Depression**, A longitudinal investigation into anxiety and depression in the first 2 years following SCI 675
- Drug therapy**
The effect of methylprednisolone, nalaxone, and spinal cord trauma on four liver enzymes: observations from NASCIS 2 236
Effect of nifedipine on cystometry-induced elevation of blood pressure in patients with a reflex urinary bladder after a high level SCI 308
Management of pharmacologically induced prolonged penile erection with oral terbutaline in traumatic paraplegics 670
Psychological and emotional effects of the use of oral baclofen: a preliminary study 349
- Dysreflexia, autonomic**
Self-induced autonomic dysreflexia (boosting) practised by some tetraplegic athletes to enhance their athletic performance 289
Testosterone, cortisol and catecholamine responses to exercise stress and autonomic dysreflexia in elite quadriplegic athletes 292
- Electrical stimulation**
Application of functional neuromuscular stimulation (FNS) to children with spinal cord injuries: candidate selection for upper and lower extremity research 824
Augmentation of transfers for a quadriplegic patient using an implanted FNS system 573
Musculoskeletal effects of an electrical stimulation induced cycling programme in the spinal injured 407
Physiological costs of reciprocal gait in FES assisted walking 680
- Embolism**
Pulmonary embolism manifesting as acute disturbances of behaviour in patients with SCI 570
Recovery from paraplegia following aortic saddle embolism. Case report 112
- Epidemiology**
Of SCI: a reflection of changes in South African society 709
Of spinal injuries in Romania 715
Reproducibility of Nordic Sleep Questionnaire in spinal cord injured 780
- Exercise**
The effect of exercise training on pulmonary function in persons with quadriplegia 435
Testosterone, cortisol and catecholamine responses to exercise stress and autonomic dysreflexia in elite quadriplegic athletes 292

- Thermoregulation of paraplegic and able-bodied men during prolonged exercise in hot and cool climates 860
- Fertility**
- Assisted ejaculation combined with in vitro fertilisation: an effective technique treating male infertility due to SCI 463
 - Greatly improved sperm motility from vas deferens sperm retrieval: a case for accessory gland related subfertility in spinal cord injured man. Case report 501
 - Semen quality in the same man before and after SCI. Case report 117
- Fluorosis**, Post-traumatic pseudomeningocele of cervical spine in a patient with skeletal fluorosis. Case report 627
- Follow-up studies**, A computer assisted follow-up system for SCI patients 736
- Fractures**
- Oblique odontoid fracture. Case report and review of the literature 108
 - Pathology of SCI due to fracture and fracture-dislocations of the cervical spine 642
 - Patient with a lumbar vertebra fracture. Clinical discussion 137
- Gallium nitrate**, And spinal cord injury. A pilot study of efficacy using an experimental model 86
- Hand**
- Development of a tetraplegic hand assessment and splinting protocol 159
 - Shoulder–hand syndrome in cervical spinal cord injury 588
- Hospitalisation**
- Problems of long-term hospitalised cervical spinal cord injury patients in university hospitals 19
 - Spinal cord injury hospitalisation in a rehabilitation hospital in Japan 47
- Hyperbaric oxygen (HBO)**, Therapy: implications for SCI patients with intrathecal baclofen infusion pumps. Case report 281
- Hyponatremia**, A retrospective study of hyponatremia in tetraplegic/paraplegic patients with a review of the literature 597
- Hypotension**
- Hypotensive infarction of the spinal cord 314
 - Profound hypotension in a tetraplegic patient following angiotensin-converting enzyme inhibitor lisinopril. Case report 871
- International Medical Society of Paraplegia**, Annual General Meeting of IMSOP held in Ghent, Belgium in May 1993 430
- Lower limbs**, Below-knee amputation for Charcot joint developing 40 years after SCI. Case report 63
- Magnetic resonance imaging (MRI)**
- Monitoring the evolution of intramedullary lesions in SCI. Qualitative and quantitative analysis with sequential MRI 9
 - MRI findings in SCI patients who have respiratory distress 323
 - Prognosis of cervical spinal cord injury in correlation with MRI 81
 - Transverse myelitis – neurophysiological and MRI correlation 593
- Meetings and Notices** 66, 135, 209, 287, 365, 433, 582, 639, 707, 793, 875
- Methicillin resistant Staphylococcus aureus (MRSA)**, The prevention of spread of methicillin resistant *Staphylococcus aureus* in a spinal injuries centre 732
- Mobility**, Car driving for the severely physically disabled: the American experience 697
- Motor neuron disease**, New findings and symptomatic treatment for neurolathyrism, a motor neurone disease occurring in north west Bangladesh 193
- Motor vehicle accidents**, Pediatric seatbelt injuries: diagnosis and treatment of lumbar flexion-distraction injuries 743
- Muscles**, Biceps vs extensor carpi radialis recovery in Frankel grades A and B in SCI patients 340
- Myelitis**, Transverse myelitis – neurophysiological and MRI correlation 593
- Neoplasms**
- Gliomas of the conus medullaris 52
 - Neurological evaluation after radical resection of sacral neoplasms 396
 - Total en bloc spondylectomy and circumspinal decompression for solitary spinal metastasis 36
- Neurological sequelae**, Spinal cord pencil-shaped softening: comparison between the clinical findings and the autopsy findings. Case report 124
- Neuropathic bladder**
- Ano-vesical reflex: role in inducing micturation in paraplegic patients 104
 - Effect of nifedipine on cystometry-induced elevation of blood pressure in patients with a reflex urinary bladder after a high level SCI 308
 - The first 500 patients with sacral anterior root stimulator implants: general description 795
 - Flexible cystoscopy in SCI. Review article 454
 - Improvement of urethral resistance after the administration of an alpha-adrenoreceptor blocking agent, urapidil, for neuropathic voiding dysfunction 271
 - Intravesical instillation of oxybutynin hydrochloride therapy for patients with a neuropathic bladder 25
 - Long term urinary prognosis of cervical cord injury patients 30
 - Long-term urodynamic follow-up in pediatric SCI 806
 - Penile prostheses for the management of the

- neuropathic bladder and sexual dysfunction in SCI patients: long term follow-up 336
- A possible new reflex pathway for micturation after SCI 300
- Review of urinary tract abnormalities in 100 patients with spinal cord paralysis 531
- Urethral cytology in SCI patients performing intermittent catheterisation 493
- Urolume urethral wallstent in the treatment of detrusor sphincter dyssynergia 616
- Use of Memokath, a second generation urethral stent for relief of urinary retention in male SCI patients 480
- Neurophysiology**, Transverse myelitis – neurophysiological and MRI correlation 593
- Obituary**, Jousse, Albin Theophile MD FRCP(C) 634
- Orthoses**, Restoration of gait with orthoses in thoracic paraplegia: a multicentric investigation 608
- Pain**, Valproate for treatment of chronic central pain after SCI. A double-blind cross-over study 565
- Paraplegia**, Japanese issue of *Paraplegia* 1
- Pathogenesis**, Increased production of eicosanoids, TXA₂, PGI₂ and LTC₄ in experimental SCI 524
- Pregnancy**
- Assisted ejaculation combined with in vitro fertilisation: an effective technique treating male infertility due to SCI 463
 - Ejaculation obtained by intracavernous papaverine in a cervical SCI patient resulting in pregnancy and childbirth. Case report 180
 - Motherhood after traumatic SCI 517
- Pressure sores**, Prospective study of pressure ulcer risk in SCI patients 150
- Prostheses**, Penile prostheses for the management of the neuropathic bladder and sexual dysfunction in SCI patients: long term follow-up 336
- Psychological reactions**, Moderator-variable effect on the Brief Symptom Inventory test-item endorsements of SCI patients 473
- Psychotherapy**, Group psychotherapy with spinal cord injured substance abusers 188
- Quality of life**, Adjustment to traumatic SCI. A longitudinal study of self-reported quality of life 416
- Rehabilitation**
- An investigation into the employment and occupation of patients with a spinal cord injury 182
 - Psychosocial outcome following SCI 771
 - Social implications for persons 5–10 years after SCI 330
 - Spinal cord injury hospitalisation in a rehabilitation hospital in Japan 47
- Respiration**, MRI findings in SCI patients who have respiratory distress 323
- Sexual function**
- Ejaculation induced by penile vibratory stimulation in men with SCI. The importance of the vibratory amplitude 651
 - Ejaculation obtained by intracavernous papaverine in a cervical SCI patient resulting in pregnancy and childbirth. Case report 180
 - Management of pharmacologically induced prolonged penile erection with oral terbutaline in traumatic paraplegics 670
 - Penile prostheses for the management of the neuropathic bladder and sexual dysfunction in SCI patients: long term follow-up 336
 - Severe penile erosion after use of a vacuum suction device for management of erectile dysfunction in a spinal cord injured patient. Case report 120
 - Sexual adjustment after SCI focusing on partner experiences 225
 - Sexual adjustment after spinal cord injury – comparison of partner experiences in pre- and post-injury relationships 759
 - A simple technique to prevent retrograde ejaculation during assisted ejaculation 142
 - The urodynamic status during psychogenic erection in a patient with a conus medullaris injury. Case report 358
 - Use of intracavernous injection of prostaglandin E1 for neuropathic erectile dysfunction 661
- Spasticity**, Selective intrathecal phenol block to improve ADL in patients with spastic quadriplegia. A preliminary report 489
- Spina bifida**, A multicentre study of the hospital care of 1500 patients with myelomeningocele 561
- Spinal cord injury**
- The International Standards Booklet for Neurological and Functional Classification of Spinal Cord Injury* 70
 - Analyses of 94 consecutive SCI patients using ASIA definition and modified Frankel score classification 583
 - Changes in choline acetyltransferase distribution in the cervical spinal cord after reversible cervical SCI 752
 - In Japan: a nationwide epidemiological survey in 1990 3
 - The International Standards Booklet for Neurological and Functional Classification of SCI* 69
 - Monitoring the evolution of intramedullary lesions in SCI. Qualitative and quantitative analysis with sequential MR imaging 9
 - Non-contiguous spinal injury: clinical and imaging features, and postulated mechanism 817
 - Operative and nonoperative management of SCI. A review 375
 - Pathology of hyperextension injuries of the cervical spine 367

Patients who had an accident, walked but became spinal paralysed 93

The prevention of spinal injuries in rugby football 442

Surveillance of SCI in Utah, USA 665

A survey of spinal cord injuries resulting from sport 170

Stand up devices, The Standomobile: a new, electrically powered, mobile stand up device for use in paraplegia. Case report 202

Substance abuse, Group psychotherapy with spinal cord injured substance abusers 188

Syringomyelia

Hyperhidrosis as the presenting symptom in post-traumatic syringomyelia 423

Post-traumatic syringomyelia: a review of the literature 723

Severe exacerbation of post traumatic syringomyelia after lithotripsy. Case report 694

Thermoregulation, Of paraplegic and able-bodied men during prolonged exercise in hot and cool climates 860

Treatment, Operative treatment as a part of the comprehensive care for patients with injuries of the thoracolumbar spine. A review 509

Upper limbs

Function in persons with long term paraplegia and implications for independence: Part I 211

Function in persons with long term paraplegia and implications for independence: Part II 219

Improvement of upper limb function with respect to urination techniques in quadriplegia 354

Venous vascular system, Properties of the venous vascular system in the lower extremities of individuals with paraplegia 810

Ventilation

Tracheostomy ventilation versus diaphragmatic pacemaker ventilation in high SCI 687

Two methods of weaning persons with quadriplegia from mechanical ventilators 98

Wheelchairs

Aerobic capacity and anaerobic threshold of wheelchair basketball players 196

Anthropometric features of wheelchair marathon race competitors with spinal cord injuries 174

Physiological responses during wheelchair racing in quadriplegics and paraplegics 253

Relationship between physical strain during standardised ADL tasks and physical capacity in men with SCI 844

Tetraplegic wheelchair basketball 59