



Subject index to volume 33

- Abdomen, acute 704
Absorptiometry, dual energy X-ray 402
Action potentials 346, 707
Activities of daily living (ADL),
 functional levels and 189, 290, 595
Africa 579
Ageing 290, 326, 367, 595
Aneurysm, abdominal aortic 480
Anorectal function 34
Anterior cord syndrome 423
Antibiotics, suppression in neuropathic
 bladder 156
Anticholinergic agents 274
Aortic occlusion 136
Apnoea, sleep 271
Arachnoiditis ossificans 224
Arm crank 267
Arthritis, rheumatoid 480
Atrophy, cardiac 80
Atropine, intravesical 36
Axon regeneration 381
- Baclofen 551, 678
Bedrest, long-term 669
Bladder
 biopsy 565
 history of catheterisation 429
 neurogenic vesical dysfunction 530
 recovery following SCI 493
 UTI and cystitis in 523
 see also Neuropathic bladder
Blood flow 90, 136
Body composition 402
Body fat
 distribution of 102
 skinfold measurements of 402
Body satisfaction 687
Bone
 biochemical markers 669
 densitometry 669
 injury 573
 metabolism 669
 mineral 674
 scan, for heterotopic ossification 170
Book reviews 57, 176-177, 235-236, 302,
 547, 610, 741
Bowel, neuropathic 701
Bowel function after SCI in childhood
 701
Brain injury and locked-in syndrome
 (LIS) 640
Brucellosis 167, 294
Bullet, migrating 541
- Calcium crystal deposition in ligamentum
 flavum 219
Calculi, management by ESWL 132
Cardiovascular disease (CVD), risk factors
 in SCI 102
Cardiovascular state, and RGO-II orthosis
 654
Catheter
 history of the 429
 indwelling 161
Catheterization
 clean intermittent (CIC) 30, 161, 619
 in development of management of
 neuropathic bladder 305
 intermittent 69, 693
Cauda equina syndrome 219
Cells, arachnoidal 224
Central nervous system (CNS),
 regeneration in 10
Cerebrospinal fluid (CSF), flow in post-
 traumatic syringomyelia 203
Cervical spinal cord injury (CSCI)
 assessment by MRI 212
 clean intermittent catheterisation in 30
 from diving 246
 minor trauma to neck in patients with
 OPLL 330
 motor paralysis following 506
 MRI studies in patients with 573
 ossification of posterior longitudinal
 ligament 18, 25
 reflex sympathetic dystrophy in 602
 upper, neurological deficits 195
 vertebrodullary injuries 46
Cervical spine, locked facets in 434
Cervical spondylotic myelopathy (CSM)
 354
Chest, pathology and radiographs 121
Children, SCI in 362, 701
Cisapride 625
Classification
 of pain 555
 Zancolli 189
Collagen, injections for intrinsic sphincter
 deficiency 697
Colon, after SCI 701
Colonization, urethral 69
Community care, in Romania 49
Comparison, of intrathecal baclofen
 delivery systems 551
Compliance, of clean intermittent
 catheterization 161
Complications
 of clean intermittent catheterization 161
 following posterior instrumentation 423
 following screw/plate fixation 606
 postoperative 538
 of SCI in children 362
 for SCI patients in a regional population
 308
 of spinal cord omental transposition 536
 and SSCIS level-of-living survey 726
 of traumatic SCI, Stockholm Study 585
Computerised tomography (CT), in
 assessing lung changes 121
Conduction block 354
Constipation
 neuropathic 701
 and RGO-II orthosis 654
Corticospinal tract, axon degeneration
 136
Craniocervical junction 228
CSCI *see* Cervical spinal cord injury
Cushions, and tissue viability 141
Cyst, bronchogenic 228
Cystometry, following cisapride treatment
 625
Cystoplasty, augmentation 560
- Decompression
 anterior 18
 spinal cord 538
Decompression sickness 636
Depression, methodological studies 377
Detrusor, hypercontractility 36
Diapason system 216
Disability, assessment 510, 665
Disc, intervertebral 434
Diving 246
Drugs, intravesical anticholinergic 36
Dysreflexia, autonomic 704
Dystrophy, reflex sympathetic 602
- Echocardiography 80
EDRF (endothelium-derived relaxing
 factor) 450
Ejaculation, seminal somatostatin in 374
Elderly, flowmotion and pressure sore
 formation in 387
Electrical activity, rectal 346
Electrical stimulation, muscle 437, 514,
 707
Electrical stimulation cycle ergometry
 (ESCE), exercise 80
Electroejaculation 263
Electromyogram, evoked 338
Electromyography, in shoulder
 dysfunction 148
Electrorectography 346
Embolism, pulmonary 278
Emission, seminal 263
Endothelium-derived relaxing factor
 (EDRF) 450
Epidemiology of SCI
 health related issues 726
 in Japan 183
 in Novosibirsk, Russia 322
 in a regional population 308, 726
 Stockholm Study 585, 726
 in Turkey 469
 in USA 62
Epididymitis 619
Erectile dysfunction 77, 628, 731

- Erection, involuntary penile 338
Erosion, vertebral 480
ESCE (electrical stimulation cycle ergometry), exercise 80
Escherichia coli 69
ESWL (extracorporeal shock waves lithotripsy), management of calculi by 132
Evoked potentials
 somatosensory 338
 spinal cord (SCEPs) 354
Exercise
 electrical stimulation cycle ergometry (ESCE) 80
 functional electrical stimulation (FES) 90
Exertion, ventilatory thresholds during 419
Extracorporeal shock waves lithotripsy (ESWL), management of calculi by 132
Extremities, upper, peripheral nerve injury to 208
Facets, locked 434
Fatigue, muscle 707
Fertility, influence of bladder management on 263
FES *see* Functional electrical stimulation
Fever, prolonged, and heterotopic ossification 170
Fixation
 plate and screw 606
 transpedicular screw 216, 350, 423
Flaps, sensory 116
Flexion, response 126
Fluoroscopy, in enteral feeding 153
Fluxmetry, laser Doppler 387
Fracture-dislocation, thoracic, neurological features 734
Fractures
 burst 73
 spinal 281
 thoracolumbar 73
Functional electrical stimulation (FES)
 126
 exercise 90
 restoration of functional gait by 660
 RGO-II orthosis and 647
Fusion, posterolateral 216
Gabon, treatment of Pott's paraplegia in 579
Gait
 orthosis, reciprocating (RGO) 409, 458, 647, 654
 restoration of 126, 647, 654, 660
Gas tension, transcutaneous 141
Gastrostomy, percutaneous endoscopic (PEG) 153, 416
Goal setting, for spinal lesion levels 189
Graft, spinal cord transplantation 250
Granuloma, solitary eosinophilic 485
Gunshot wounds 541
Hand, functional, limitations 30
Handicap, assessment using Reintegration into Normal Living Index (RNLI) 665
Herniation, lumbar disc 167
Histiocytosis, Langerhans cell 485
Histochemistry, of tibialis anterior muscle 514
History, of bladder catheterization 429
Hormones, antidiuretic 94
Hypotension
 acute, associated with terbutaline 300
 orthostatic 450
Immobilization, long-term 669
Implants, failures 5
Impotence, management of 77
Incidence of SCI
 in Istanbul 469
 in Japan 183
 in Novosibirsk, Russia 322
 in US 62
Incontinence, urinary 530, 560, 697
Index, Wheelchair Users Shoulder Pain (WUSPI) 290, 595
India, SCI centre in 350
Indomethacin, for prolonged fever 170
Injury
 brain 640
 overuse 296
 spinal, from migrating bullet 541
 sports 296
 thoracolumbar 350
 unstable 195
 vertebrodullary, prediction of outcome of 46
Instrumentation, spinal 281, 423
Ipratropium, bronchodilatory effects of 274
Ischaemia, spinal cord 136
Istanbul, SCI in 469
Japan, epidemiological survey of SCI 183
Kyphosis 281
Labelling, MIB-1 and PCNA 523
Laminoplasty, for myeloradiculopathy 25
Length of stay (LOS), of ASCI patients 254
Lesions, spinal 294
Life quality 555
Life satisfaction 334
Ligamentum flavum, calcium deposition in 219
Lipoproteins 102
Lithiasis, urinary 132
Lithotripsy, extracorporeal shock waves (ESWL), management of calculi by 132
Locked-in syndrome (LIS), motor control in 640
Locomotion
 efficiency of reciprocating gait orthosis (RGO) 409
 paraplegic 660
Lumbar spine 216, 485
Lumbosacral spine
 spontaneous migration of bullet to 541
 transpedicular screw fixation 216
Lungs, effects of ipratropium bromide on 274
Lymph vessels 472
Magnetic resonance imaging (MRI)
 assessment of CSCI 212
 in ossification of posterior longitudinal ligament 18
 in post-traumatic syringomyelia 203
 studies in patients with CSCI 573
 study of brucellar spondylitis 167
Manometry 40, 346
Metabolism
 bone 669
 calcium-phosphorus 164
Metaplasia
 mesenchymal 224
 osseous 543
Methylprednisolone, neurological outcomes 316
MIB-1 labelling 523
Micturition, automatic 493
Morphology
 of lymphatic microcirculation 472
 of tibialis anterior muscle 514
Mortality rate for ASCI patients 254
Motility, rectal 346
Motor control, in locked-in syndrome (LIS) 640
Motor level (ML) 510
Motor recovery, following SCI from stab wounds 98
Mouse, CEA-transgenic 381
MRI *see* Magnetic resonance imaging
Muscle
 quadriceps 707
 scapular retractor 148
 skeletal 437, 514
 smooth 346
 torque output 707
 trauma and heterotopic ossification 464
Myelopathy
 cervical spondylotic (CSM) 354
 cystic, of thoracic spinal cord 538
Myeloradiculopathy 18, 25
Myoclonus, propriospinal 678
Neck, minor trauma to 330
Nerve, regeneration 359
Nerve roots
 spinal, repair 359
 ventral, implantation 359
Nerves, sacral, dysfunction in lumbar spinal stenosis 338
Neurological deficit 73
 following upper cervical spine injury 195
 from migrating bullet 541
Neurological deterioration
 in SCI patients in a regional population 308
 in traumatic SCI 585
Neurological impairment, resulting from

- rhabdomyolysis and heterotopic ossification 164
 Neurological level (NL) 510
 Neurology, lower urinary tract function 493
 Neuropathic bladder
 augmentation cystoplasty for 560
 clean intermittent catheterization in 161
 cutaneous ileocystostomy for vesical dysfunction 530
 detrusor hypercontractility in 36
 development of management of 305
 effect of cisapride treatment on 625
 intrinsic sphincter deficiency in 697
 management, influence on fertility 263
 risk of vesical neoplasia in 565
 spinal reflex bladder 40
 suppressive antibiotic therapy in 156
 see also Bladder
 Neuroplasticity, lower urinary tract 493
 Neurotrophic factors 359
 Novosibirsk, epidemiology of SCI in 322
 Nutrition, enteral 153

 Obesity, in men with SCI 102
 Obstruction, bronchial 274
 Oliguria, after SCI 721
 OPLL *see* Ossification
 Orthoses
 halo cervical 110
 reciprocating gait (RGO) 409, 458, 647, 654
 Osmolality, serum and urine 94
 Ossification
 heterotopic
 biochemical analysis 398
 early diagnosis of 464
 of lumbosacral dura and arachnoid 543
 and muscle trauma 464
 and prolonged fever 170
 rhabdomyolysis and 164
 intraspinal 543
 of posterior longitudinal ligament (OPLL) 18, 25, 330
 Osteophyte, formation after decompression 538
 Osteoporosis 281
 disuse 669, 674
 and RGO-II orthosis 654
 Osteosynthesis, anterior cervical 606
 Outcomes
 long-term 367, 665
 neurological 316, 330
 for SCI patients in a regional population 308, 726
 for traumatic SCI, Stockholm Study 585
 Oxygen
 consumption 267
 saturation 271

 Pain
 psychological distress 555
 shoulder 290, 595
 Papaverine, in management of impotence 77

 Paralysis
 lower limb 90
 motor, neurological recovery 506
 spinal 551
 Paraparesis 224, 281, 480
 Paraplegia
 brucellosis in 294
 cystic myelopathy after decompressive surgery 538
 and decompression sickness 636
 electrical stimulation of tibialis anterior muscle in 514
 exercise responses of men with 267
 following aortic occlusion 136
 motor recovery in 98
 muscle fatigue in 707
 oliguria in 721
 peripheral nerve injury in 208
 Pott's 579
 pulmonary embolism in 278
 restoration of functional gait by FES 660
 restoration of muscle contractile properties 437
 restoration of sensation in 116
 risk of vesical neoplasia in 565
 sexual dysfunctions in men with 628
 and shoulder pain 290, 595
 tarsal tunnel syndrome in 482
 thromboembolic disease in 472
 tissue viability in 141
 use of reciprocating gait orthosis (RGO) in 409, 458
 ventilatory thresholds during wheelchair exercise 419
 Paresis, following upper cervical spine injury 195
 PCNA labelling 523
 Perforation
 in acute abdomen 704
 oesophageal 606
 Peripheral nervous system (PNS), injury to 208
 Polymerase chain reaction (PCR), investigation of transplanted peripheral nerves 381
 Polyuria, and ADH levels 94
 Posterior longitudinal ligament, ossification of (OPLL) 18, 25, 330
 Potassium, total body 402
 Pott's paraplegia/tetraplegia 579
 Pressure sores 141, 387
 Prevalence of SCI
 in US 62
 from diving 246
 in Japan 183
 Priapism, in lumbar spinal stenosis 338
 Procreation, effect of epididymitis on 619
 Prognosis
 of CSCI and MRI 212
 neurological, following upper cervical spine injury 195
 thoracic fracture-dislocation 734
 Prony spectral line estimation (PSLE) 387
 Prostaglandin, E1 intracavernous injection 731

 Pulmonary function testing 274, 454
 Pumps 551

 Quality of life, effects of ageing and durability of disability on 367

 Radicals, superoxide 450
 Radiculopathy, lumbar 219
 Radiographs, chest 121
 Recovery, neurological, of ASCI patients 254
 Rectum, electrorectogram study of neuropathic 346
 Reflex, flexor-withdrawal 482
 Reflex sympathetic dystrophy (RSD) 602, 715
 Reflux, vesicoureteral 560
 Regeneration
 axonal 381
 in central nervous system 10
 Rehabilitation 189, 458
 Reintegration, social 49
 Research, spinal cord injury (SCI) 10
 Reservoir, urinary 560
 Respiratory distress 195
 Reviews, experimental spinal cord transplantation 250
 Rhabdomyolysis, and heterotopic ossification 164
 Risk factors, heterotopic ossification 464
 Romania, survey of SCI in 49
 Russia, epidemiology of SCI in 322

 Sacral anterior root stimulator 5
 Screw 606
 transpedicular 216, 350, 423
 Semen, somatostatin concentration 374
 Sexuality
 affective state 687
 body satisfaction 687
 dysfunctions in SCI men 628
 female 687
 management of impotence 77
 in people with SCI 334
 Shock, spinal 300
 Shoulder dysfunction 148
 Shoulder pain measurement 290, 595
 Shoulder-hand syndrome 602
 Shunt, syringo-peritoneal 241
 Skin response, sympathetic (SSR) 602
 Sleep
 apnoea 271
 and locked-in syndrome (LIS) 640
 registration of nocturnal 271
 Slovenia, prevention of SCI from diving in 246
 Somatostatin, concentration in semen 374
 Sounds 429
 Spasm, relief by intrathecal baclofen 551
 Spasticity
 and myoclonus 678
 relief of, by intrathecal baclofen 551
 Sphincter
 artificial urinary 560
 intrinsic deficiency 697



- Spinal canal, spontaneous migration of
bullet to 541
- Spinal cord
cavitation 538
and decompression sickness 636
evoked potentials (SCEPs) 354
experimental transplantation of 250
omental transposition 536
regeneration 250
- Spinal cord injury (SCI)
acute abdomen in 704
acute hypotension associated with
terbutaline in 300
ADH levels and polyuria in 94
adiposity in men with 102
aetiology 183
biochemical analysis of heterotopic
ossification 398
body composition in individuals with
402
bone metabolism in 669
bone mineral measurement in 674
calculi management by ESWL in 132
in children 362, 701
depression in 377
development of management of
neuropathic bladder 305
early surgery for thoracolumbar 350
effects of ipratropium bromide in 274
effects of methylprednisolone in 316
erectile dysfunction in 77, 628, 731
experimental 450
from stab wounds 98
implant failures 5
intrathecal baclofen delivery systems
551
level-of-living survey 726
long-term outcomes of 367, 665
medical problems in a regional
population 308
medico-social survey of Romanians with
49
muscle trauma and heterotopic
ossification in 464
neurogenic vesical dysfunction 530
neurological level 263, 510
neurological recovery 254
oliguria after 721
ossification of lumbosacral dura and
arachnoid following 543
pain and life quality within 2 years of
555
peripheral nerve injury in 208
post-traumatic syringomyelia in 203,
241
pressure sore formation in 387
prevalence in US 62
psychological problems in 377
pulmonary embolism in 278
pulmonary function testing in 454
recovery of lower urinary tract function
493
reflex sympathetic dystrophy (RSD) in
715
researches 10
restoration of functional gait in 647,
654, 660
restoration of gait by FES 126
risk of vesical neoplasia in 565
seminal somatostatin in men with 374
sexual dysfunctions in men with 628
sexual function in women with 687
sexuality in 334
spinal reflex bladder in 40
Stockholm Study 585, 726
superoxide radicals in 450
suppressive antibiotic therapy in 156
treatment of sleep apnoea in 271
tympanic temperature measurement in
476
urinary tract changes with ageing 326
urinary tract infection (UTI) in 523
urological management of 619
vertebroduremial 46
vesicourethral and anorectal function in
34
Wheelchair User's Shoulder Pain Index
(WUSPI) 290, 595
see also Cervical spinal cord injury;
Epidemiology of SCI
- Spine
acute injury 121
fracture 281
stabilization 110
- Spondylitis, brucellar 167
- Spondylosis, cervical 354
- Sports, ventilatory thresholds during 419
- Stab wounds, motor recovery following
98
- Standing, restoration of, by FES 126
- Stenosis, lumbar spinal 219, 338
- Stockholm Spinal Cord Injury Study
(SSCIS) 585, 726
- Stomach, volvulus 536
- Strength activities, remedial 148
- Stricture, urethral 619
- Superoxide radicals 450
- Surgery, early, for thoracolumbar SCI
350
- Surveys
level-of-living 726
medico-social 49
see also Epidemiology of SCI
- Syringomyelia 482
post-traumatic 203, 241
- Tachycardia, supraventricular 278
- Tarsal tunnel syndrome 482
- Temperature
oral 476
rectal 476
tympanic 476
- Terbutaline, acute hypotension associated
with 300
- Tetraparesis 354
- Tetraplegia
acute hypotension associated with
terbutaline in 300
brucellosis in 294
and decompression sickness 636
effects of ipratropium bromide in 274
electrical stimulation cycle ergometry
(ESCE) exercise 80
from diving injury 246
functional levels and movement in
189
heterotopic ossification in 170
and locked-in syndrome (LIS) 640
motor and neurological levels in 510
motor recovery in 98
myoclonus in 678
oliguria in 721
Pott's 579
reflex sympathetic dystrophy (RSD) in
602
risk of vesical neoplasia in 565
sleep apnoea in 271
tympanic temperature measurement in
476
ventilatory thresholds during wheelchair
exercise 419
- Thoracic spinal cord, cystic myelopathy of
538
- Thoracic spinal cord injury, exercise
responses of men with 267
- Thromboembolic disease 472
- Tissue
composition 674
viability in SCI 141
- Torque, output of muscle 707
- Transplantation, experimental, of spinal
cord 250
- Transposition, omental 536
- Trauma
conservative treatment of 73
muscle 464
penetrating 98
spinal, locked facets 434
to neck 330
- Treatment
of brucellosis 294
conservative, of thoracolumbar fractures
73
medical-surgical, of Pott's paraplegia
579
methylprednisolone in SCI 316
non-operative, for thoracic fracture-
dislocation 734
- Trimethoprim-sulphamethoxazole,
prophylaxis against UTI 156
- Tuberculosis, spinal 579
- Tumour
extramedullary 228
spinal 485
- Turkey, SCI in 469
- Ulcer, decubitus, formation 387
- Ulceration, sacral pressure 116
- Ultrasonography 464, 693
- Urethra
neuropathic 697
urinary leakage from 530
- Urinary tract, changes with ageing 326
- Urinary tract infection (UTI) 69, 156, 523
- Urine, residual 693
- Urodynamics 40, 530
- Urology, development of management of
neuropathic bladder 305



- Vasomotion, and pressure sore formation 387
- Ventilation, thresholds during wheelchair exercise 419
- Vertebrae, cervical 506
- Vesicourethral function 34
- Vibroejaculation 263
- Vital capacity 454
- Volvulus
 - in acute abdomen 704
 - stomach 536
- Weightlessness 669
- Wheelchair
 - exercise 419
 - marathon 208
 - racing 296
 - users 148
- propulsion 267
- Shoulder Pain Index (WUSPI) 290, 595
- Working ability 458
- Wounds
 - gunshot 541
 - stab 98
- Zancolli classification 189