

Correction

Research Article *Br Dent J* 2012; **213**: E16

Three tables were missing from the original article. The missing tables are provided below. We apologise for any inconvenience this omission may have caused.

Table 1 Health behaviours of respondents with severe mental illness in a community-based treatment approach in Tower Hamlets, London, UK

Health behaviour	Frequency % (n)
Smoking	78.1 (70)
Oral tobacco use	4.5 (4)
Khat use	4.5 (4)
Alcohol consumption	30.3 (27)
Dental registration	41.6 (37)

Table 3 Proportion and frequency of participants requiring dental treatment

Dental condition requiring treatment	Proportion % (n)
Dental decay (excluding root decay)	52.8 (47)
Root surface decay	1.1 (1)
Total restorative needs	53.9 (48)
Periodontal disease (simple)	45.4 (35)
Periodontal disease (advanced)	54.5 (42)
Pain, ulceration, fistula, abscess*	56.2 (50)

* Clients may be included in more than one category

Table 2 Breakdown of individual OHIP 14 scores by domains of respondents with severe mental illness in a community-based treatment approach in Tower Hamlets, London, UK

OHIP domain	Impact question	Response % (n)			
		Occasionally	Fairly often	Very often	Total
Functional limitation	Trouble pronouncing any words	10.1	5	2.2	17.3
	Sense of taste has worsened	-9	-5	-2	-16
Physical pain	Painful aching in your mouth	31.5	30.3	18	79.8
	Uncomfortable to eat any foods	-28	-27	-16	-71
Psychological discomfort	Felt self conscious	29.2	21.3	13.5	64
	Felt tense	-26	-19	-12	-57
Physical disability	Diet been unsatisfactory	32.6	21.3	7.9	61.8
	Had to interrupt meals	-29	-19	-7	-55
Psychological disability	Found it difficult to relax	25.8	19.1	11.2	56.1
	Been a bit embarrassed	-23	-17	-10	-50
Social disability	Been a bit irritable with other people	4.5	4.5	0	9
	Had difficulty doing your usual jobs	-4	-4	0	-8
Handicap	Life in general was less satisfying	16.9	19.1	6.7	42.7
	Been totally unable to function	-15	-17	-6	-38