SCIENTIFIC REPORTS

OPEN

Corrigendum: Length of intact plasma membrane determines the diffusion properties of cellular water

Sato Eida, Marc Van Cauteren, Yuka Hotokezaka, Ikuo Katayama, Miho Sasaki, Makoto Obara, Tomoyuki Okuaki, Misa Sumi & Takashi Nakamura

Scientific Reports 6:19051; doi: 10.1038/srep19051; published online 11 January 2016; updated on 20 May 2016

This Article contains errors.

In Figure 1j, the x-axis ‘CPL($\times 10^3 \mu\text{m}$)’ was incorrectly given as ‘CPL($\mu\text{m}/\text{mm}^2$)’. The corresponding Figure legend,

“(j) Graph showing a linear correlation between the ADC values and the cell perimeter length per pellet area (CPL; $\mu\text{m}/\mu\text{m}^2$) of HeLa S3, HL-60, and CV-1 cells.”

should read:

“(j) Graph showing a linear correlation between the ADC values and the cell perimeter length per pellet area (CPL; μm) of HeLa S3, HL-60, and CV-1 cells.”

The correct Figure 1j appears below as Figure 1.

In the Results section under subheading ‘Cell perimeter length and diffusion’ Equation (4),

$$\text{ADC} = -1.36 \times \text{CPL} + 1.10, R^2 = 0.97827).$$

should read:

$$\text{ADC} = -0.21 \times \text{CPL} + 1.10, R^2 = 0.97827).$$

Figure 1.

This work is licensed under a Creative Commons Attribution 4.0 International License. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in the credit line; if the material is not included under the Creative Commons license, users will need to obtain permission from the license holder to reproduce the material. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>