## SCIENTIFIC **Reports**

## **OPEN** Erratum: Interaction of single and multi wall carbon nanotubes with the biological systems: tau protein and PC12 cells as targets

Hojjat Alizadeh Zeinabad, Alireza Zarrabian, Ali Akbar Saboury, Ali Mohammad Alizadeh & Mojtaba Falahati

Scientific Reports 6:26508; doi: 10.1038/srep26508; published online 24 May 2016; updated on 21 September 2016

This Article contains discrepancies between the HTML and PDF versions of Figures 14 and 15. The correct Figures 14 and 15, with their accompanying legends appear below as Figures 1 and 2 respectively.






Figure 1. Effect of SWCNT and MWCNT on cell membrane potential (CMP) in PC12 cells. The PC12 cells were incubated with different concentration of SWCNT (black) or MWCNT (gray) for 48 h. Data are shown as average of three separate experiments and error bars represent standard deviation (SD). P < 0.05 and P < 0.01represents the significant differences between CNTs –treated groups and control.  ${}^{#}P < 0.05$  and  ${}^{##}P < 0.01$ represents the significant differences between SWCNT -treated groups and MWCNT -treated groups.





This work is licensed under a Creative Commons Attribution 4.0 International License. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in the credit line; if the material is not included under the Creative Commons license, users will need to obtain permission from the license holder to reproduce the material. To view a copy of this license, visit http://creativecommons.org/licenses/by/4.0/