## SCIENTIFIC REPORTS

## **OPEN** Corrigendum: Application of a novel phosphinothricin Nacetyltransferase (RePAT) gene in developing glufosinate-resistant rice

Ying Cui, Ziduo Liu, Yue Li, Fei Zhou, Hao Chen & Yongjun Lin

Correction to: Scientific Reports http://doi.org/10.1038/srep21259, published online 16 February 2016; updated 29 January 2018

This Article contains typographical errors. In Table 1, the 'Yield per plant (g)' for PAT11 (NE) " $23.09 \pm 0.92$ " should read "23.09  $\pm$  8.11". In the Methods section under subheading 'PCR analysis of transgenic rice',

"PCR assay was performed in a mixture containing 50 ng rice genomic DNA or 1 ng plasmid DNA,  $2\mu L 10 \times PCR$ buffer (Mg<sup>2+</sup> plus), 0.4 µL 10 mM dNTP, 0.3 µL 10 µM RePAT-F (5'-GGATCCAGACTCACTCTGAG-3'), 0.3 µL 10 µM RePAT-R (5'-GCATGCGGTGGACACGCTGG-3') and 1 U Taq DNA polymerase in a total volume of 20 µ L, and under the conditions of 94 °C for 5 min, then 30 cycles of 94 °C for 30 s, 58 °C for 30 s, 72 °C for 30 s, and finally 72 °C for 8 min."

should read:

"PCR assay was performed in a mixture containing 50 ng rice genomic DNA or 1 ng plasmid DNA,  $2\mu L 10 \times PCR$ buffer (Mg<sup>2+</sup> plus), 0.4 μL 10 mM dNTP, 0.3 μL 10 μM RePAT-F (5'-TTCCTTAAAGCGAAAACCCC-3'), 0.3 μL 10µM RePAT-R (5'-ACGATCCTGAAGCCGAACCT-3') and 1 U Taq DNA polymerase in a total volume of 20µ L, and under the conditions of 94 °C for 5 min, then 30 cycles of 94 °C for 30 s, 58 °C for 30 s, 72 °C for 30 s, and finally 72 °C for 8 min."

This work is licensed under a Creative Commons Attribution 4.0 International License. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in the credit line; if the material is not included under the Creative Commons license, users will need to obtain permission from the license holder to reproduce the material. To view a copy of this license, visit http://creativecommons.org/licenses/by/4.0/

© The Author(s) 2018