



E-BLAST


The simplest kind of electromagnetic-pulse source works by blowing itself up.



1. A current is set flowing around a cylindrical coil of wire, creating a strong magnetic field along the length of the source.



2. The detonation starts at one end, compressing the field as it forces the metal casing against the coil and short-circuits it.



3. The detonation rips along the midline, squeezing the compressed field out as an electromagnetic pulse.

WASTED ENERGY

DESPITE 50 YEARS OF RESEARCH ON HIGH-POWER MICROWAVES, THE US MILITARY HAS YET TO PRODUCE A USABLE WEAPON.

BY SHARON WEINBERGER

For some Pentagon officials, the demonstration in October 2007 must have seemed like a dream come true — an opportunity to blast reporters with a beam of energy that causes searing pain.

The event in Quantico, Virginia, was to be a rare public showing for the US Air Force's Active Denial System: a prototype non-lethal crowd-control weapon that emits a beam of microwaves at 95 gigahertz. Radiation at that frequency penetrates less than half a millimetre into the skin, so the beam was supposed to deliver an intense burning sensation to anyone in its path, forcing them to move away, but without, in theory, causing permanent damage.

However, the day of the test was cold and

rainy. The water droplets in the air did what moisture always does: they absorbed the microwaves. And when some of the reporters volunteered to expose themselves to the attenuated beam, they found that on such a raw day, the warmth was very pleasant.

A demonstration of the system on a sunny day this March proved more successful. But that hasn't changed a fundamental reality for the Pentagon's only acknowledged, fully developed high-power microwave (HPM) weapon: no one seems to want it. Although the Active Denial System works (mostly) as advertised, its massive size, energy consumption and technical complexity make it effectively unusable on the battlefield.

The story is much the same in other areas of HPM weapons development, which began as an East–West technology race nearly 50 years ago. In the United States, where spending on electromagnetic weapons is down from cold-war levels, but remains at some US\$47 million per year, progress is elusive. “There’s lots of smoke and mirrors,” says Peter Zimmerman, an emeritus nuclear physicist at King’s College London and former chief scientist of the US Arms Control and Disarmament Agency in Washington DC. Although future research may yield scientific progress, he adds, “I cannot see they will build a useful, deployable weapon”.

For many critics, the US HPM programme has become a study in wishful thinking, exacerbated by a culture of secrecy that makes real progress even more difficult.

The quest to build an electromagnetic weapon — an e-bomb, in military jargon — was sparked on 8 July 1962, when the United States carried out Starfish Prime, the largest high-altitude nuclear test that had ever been attempted. The 1.4-megaton thermonuclear warhead, detonated 400 kilometres above the central Pacific Ocean at 9 seconds past 11 p.m., Hawaii time, blasted huge swarms of charged particles outwards along Earth’s magnetic field. Their gyrations generated a pulse of microwave energy that drove measuring instruments off the scale. Artificial auroras lit up the night across swathes of ocean. And in Honolulu, more than 1,300 kilometres from the detonation point, the pulse set off burglar alarms, knocked out street lights and tripped power-line circuit breakers.

Nothing like Starfish Prime has been seen since August 1963, when the Partial Test Ban Treaty outlawed nuclear explosions anywhere but underground. But the test showcased the potential destructiveness of an electromagnetic pulse to military planners on both sides of the cold-war divide, and launched them into a race to harness it as a weapon using a non-nuclear source.

POWER CUT

The US Air Force has been the main funder of the country’s HPM programme from the beginning. At first, its goal was a weapon capable of taking out an enemy’s computers, communication systems and other electronics. In theory, the idea remains compelling: an e-bomb would be able to fire microwave ‘bullets’ at the speed of light and, if tuned to the right frequencies, disable its targets without collateral damage. Cars could be stopped in their tracks, radars blinded and computers destroyed, with no need for high explosives.

But that goal has foundered on the HPM weapon’s main technical challenge: generating a pulse that is directed enough to pick out a specific target and powerful enough to have an effect when it gets there, ideally using a generator that is small and light enough for an aeroplane or missile to lift.

A battery-powered device can generate an HPM pulse, but producing the kind of highly concentrated power needed to destroy electronics typically requires detonating a conventional explosive inside a device that destroys itself in the act of pulsing (see ‘E-blast’). Because doing this inside a piloted aircraft is risky — “a few pounds in the right place will take down anything”, notes Zimmerman — the Air Force has in recent years pursued HPM weapons designed for single-use missiles.

For example, the Counter-electronics High-power Microwave Advanced Missile Project (CHAMP) is an experimental cruise missile designed to take out electronic targets such as production sites for weapons of mass destruction. Neither the Air Force nor Boeing, its main contractor for CHAMP, will discuss technical details of the programme. But the project is just

“I’D RATHER TERRORISTS SPENT ALL THEIR TIME WORKING ON AN HPM WEAPON THAN CAR BOMBS.”

a prototype; when CHAMP was flight-tested last year, it still didn’t include the HPM payload.

It is possible to make a microwave generator compact enough for a missile. Engineers at Texas Tech University in Lubbock have developed an experimental explosive-based source less than 2 metres long and 16 centimetres in diameter (M. A. Elsayed *et al. Rev. Sci. Instrum.* 83, 024705; 2012). But lead developer Andreas Neuber points out that there are physical limits: to maximize the microwave power while keeping the system small, the engineers had to increase the internal electrical field. The result can be a catastrophic failure of the system’s insulating materials that short-circuits it before the system can build up much power.

Even if the military succeeds in packaging an HPM system, there is serious doubt over how effective the pulses will be when they hit their targets. In the late 1980s, a device called Gypsy successfully took out a bank of personal computers during the Air Force’s first unclassified test of a microwave weapon. But building on that success “became an incredibly difficult research project”, says Doug Beason, a physicist who was associate director for threat reduction at the Los Alamos National Laboratory in New Mexico until 2008, and wrote *The E-Bomb* (Da Capo, 2005), a discussion of directed-energy weapons. “You could understand how microwaves affected components of electronic circuits — transistors, capacitors, inductors and all that. But when you started putting them together in complex circuits, it became more of a stochastic process and you wouldn’t always get the same results each time.”

There is similar uncertainty over how electromagnetic energy flows through enclosures such as buildings. The process is chaotic, says Edl Schamiloglu, an electrical engineer at

the University of New Mexico in Albuquerque who is involved in a multi-university research initiative funded by the US defence department to improve such predictions. “When an electromagnetic ray or wave-beam enters the enclosure,” he says, “it will continue bouncing around and not repeat its trajectory.”

In short, more than 20 years after the Gypsy test, scientists still can’t reliably predict the damage a weapon would do. And that is without even considering the countermeasures that an adversary might use, which could be as elementary as surrounding sensitive electronics with a Faraday cage — the equivalent of the aluminium mesh used to shield microwave ovens.

The effort to disable electronics has remained mostly secret. But in 2001, the Air Force publicly announced that it had made substantial progress in developing microwave

weapons that target people, when it unveiled the Active Denial System.


Development of the system began in the 1990s with the Air Force’s efforts to explore the biological effects of microwaves. A project code-named Hello studied how to modulate the clicking or buzzing sounds produced by microwave heating in the inner ear, to produce psychologically devastating ‘voices in the head’. ‘Goodbye’ explored the use of microwaves for crowd control. And ‘Good Night’ looked at whether they could be used to kill people.

HELLO GOODBYE

Only the Goodbye effect went into development as a weapon. Further bioeffects research was conducted in secrecy at Brooks Air Force Base near San Antonio in Texas, but even that programme almost stalled when the weapon was ready to move from animal to human testing. Hans Mark, a nuclear engineer at the University of Texas at Austin who was then the Pentagon’s director of defence research and engineering, paid a visit to Brooks in 2000 to check out the work. “Dr Mark didn’t believe in the effect,” recalls Beason, “and he actually had a shouting match with one of the main researchers.” But Mark’s approval was needed to advance the project, so he agreed to be subjected to the beam.

The Air Force got its human tests. The Brooks scientists joke that “you’ve never seen a political appointee run so fast”, says Beason.

Mark says that his doubts about the Goodbye effect were rooted in what he calls the “extravagant claims” made by its advocates. If nothing else, he says, the superconducting electromagnet that powered the system’s pulse generator required a cooling system too big and cumbersome to be used in the



The 1962 Starfish Prime nuclear test set off an electromagnetic pulse that sparked a weapons programme.

field. Mark says that he allowed the system to proceed to human testing not because he was convinced that it would work, but because after exposing himself to the beam, he decided that human testing at least wouldn't harm anyone. "Almost all of this programme has been a waste of money," he says.

Mark's concerns have proved prescient: efforts to deploy the weapon have been futile. At the 2001 unveiling, the defence department touted the Active Denial System for use in peacekeeping missions in places such as Kosovo and Somalia. But after the invasion of Iraq in 2003, when the US Joint Non-Lethal Weapons Directorate offered to deploy the Active Denial System to the region, it was rebuffed.

"We knew it wasn't reliable," said Franz Gayl, the Marine Corps's science and technology adviser, in an interview last year. Worse, he said, the pulse generator was so big that it had to be carried on its own utility vehicle. "That was a recipe for disaster," said Gayl, "because the operators are going to be a target." And worst of all, he said, before use the system had to be cooled down to 4 kelvin — a process that took 16 hours.

The defence department tried to deploy the weapon in Afghanistan in 2010, but it was sent home unused. In the same year, California rejected a smaller version meant for use in prisons. The device was built by defence contractor Raytheon of Waltham, Massachusetts, which declines to discuss it.

Other weapons have fared little better. The Air Force Research Laboratory developed an HPM system called MAXPOWER to detonate roadside bombs remotely, but it was the size of an articulated lorry — too unwieldy to be deployed in Afghanistan. The Joint Improvised Explosive Device Defeat Organization, the defence department's bomb-fighting agency,

declined to discuss the system, citing classification issues. But it did say that, as of 2011, it was not funding MAXPOWER.

In July, General Norton Schwartz, the Air Force chief who retired last month, warned that the service would have to withdraw from some science efforts amid budgets cuts, but that HPM technology would still be pursued. It "clearly has potential", he told the trade magazine *Aviation Week & Space Technology*, warning that countries such as Russia could be ahead of the United States.

THE MICROWAVE GAP

The concern that other nations, or even terrorists, could be working on similar technology seems to have been one of the prime motivations for the US military to continue investing in microwave weaponry, despite the apparent lack of progress. According to a 2009 briefing on non-lethal technologies prepared by the Office of Naval Research and obtained under the Freedom of Information Act, Russia, China and even Iran are pursuing HPM programmes — and the UK Defence Science and Technology Laboratory at Fort Halstead is sponsoring a classified car-stopping programme.

But such programmes are not necessarily proof that the cold-war HPM arms race is still going on. At least some countries may — like the United States — be conducting research out of fear of becoming vulnerable to such weapons. Modern technologies such as mobile phones are particularly susceptible to HPMS, says Michael Suhrke, head of the electromagnetic effects and threats business unit at the Fraunhofer Institute for Technological Trend

NATURE.COM
For more about
electromagnetic
military research:
go.nature.com/xloyd

Analysis in Euskirchen, Germany.

As for HPM weapons in the hands of terrorists, many scientists regard that threat as far-fetched at best. Even if terrorist groups had the sophistication to carry out the necessary testing, says Yousaf Butt, a physicist in the high-energy astrophysics division at the Harvard-Smithsonian Center for Astrophysics in Cambridge, Massachusetts, why would they? A microwave weapon of any magnitude would probably have to be powered by explosives. And if they had that kind of material, he says, "why wouldn't they just explode it?"

"Is it conceivable?" asks Philip Coyle, who in 2010–11 served as associate director for national security and international affairs in the White House Office of Science and Technology Policy, and is now a senior fellow at the Center for Arms Control and Non-Proliferation, a think tank based in Washington DC. "Barely, I think. I wouldn't take it for granted that terrorists couldn't do it. But I'd rather terrorists spent all their time working on [an HPM weapon] than car bombs."

Experts still disagree on whether HPMS might eventually make useful weapons. But one thing is clear: the mythical e-bomb capable of stopping cars or planes has not yet materialized on the battlefield. Asked whether the Air Force had produced any operational weapons, its research lab said only: "Due to operational concerns, we are unable to respond to this question."

The secrecy that surrounds HPM weapons research seems to have greatly exacerbated technical obstacles to the programme. In 2007, for example, a report on directed-energy weapons by the Defense Science Board said that the Pentagon had not effectively used data collected by university researchers to understand microwave effects. The Air Force claims that sharing is better now. But working in a field shrouded in secrecy still affects how information is disseminated. Neuber, for example, could agree to answer questions for this article only if he replied in writing, and only after his responses had been cleared through the US Army office that sponsors his team's work.

"Working in an area that is to a large extent of military interest requires playing by a set of different rules to some extent," he wrote. "Some flow of information is not as free as in other areas of the research endeavour."

To John Alexander, a retired army colonel who once headed the non-lethal weapons programme at Los Alamos National Laboratory, the secrecy reinforces the air of fantasy around the whole endeavour. "My point is always: chemistry and physics work the same way for everyone, and there are smart folks out there, so who are you trying to fool?" he says. "The people not getting adequate information were our own commanders." ■ **SEE EDITORIAL P.177**

Sharon Weinberger is a freelance writer in Washington DC.