FUNDING

US biomedicine nets budget win

Late spending bill gives the NIH healthy increases.

BY SARA REARDON, CHRIS CESARE & HEIDI LEDFORD

Biomedical research advocates are revelling in holiday cheer as a budget bill passed by Congress and signed into law by President Obama on 18 December gives the US National Institutes of Health (NIH) its biggest funding increase since 2003. Several other science-related agencies also benefit substantially from the budget.

“Best Christmas present ever,” says Jennifer Zeitzer, director of legislative relations at the Federation of American Societies for Experimental Biology in Bethesda, Maryland. The budget allocates just over US\$32.1 billion to the agency: a 6.6% rise over 2015. Accounting for inflation, the agency’s funding had fallen 20% compared with 2003; the new budget, Zeitzer says, almost returns the NIH to its real 2003 level.

Several other research agencies have found similarly generous gifts in the budget, which was approved 11 weeks after the 1 October beginning of the 2016 fiscal year. NASA gets a bump of almost \$1.3 billion over its 2015 funding, to \$19.3 billion. That sum includes \$175 million for a mission that will orbit and land on Jupiter’s icy moon Europa and search for signs of life.

The budget allocates \$7.5 billion to the National Science Foundation (NSF), a small 1.6% increase over 2015 levels. The document does little to specify how the NSF spends its money — a contentious issue that arose in June when the Republican-controlled House of Representatives proposed requiring the foundation to spend 70% of its research funds on biology, computer science, engineering, mathematics and physical sciences. The provision would have effectively cut the funds available to social science and geoscience by about 15%. In the end, the spending bill specifies only that social-sciences spending remain flat.

Although the healthy funding increases come as good news to many researchers, says Michael Lubell, the director of public affairs at the American Physical Society in Washington DC, there is bad news on the horizon. He points out that a deal struck in October by legislators and Obama provides almost no room for further boosts in 2017. “One should not say all of this is ushering in a new era,” Lubell says. “It is not.” ■

R. WINDHORST, ARIZONA STATE UNIV./H. YAN, SPITZER SCIENCE CENTER, CALTECH/ESA/NASA

The idea that our Universe is part of a multiverse poses a challenge to philosophers of science.

COSMOLOGY

Feuding physicists turn to philosophy

String theory is at the heart of a debate over the integrity of the scientific method itself.

BY DAVIDE CASTELVECCHI

Is string theory science? Physicists and cosmologists have been debating the question for the past decade. Now the community is looking to philosophy for help.

Earlier this month, some of the feuding physicists met with philosophers of science at an unusual workshop aimed at addressing the accusation that branches of theoretical physics have become detached from the realities of experimental science. At stake is the integrity of the scientific method, as well as the reputation of science among the general public, say the workshop’s organizers.

Held at the Ludwig Maximilian University of Munich in Germany on 7–9 December, the workshop came about as a result of an article in *Nature* a year ago, in which cosmologist George Ellis, of the University of Cape Town in South Africa, and astronomer Joseph Silk, of Johns Hopkins University in Baltimore, Maryland, lamented a “worrying turn” in theoretical physics (G. Ellis and J. Silk *Nature* 516, 321–323; 2014).

“Faced with difficulties in applying fundamental theories to the observed Universe,” they wrote, some scientists argue that “if a theory is sufficiently elegant and explanatory,

it need not be tested experimentally”.

First among the topics discussed was testability. For a scientific theory to be considered valid, scientists often require that there be an experiment that could, in principle, rule the theory out — or ‘falsify’ it, as the philosopher of science Karl Popper put it in the 1930s. In their article, Ellis and Silk pointed out that in certain areas, some theoretical physicists had strayed from this guiding principle — even arguing for it to be relaxed.

The duo cited string theory as the principal example. The theory replaces elementary particles with infinitesimally thin strings to reconcile the apparently incompatible theories that describe gravity and the quantum world. The strings are too tiny to detect using today’s technology — but some argue that string theory is worth pursuing whether or not experiments will ever be able to measure its effects, simply because it seems to be the ‘right’ solution to many quandaries.

Silk and Ellis also called out another theory that seems to have abandoned ‘Popperism’: the concept of a multiverse, in which the Big Bang spawned many universes — most of which would be radically different from our own.

But in the opening talk at the workshop, David Gross, a theoretical physicist at the

University of California, Santa Barbara, drew a distinction between the two theories. He classified string theory as testable “in principle” and thus perfectly scientific, because the strings are potentially detectable.

Much more troubling, he says, are concepts such as the multiverse because the other universes that it postulates probably cannot be observed from our own, even in principle. “Just to argue that [string theory] is not science because it’s not testable at the moment is absurd,” says Gross, who shared a Nobel prize in 2004 for his work on the strong nuclear force, which is well tested in experiments, and has also made important contributions to string theory.

Workshop attendee Carlo Rovelli, a theoretical physicist at Aix-Marseille University in France, agrees that just because string theory is not testable now does not mean that it is not worth theorists’ time. But the main target of Ellis and Silk’s piece were observations made by philosopher Richard Dawid of Ludwig Maximilian University in his book *String Theory and the Scientific Method* (Cambridge Univ. Press, 2013). Dawid wrote that string theorists had started to follow the principles of Bayesian statistics, which estimates the likelihood of a certain prediction being true on the basis of prior knowledge, and later revises that estimate as more knowledge is acquired. But, Dawid notes, physicists have begun to use purely

theoretical factors, such as the internal consistency of a theory or the absence of credible alternatives, to update estimates, instead of basing those revisions on actual data.

DYNAMIC DISCUSSION

At the workshop, Gross, who has suggested that a lack of alternatives to string theory makes it more likely to be correct, sparred with

“Suggestions that we need ‘new methods’ have been made, but attempts to replace empirical testability have always failed.”

Rovelli, who has worked for years on an alternative called loop quantum gravity. Rovelli flatly opposes the assumption that there are no viable alternatives. Ellis, meanwhile, rejects the idea that theo-

retical factors can improve odds. “My response to Bayesianism is: new evidence must be experimental evidence,” he says.

Others flagged up separate issues surrounding the use of Bayesian statistics to bolster string theory. Sabine Hossenfelder, a physicist at the Frankfurt Institute for Advanced Studies in Germany, said that the theory’s popularity may have contributed to the impression that it is the only game in town. But string theory probably gained momentum for sociological reasons, she

said: young researchers may have turned to it because the job prospects are better than in a lesser-known field, for example.

Historian of science Helge Kragh of Aarhus University in Denmark drew on historical perspective. “Suggestions that we need ‘new methods of science’ have been made before, but attempts to replace empirical testability with some other criteria have always failed,” he said. But at least the problem is confined to just a few areas of physics, he added. “String theory and multiverse cosmology are but a very small part of what most physicists do.”

That is cold comfort to Rovelli, who stressed the need for a clear distinction between scientific theories that are well established by experiments and those that are speculative. “It’s very bad when people stop you in the street and say, ‘Did you know that the world is made of strings and that there are parallel worlds?’”

At the end of the workshop, the feuding physicists did not seem any closer to agreement. Dawid — who co-organized the event with Silk, Ellis and others — says that he does not expect people to change their positions in a fundamental way. But he hopes that exposure to other lines of reasoning might “result in slight rapprochement”. Ellis suggests that a more immersive format, such as a two-week summer school, might be more successful at producing a consensus. ■

CORRECTION

The News story 'Feuding physicists turn to philosophy' (*Nature* **528**, 446–447; 2015) gave the wrong affiliation for Sabine Hossenfelder, she is now at the Frankfurt Institute for Advanced Studies.