

two long focus microscopes, whose axes produced intersect the divided circle at the extremities of a diameter. They are read by means of a pointer and spider-line micrometer, whose head is divided into 300 parts, each of which represents one second of arc. The microscopes are carried at such a height that they easily pass the collimator, and they can be read in any position, and the light from the collimator passes clear under the girder.

J. E. A. STEGGALL

THE ABACUS IN EUROPE AND THE EAST

AT a late meeting of the Asiatic Society of Japan (reported in the *Japan Mail*), Dr. Knott read a paper on "The Abacus, and its Scientific and Historic Import." A portion of the paper described the various arithmetical processes connected with the *soroban*, the form of the abacus employed in Japan. The writer pointed out that in all arithmetical operations up to the extraction of the cube root, the *soroban* really possessed distinct advantages over ordinary ciphering. This in itself explained why the instrument, which in Europe is suggestive of an infant school, has in the East survived till the present day. The rest of the paper was a discussion of the peculiar position which the abacus, used in its widest signification, holds in the history of the progress of arithmetic and mathematics, and of science and civilisation generally. The following is an abstract of the argument, the ultimate object of which was to explain why the abacus had died in Europe but lived in China, and why the cipher system of numerals had grown up in India but not in China.

The abacus, as used in China and Japan, bears, on the surface of it, evidence of a foreign origin. The numbers are set down on it with the larger denomination to the left—a method which could hardly be believed to have been invented by the Chinese, who tend to work from right to left, and who have always named their compound numbers beginning with the higher denominations. The Chinaman says "one hundred forty-five," as the Englishman does; but the Englishman once said "one hundred five-and-forty," as the German still does; while in some of the Aryan languages of India, and in the Arabic of to-day, the number is named "five-and-forty and one hundred." The Arab writes from right to left, so that, had the abacus been invented by such a people who, so to speak, both wrote and spoke inversely, it would have indicated the number as it does. In fact, the abacus could only have arisen in its present form amongst a people who either wrote and spoke directly, or wrote and spoke inversely. As a matter of history, the geographical home of the abacus is India, but, unless there is conclusive evidence to the contrary, we cannot regard it as an invention of Aryan Indians, who, although they wrote directly, spoke inversely. They probably borrowed it from the Semitic merchants, and these, with their inverse speaking and inverse writing, may have invented it, or perhaps received it from a direct-speaking, direct-writing people, such as the highly-cultured Accadians seem to have been. The abacus was evolved, no doubt, from the human hand, which, with its ten fingers, was the only counting-board used by primitive man. Its course of development is quite distinct from that of the symbolic representation of numbers. These latter we can trace through four stages, which may be called the pictorial, the symbolic, the decimal, and the cipher. The pictorial we find in the Egyptian hieroglyphic and the Accadian cuneiform; the symbolic in the hieratic, Phœnician, Hebrew, Greek, Roman, and the host of systems which grew up with the development and spread of alphabets and syllabaries, and the decimal in the simplification of these which live to-day in the Chinese and Tamilic systems. Once the decimal stage was reached, its general similarity to the abacus indications suggested bringing them into still closer correspondence. This took place amongst the Aryan Indians, who, along with their brethren of the West, very soon discarded the abacus for the, to them, more convenient cipher notation. With the Chinese and Tamils, however, no advance was made in this direction, a fact especially surprising in the case of the latter, who have lived in close contact with peoples that have long used the cipher system of numerals. One reason for the Chinese conservatism in so adhering to an unwieldy notation might be their vertical mode of writing, with which no very striking similarity between their symbolising of numbers and the abacus columns would appear. But this does not explain the conservatism of the Tamils, who write from left to right, nor yet the persistence of the abacus for centuries face

to face with the Indian cipher system. The explanation is rather to be found in the system of nomenclature, which, being direct both among the Chinese and the Tamils, fitted perfectly with the abacus indications. For this reason the manipulation of the abacus in China and Japan is more rapid and certain than ciphering, and hence, there being no advantage for simple arithmetical operations in the latter, the cipher system did not develop in these countries, and even when introduced from the West in all its vigour could not displace "the rod and the beads." An Aryan Indian, with his inverse-speaking, could never work the abacus with the same facility as the Japanese unless he worked from right to left, a mode of procedure quite foreign to his nature. It is not so foreign to the Chinese and Japanese, however, to work from left to right, as shown in the formation of each individual ideograph employed in writing. Hence the abacus suited the Chinese language better than it did any of the Aryan languages in their original mode of numbering. The influence of the notation which was developed from Semitic sources under the influence of the abacus, has in later times compelled many of the Aryan languages to assimilate as far as possible to the direct mode of numeration; but in the English *fifteen*, the German *fünfzehn*, and the French *quinze*, we still have the relics of the original inverse mode of naming, alike peculiar to Aryan and Semitic peoples.

In the course of the discussion which followed, it was mentioned that Chinese mathematics were first studied in Japan about 900 A.D., and that the Japanese ascend by powers of 10,000 in their treatment of larger numbers.

THE GAZETTEER OF RUSSIA¹

WE have received the concluding fascicule of the "Geographical and Statistical Dictionary of the Russian Empire," published by the Russian Geographical Society, and edited by M. P. Semenoff. This monumental work, which was begun more than twenty years ago, has been now concluded in five large octavo volumes, and will remain for many years the most trustworthy and complete source of information for the geography of the empire, exclusive of Poland, but inclusive of the former Russian dominions in America. It may be regretted that the editor of the "Dictionary" has been diverted by so great a variety of geographical, statistical, and administrative work from this undertaking, and that therefore the last fascicule appearing twenty-three years after the first, the statistical information contained in the first fascicules and volumes has become out of date. But notwithstanding that, the "Dictionary" has not become old. Its value is not in the statistical data it contains; it is much more in the excellent geographical descriptions of the localities treated—that is, of each separate government of Russia, Siberia, Turkestan, and Caucasus—of the seas that border Russia, and their islands. Several articles are excellent and most complete monographs, and we need only mention those on the Amur, Caucasus, Sakhalin, the Northern Ocean, or Turkestan to remind geographers of these excellent descriptions of whole regions. The geology, the flora and fauna of each region have received much attention. These descriptions will not soon be old—they can be only completed.

At the end of each article there is, moreover, a most complete bibliography of the larger geographical works in which the place described in the article has been mentioned, as also of monographs dealing with it, and of newspaper articles. This bibliography is invaluable for the geographer. On the whole, the equally high standard of all geographical descriptions and the unity of conception in all of them—the whole being the work of the editor himself, assisted only by M. Zverinsky and very few occasional contributors—make this "Dictionary" occupy one of the first ranks among like publications. An appendix is promised, which will contain descriptions of such regions as the Tian-Shan, Ferganah, and Transbaikalia, which were much explored during the publication of the "Dictionary." They will embody all recent information.

UNIVERSITY AND EDUCATIONAL INTELLIGENCE

CONVOCATION of the University of London met on Tuesday evening to consider the report of a Special Committee which proposed several important changes in the constitution of the

¹ "Geographisches-Statistisches Slovar Rossyskoy Imperii," P. P. Semenova.

University. After considerable discussion, resolutions were passed approving of the admission of certain educational institutions having one, or more than one, faculty of University rank as constituent Colleges of the University, of the establishment of a Council of Education, and of certain changes in the constitution of the Senate.

SCIENTIFIC SERIALS

THE most important paper in the *Journal of Botany* for April is the commencement of a Synopsis of the Rhizocarpeæ, by Mr. J. G. Baker, another of the series of this writer's exhaustive monographs of the families of Vascular Cryptogams outside the Ferns. The present instalment includes the genus *Salvinia*, in which three new species are described, and a portion of *Azolla*. In the May number we find a continuation of Mr. W. B. Grove's paper on new and noteworthy fungi, in which several new species are described, and one new genus of Sphæroideæ, *Collonema*. Mr. W. H. Beeby gives further particulars respecting the distribution of his newly discovered *Sparganium neglectum*, and Mr. Arthur Bennett an account of the distribution in Britain of the various species of *Potamogeton*, in addition to those contained in the second edition of "Topographical Botany."

SOCIETIES AND ACADEMIES

LONDON

Royal Society, May 20.—"Relation of 'Transfer-Resistance' to the Molecular Weight and Chemical Composition of Electrolytes." By G. Gore, LL.D., F.R.S.

In the full paper the author first describes the method he employed for measuring the "resistance," and then gives the numerical results of the measurements in the form of a series of tables.

He took a number of groups of chemically related acids and salts of considerable degrees of purity, all of them in the proportions of their chemical equivalent weights, and dissolved in equal and sufficient quantities of distilled water to form quite dilute solutions. The number of solutions was about seventy, and included those of hydriodic, hydrobromic, hydrochloric, hydrofluoric, nitric, and sulphuric acids; the iodides, bromides, chlorides, fluorides, hydrates, carbonates, nitrates, and sulphates, of ammonium, cesium, rubidium, potassium, sodium, and lithium; the chlorides, hydrates, and nitrates, of barium, strontium, and calcium; and a series of stronger solutions, of equivalent strength to each other, of the chlorides of hydrogen, ammonium, rubidium, potassium, sodium, lithium, barium, strontium, and calcium. A series of similar liquids to those of one of the groups of acids, of equal (not of equivalent) strength to each other, was also included.

As electrodes, he employed pairs of plates of zinc, cadmium, lead, tin, iron, nickel, copper, silver, gold, palladium, and platinum; and separate ones formed of small bars of iridium.

He took each group of solutions, and measured in each liquid separately, at atmospheric temperature, the "total resistance" at the two electrodes, and the separate "resistances" at the anode and cathode respectively with each other, and thus obtained about seventy different tables, each containing about thirty-six measurements, including the amounts of "total," "anode," and "cathode" resistance of each metal, and the "averages" of these for all the metals.

By comparing the numbers thus obtained, and by general logical analysis of the whole of the results, he has arrived at various conclusions, of which the following are the most important:—The phenomenon of "transfer-resistance" appears to be a new physical relation of the atomic weights, attended by inseparable electrolytic and other concomitants (one of which is liberation of heat, *Phil. Mag.*, 1886, vol. xxi. p. 130). In the chemical groups of substances examined it varied inversely as the atomic weights of the constituents, both electro-positive and electro-negative, of the electrolyte, independently of all other circumstances; and in consequence of being largely diminished by corrosion of the electrodes, it appeared to be intimately related to "surface-tension." He suggests that corrosion may be a consequence, and not the cause of small "transfer-resistance." The strongest evidence of the existence of the above general law was obtained with liquids and electrodes with which there was the least corrosion and the least formation of films; those liquids were dilute alkali-chlorides, with electrodes of platinum.

This research is an extension of a former one on "Transfer-Resistance in Electrolytic and Voltaic Cells," communicated to the Royal Society, March 2, 1885. Further evidence on the same subject has been published by the author in the *Philosophical Magazine*, 1886, vol. xxi. pp. 130, 145, 249.

"A Study of the Thermal Properties of Ethyl Oxide." By William Ramsay, Ph.D., and Sydney Young, D.Sc.

A year ago a paper was communicated to the Society on the behaviour of ethyl alcohol when heated. A similar study of the properties of ether has been made, in which numerical values have been obtained exhibiting the expansion of the liquid, the pressure of the vapour, and the compressibility of the substance in the gaseous and liquid conditions; and from these results, the densities of the saturated vapour and the heats of vaporisation have been deduced. The temperature range of these observations is from -18° to 223° C.

It is the authors' intention to consider in full the relations of the properties of alcohol and ether; in the meantime it may be stated that the saturated vapour of ether, like that of alcohol, possesses an abnormal density, increasing with rise of temperature and corresponding rise of pressure; that at 0° the vapour-density is still abnormal, but appears to be approaching a normal state; and that the apparent critical temperature of ether is 194° C.; the critical pressure very nearly 27,060 mm. = 35.61 atmospheres; and the volume of 1 gramme of the substance at 184° between 3.60 and 4 c.c.

Mathematical Society, May 13.—J. W. L. Glaisher, F.R.S., President, in the chair.—Mr. F. W. Watkin was admitted into the Society.—The following communications were made:—On Cremonian congruences contained in linear complexes, by Dr. Hirst, F.R.S.—Solution of the cubic and bi-quadratic equation by means of Weierstrass's elliptic functions, by Prof. Greenhill.—On the complex of lines which meet a unicursal quartic curve, by Prof. Cayley, F.R.S.—On Airy's solution of the equations of equilibrium of an isotropic elastic solid under conservative forces, by W. J. Ibbetson.—Conic note, by H. M. Taylor.—On the converse of stereographic projection and on tangential and coaxial spherical circles, by H. M. Jeffery, F.R.S.

Zoological Society, May 18.—Prof. W. H. Flower, F.R.S., President, in the chair.—Mr. C. W. Rosset exhibited a series of photographs taken during his recent visit to the Maldivé Islands, and made some remarks on the zoological collections obtained during his expedition.—Mr. Philip Crowley, F.Z.S., exhibited some pupæ of nocturnal Lepidoptera which had been sent to him from Natal; and read some notes from his correspondent, which proved that they were subterranean.—Mr. Joseph Whitaker, F.Z.S., exhibited a specimen of Wilson's Phalarope, said to have been obtained at Sutton Ambian, near Market Bosworth, in Leicestershire.—A communication was read from Dr. A. B. Meyer, C.M.Z.S., containing an account of the known specimens of King William the Third's Bird of Paradise (*Rhipidornis guggelmi-tertiæ*), and remarking on a fourth specimen which had been recently obtained by the Dresden Museum.—Mr. Frank E. Beddard read a paper on some new or little-known Earthworms, together with an account of the variations in structure exhibited by *Perionyx excavatus*.—Mr. Sclater read a paper on the species of Wild Goats and their distribution. Mr. Sclater recognised ten species of the genus *Capra*, distributed over an area extending from Spain to Southern India, and from Central Siberia to Abyssinia.

Royal Meteorological Society, May 19.—Mr. W. Ellis, F.R.A.S., President, in the chair.—Mr. L. T. Cave and Rev. C. Malden, M.A., were elected Fellows of the Society.—The following papers were read:—The severe weather of the past winter, 1885-86, by Mr. C. Harding, F.R.Met.Soc. The author showed that the whole winter was one of exceptional cold, not so much on account of any extremely low temperatures experienced, but more from the long period of frost and the persistency with which low temperature continued. In the South-West of England there was not a single week from the commencement of October to March 21 in which the temperature did not fall to the freezing-point. In many parts of the British Islands frost occurred in the shade on upwards of 60 nights between the beginning of January and the middle of March, and during the long frost which commenced in the middle of February and continued until March 17 the temperature fell below the freezing-point in many places on more than 30 consecutive nights. At Great Berkhamsted, in Hertfordshire, frost