ARTICLE

Received 28 Nov 2016 | Accepted 30 Mar 2017 | Published 17 May 2017

DOI: 10.1038/ncomms15437

OPEN

Efficient hydrogen production on MoNi₄ electrocatalysts with fast water dissociation kinetics

Jian Zhang¹, Tao Wang², Pan Liu^{3,4}, Zhongquan Liao⁵, Shaohua Liu¹, Xiaodong Zhuang¹, Mingwei Chen^{3,4}, Ehrenfried Zschech⁵ & Xinliang Feng¹

Various platinum-free electrocatalysts have been explored for hydrogen evolution reaction in acidic solutions. However, in economical water-alkali electrolyzers, sluggish water dissociation kinetics (Volmer step) on platinum-free electrocatalysts results in poor hydrogen-production activities. Here we report a MoNi₄ electrocatalyst supported by MoO₂ cuboids on nickel foam (MoNi₄/MoO₂@Ni), which is constructed by controlling the outward diffusion of nickel atoms on annealing precursor NiMoO₄ cuboids on nickel foam. Experimental and theoretical results confirm that a rapid Tafel-step-decided hydrogen evolution proceeds on MoNi₄ electrocatalyst. As a result, the MoNi₄ electrocatalyst exhibits zero onset overpotential, an overpotential of 15 mV at 10 mA cm⁻² and a low Tafel slope of 30 mV per decade in 1 M potassium hydroxide electrolyte, which are comparable to the results for platinum and superior to those for state-of-the-art platinum-free electrocatalysts. Benefiting from its scalable preparation and stability, the MoNi₄ electrocatalyst is promising for practical water-alkali electrolyzers.

¹Center for Advancing Electronics Dresden (Cfaed) and Department of Chemistry and Food Chemistry, Technische Universitaet Dresden, 01062 Dresden, Germany. ²Univ Lyon, Ens de Lyon, CNRS, Université Lyon 1, Laboratoire de Chimie, UMR 5182, F-69342 Lyon, France. ³WPI Advanced Institute for Materials Research, Tohoku University, Sendai 980-8577, Japan. ⁴CREST, JST, 4-1-8 Honcho Kawaguchi, Saitama 332-0012, Japan. ⁵Fraunhofer Institute for Ceramic Technologies and Systems (IKTS), 01109 Dresden, Germany. Correspondence and requests for materials should be addressed to X.F. (email: xinliang.feng@tu-dresden.de).

Growing concern about the energy crisis and the seriousness of environmental contamination urgently demand the development of renewable energy sources as feasible alternatives to diminishing fossil fuels. Owing to its high energy density and environmentally friendly characteristics, molecular hydrogen is an attractive and promising energy carrier to meet future global energy demands^{1,2}. In many of the approaches to hydrogen production, the electrocatalytic hydrogen evolution reaction (HER) from water splitting is the most economical and effective route for the future hydrogen economy^{3–6}. To accelerate the sluggish HER kinetics, particularly in alkaline electrolytes, highly active and durable electrocatalysts are essential to lower the kinetic HER overpotential^{7,8}. As a benchmark HER electrocatalyst with a zero HER overpotential, the precious metal platinum (Pt) plays a dominant role in present H₂-production technologies, such as water-alkali electrolyzers^{9–11}. Unfortunately, the scarcity and high cost of Pt seriously impede its large-scale applications in electrocatalytic HERs.

To develop efficient and earth-abundant alternatives to Pt as HER electrocatalysts, great efforts have been made to understand the fundamental HER mechanisms on the surfaces of electrocatalysts in alkaline environments^{12,13}. The HER kinetics in alkaline solutions involves two steps: electron-coupled water dissociation (the Volmer step for the formation of adsorbed hydrogen); and the concomitant combination of adsorbed hydrogen into molecular hydrogen (the Heyrovsky or Tafel

step; Supplementary Note 1)^{12,14}. Accordingly, the HER activity of an electrocatalyst in alkaline electrolytes is synergistically dominated by the prior Volmer step and subsequent Tafel step¹⁵. The low energy barrier ($\Delta G(\text{H}_2\text{O}) = 0.44 \text{ eV}$) of the Volmer step provides the Pt catalyst with a fast Tafel step-determined HER process (Tafel slop = 30 mV per decade) in alkaline electrolytes, which is responsible for its excellent HER activity^{12,15}. Inspired by the fundamental HER mechanism that occurs on Pt, the development of novel Pt-free electrocatalysts with a significantly accelerated Volmer step is an appealing approach. Recently, several electrocatalysts with a decreased HER overpotential, such as CoP/S (with an overpotential at 10 mA cm^{-2} : $\sim 48 \text{ mV}$) and Mo₂C/graphene (with an overpotential at 10 mA cm^{-2} : $\sim 34 \text{ mV}$) have been reported in acidic solutions^{16,17}. Nevertheless, under alkaline conditions, the sluggish Volmer step on these Pt-free electrocatalysts results in far lower HER activity than the Pt catalyst^{18–21}.

In past decades, various Ni- or Mo-based oxides, hydroxides, layered double hydroxides, phosphides and sulfides have been reported as electrocatalysts for water splitting. Ni atoms are broadly recognized as excellent water dissociation centres, while Mo atoms have superior adsorption properties towards hydrogen^{13,22–24}. Therefore, Mo–Ni-based alloy electrocatalysts (Mo_xNi_y) can be promising candidates to effectively reduce the energy barrier of the Volmer step and speed up the sluggish HER kinetics under alkaline conditions. In this study, we demonstrate

Figure 1 | Synthetic scheme of MoNi₄ electrocatalyst supported by the MoO₂ cuboids on nickel foam. Synthetic scheme of MoNi₄ electrocatalyst supported by the MoO₂ cuboids on nickel foam. Scale bars, Ni foam, 20 μm (top) and 1 μm (bottom); NiMoO₄/Ni foam, 10 μm (top) and 2 μm (bottom); MoNi₄/MoO₂/Ni foam, 20 μm (top) and 1 μm (bottom).

a MoNi_4 electrocatalyst anchored on MoO_2 cuboids, which are vertically aligned on nickel foam ($\text{MoNi}_4/\text{MoO}_2@\text{Ni}$). MoNi_4 nanoparticles with a size of 20–100 nm are constructed *in situ* on the MoO_2 cuboids by controlling the outward diffusion of Ni atoms when previously synthesized NiMoO_4 cuboids are heated in a H_2/Ar (v/v, 5/95) atmosphere at 500 °C. The resultant $\text{MoNi}_4/\text{MoO}_2@\text{Ni}$ exhibits a high HER activity with a zero onset overpotential and a low Tafel slope of ~ 30 mV per decade in a 1 M KOH aqueous solution, which are highly comparable to those for the Pt catalyst (onset overpotential: 0 mV; Tafel slope: 32 mV per decade). In addition, the achieved MoNi_4 electrocatalyst requires low overpotentials of only ~ 15 and ~ 44 mV to stably deliver cathodic current densities of 10 and 200 mA cm^{-2} , respectively, presenting state-of-the-art HER activity amongst all reported Pt-free electrocatalysts^{7,10,18}. Experimental investigations reveal that the MoNi_4 electrocatalyst behaves as the highly active centre and manifests fast Tafel step-determined HER kinetics. Furthermore, density functional theory (DFT) calculations determine that the kinetic energy barrier of the Volmer step for the MoNi_4 electrocatalyst is as low as 0.39 eV. These results confirm that the sluggish Volmer step is drastically accelerated for the MoNi_4 electrocatalyst.

Results

Synthesis of the MoNi_4 electrocatalyst. The synthesis of the MoNi_4 electrocatalyst involves two steps, as illustrated in Fig. 1. First, the NiMoO_4 cuboids were grown beforehand on a piece of nickel foam ($1 \times 3 \text{ cm}^2$) via a hydrothermal reaction at 150 °C for 6 h in 15 ml of deionized water containing $\text{Ni}(\text{NO}_3)_2 \cdot 6\text{H}_2\text{O}$ (0.04 M) and $(\text{NH}_4)_6\text{Mo}_7\text{O}_{24} \cdot 4\text{H}_2\text{O}$ (0.01 M). Second, when the as-synthesized NiMoO_4 cuboids were calcined in a H_2/Ar (v/v, 5/95) atmosphere at 500 °C for 2 h, the inner Ni atoms diffused outward due to the formation of MoO_2 . As a result,

MoNi_4 nanoparticles were directly constructed on the surfaces of the MoO_2 cuboids. To probe the formation mechanism of the MoNi_4 nanoparticles, different calcination temperatures and times were investigated (Supplementary Figs 1–5). In comparison with the smooth surfaces of precursor NiMoO_4 at 400 °C, the appearance of numerous surface nanoparticles at 500 °C indicated the formation of MoNi_4 on the resulting MoO_2 cuboids (Supplementary Fig. 1a,b). When the calcination temperature reached 600 °C, MoNi_3 nanoparticles on the MoO_2 cuboids ($\text{MoNi}_3/\text{MoO}_2@\text{Ni}$) were produced due to the continuous reduction of MoO_2 (Supplementary Fig. 1c,d). In addition, with increased calcination time at 500 °C, the MoNi_4 nanoparticles gradually emerged and grew into bulk particles on the MoO_2 cuboids (Supplementary Figs 2–5).

Structural characterizations of the MoNi_4 electrocatalyst. X-ray diffraction characterization reveals that the crystalline structure of the as-obtained precursor on the Ni foam can be indexed to NiMoO_4 (Supplementary Fig. 6). The morphology of NiMoO_4 was scrutinized by scanning electron microscopy (SEM). As shown in Supplementary Figs 7 and 8, dense NiMoO_4 cuboids with sizes in the range of 0.5–1.0 μm and lengths of tens of microns are vertically aligned on the nickel foam. Elemental mapping, energy dispersive spectroscopy and X-ray photoelectron spectroscopy (XPS) confirm that the NiMoO_4 cuboids consist of Ni, Mo and O elements, and the molar ratio of Ni to Mo is $\sim 1:1.01$ (Supplementary Figs 9 and 10).

The product of the NiMoO_4 cuboids on the Ni foam calcined at 500 °C for 2 h was surveyed with X-ray diffraction using Cu-K α radiation, SEM and high-resolution transmission electron microscopy (HRTEM). In Supplementary Fig. 11, the sharp X-ray diffraction peaks at $\sim 44.6^\circ$, 52.0° and 76.5° originate from the Ni foam (JCPDS, No. 65–2865). The peaks located at

Figure 2 | Morphology and chemical composition analyses of $\text{MoNi}_4/\text{MoO}_2@\text{Ni}$. (a–c) Typical SEM and (d–f) HRTEM images of $\text{MoNi}_4/\text{MoO}_2@\text{Ni}$; (g) corresponding elemental mapping images of the MoNi_4 electrocatalyst and the MoO_2 cuboids. The inset image in **d** is the related selected-area electron diffraction pattern of the MoNi_4 electrocatalyst and the MoO_2 cuboids. Scale bars, (a) 20 μm ; (b) 1 μm ; (c) 100 nm; (d–f) 2 nm; inset in **d**, 11/nm; (g) 20 nm.

26.3°, 37.0°, 41.5°, 49.5°, 53.7°, 60.5° and 66.9° are indexed to metallic MoO₂ (JCPDS, No. 32-0671). The appearance of peaks at 31.0° and 43.5° are assigned to the (200) and (121) facets of MoNi₄ (JCPDS, No. 65-5480), respectively. Thus, these results suggest that the obtained product on the nickel foam consists of MoNi₄ and MoO₂. As shown in Fig. 2a–c, numerous nanoparticles with sizes in the range of 20–100 nm are uniformly anchored on the cuboids, which are vertically aligned on the nickel foam. The corresponding energy-dispersive X-ray spectroscopy (EDX) analysis further confirms that the products are composed of Mo, Ni and O, and the molar ratio of Mo to Ni is ~1:1.3 (Supplementary Fig. 12). Clearly, the HRTEM images of the samples show lattice fringes with lattice distances of 0.35 and 0.28 nm, which correspond to the (110) facet of MoO₂ and the (200) facet of MoNi₄, respectively (Fig. 2d–f). The selected-area electron diffraction pattern shows diffraction patterns of the (200) facet of MoNi₄ and the (110) facet of MoO₂ (the inset in Fig. 2d). Noticeably, the scanning TEM–EDX characterizations indicate that the surface nanoparticles are constituted by only Mo and Ni with an atomic ratio of 1:3.84, which well approaches to 1:4 (Fig. 2g and Supplementary Fig. 13). The XPS analysis was carried out to probe the chemical compositions and surface valence states of the MoNi₄ nanoparticles and the supporting MoO₂ cuboids. As illustrated in Supplementary Fig. 14, the XPS spectrum confirms the presence of Mo, Ni and O, and the molar ratio of Mo to Ni is ~1:1.1. As shown in Supplementary Figs 15–17, XPS peaks of metallic Mo⁰ and Ni⁰ are observed at 229.3 and 852.5 eV, respectively, further confirming the existence of Mo⁰ and Ni⁰ in the surfaces of MoNi₄/MoO₂@Ni.

Electrocatalytic HER performance. To evaluate the electrocatalytic HER activities of the electrocatalysts, a three-electrode system in an Ar-saturated 1 M KOH aqueous solution was used using a Hg/HgO electrode and a graphite rod as the reference and counter electrodes, respectively (Supplementary Fig. 18). All potentials are referenced to the reversible hydrogen electrode (RHE), and the ohmic potential drop loss from the electrolyte resistance has been subtracted (Supplementary Figs 19 and 20). For comparison, pure Ni nanosheets and MoO₂ cuboids were also prepared on the nickel foam using the hydrothermal reactions (Supplementary Figs 21–25). As displayed in Fig. 3a and Supplementary Fig. 26, a commercial Pt/C electrocatalyst deposited on the nickel foam (weight density: 1 mg cm⁻²) using Nafion as a binder exhibited a zero HER onset overpotential and delivered a current density of 10 mA cm⁻² at an overpotential of ~10 mV. However, the maximum current density only reached 80 mA cm⁻² due to the Pt catalyst significantly peeling off from the support, caused by the generated H₂ bubbles. Although the Ni nanosheets on the nickel foam could act as an HER electrocatalyst, the HER occurred at a very high overpotential of ~253 mV. For the MoO₂ cuboids on the nickel foam, the cathodic current density of 10 mA cm⁻² was delivered at an overpotential as large as ~48 mV. In comparison to the Ni nanosheets and the MoO₂ cuboids, the NiMoO₄ cuboids and MoNi₃/MoO₂ cuboids on the nickel foam exhibited a similar onset overpotential of ~10 mV and an overpotential of ~30 and 37 mV at 10 mA cm⁻², respectively (Supplementary Figs 27–29). Remarkably, MoNi₄/MoO₂@Ni exhibited an onset overpotential of 0 mV, which was highly comparable to that of the Pt catalyst. In addition, for the supported MoNi₄ electrocatalyst, the overpotential at current densities of 10 and 200 mA cm⁻² was as low as ~15 and 44 mV, respectively, which were significantly lower than the values for the Ni nanosheets, MoO₂ cuboids, NiMoO₄ cuboids, MoNi₃/MoO₂ cuboids and state-of-the-art Pt-free HER electrocatalysts such as NiO/Ni heterostructures (~85 mV

at 10 mA cm⁻²)²⁵, pyrite-type CoPS nanowires (~48 mV at 10 mA cm⁻²)¹⁶, nickel doped carbon (~34 mV at 10 mA cm⁻²)²⁶, a Mo₂C/carbon/graphene hybrid (~34 mV at 10 mA cm⁻²)¹⁷, MoSSe/NiSe₂ foam (~69 mV at 10 mA cm⁻²)²⁷, Fe_{0.9}Co_{0.1}S₂/carbon nanotubes (~100 mV at 10 mA cm⁻²)²⁸, Ni₂P nanoparticles (~120 mV at 10 mA cm⁻²)²⁹ and strained MoS₂ nanosheets (~170 mV at 10 mA cm⁻²)³⁰ (Supplementary Table 1)^{31–39}.

Figure 3b displays the Tafel plots of the corresponding polarization curves, which provide profound insights into the fundamental HER kinetic mechanism occurring on the surfaces of the electrocatalysts. As a result of the low energy barrier (0.44 eV on Pt) of the Volmer step, the kinetic rate-limiting step for the Pt catalyst is the Tafel process, and the theoretical Tafel slope is 30 mV per decade (here the Tafel slope of the commercial Pt catalyst was measured to be 32 mV per decade)¹². Remarkably, the Tafel slope of the MoNi₄ electrocatalyst was as low as 30 mV per decade, which is far lower than the values of 129 mV per decade for the Ni nanosheets and 75 mV per decade for the MoO₂ cuboids and highly comparable to that of the Pt-based catalyst (Fig. 3c and Supplementary Table 1). This result indicated that the electrocatalytic HER kinetics on the MoNi₄ electrocatalyst were determined by the Tafel step rather than a coupled Volmer–Tafel or Volmer–Heyrovsky process. In other words, the prior Volmer step has been significantly accelerated. The exchange current density of the MoNi₄ electrocatalyst was estimated to be ~1.24 mA cm⁻² (Supplementary Fig. 30). To clarify the influence of the active surface area on the electrocatalytic HER activity, the corresponding electrochemical double-layer capacitances (Cps) of the electrocatalysts were analysed by applying cyclic voltammetry cycles at different scan rates⁴⁰. The Cps of the Ni nanosheets and MoO₂ cuboids were ~0.001 and 0.640 F, respectively, while the MoNi₄ electrocatalyst had a high Cp of 2.220 F (Supplementary Fig. 31). On the basis of its Cp, the MoNi₄ electrocatalyst was calculated to have a turnover frequency of 0.4 s⁻¹ at a low overpotential of 50 mV, which was higher than the turnover frequency values of the previously reported Pt-free electrocatalysts (Supplementary Fig. 32 and Supplementary Table 1)^{41–44}.

Long-term electrocatalytic stability is another important criterion for HER electrocatalysts. To investigate the durability of the MoNi₄ electrocatalyst, continuous cyclic voltammetry scans were performed between 0.2 and -0.2 V at a scan rate of 50 mV s⁻¹ in a 1 M KOH solution. As depicted in Fig. 3d, the HER overpotential of the MoNi₄ electrocatalyst at 200 mA cm⁻² increased by only 6 mV after 2,000 cyclic voltammetry cycles. In addition, a long-term electrocatalytic HER process was successively carried out at current densities of 10, 100 and 200 mA cm⁻² (Supplementary Movie 1). The inset in Fig. 3d demonstrates that the MoNi₄ electrocatalyst retained a steady HER activity, and only an increase of ~3 mV in potential was observed at a current density of 10 mA cm⁻² after a period of 10 h of hydrogen production. The overpotential required for large current densities of 100 and 200 mA cm⁻² was augmented by only 2 and 5 mV, respectively. After a series of HER durability assessments, the structure of the MoNi₄ electrocatalyst was examined using SEM and HRTEM. MoNi₄/MoO₂@Ni showed no structural variations, highlighting the superior structural robustness of the MoNi₄ electrocatalyst during the electrocatalytic HER process (Supplementary Figs 33–36).

The approach to the synthesis of MoNi₄/MoO₂@Ni is scalable on the nickel foam. The MoNi₄ electrocatalyst was thus prepared on commercially available nickel foam with dimensions of 6 × 20 cm². As shown in Supplementary Fig. 37, the MoNi₄ electrocatalyst supported by the MoO₂ cuboids on the nickel foam was free-standing and highly flexible. It is notable that the

Figure 3 | Electrocatalytic activities of different catalysts. (a) Polarization curves and (b) Tafel plots of the MoNi₄ electrocatalyst supported by the MoO₂ cuboids, pure Ni nanosheets and MoO₂ cuboids on the nickel foam. (c) Comparison with selected state-of-the-art HER electrocatalysts. (d) Polarization curves of the MoNi₄ electrocatalyst before and after 2,000 cyclic voltammetry cycles; inset: long-term stability tests of the MoNi₄ electrocatalyst at different current densities: 10; 100; and 200 mA cm⁻². Electrolyte: 1 M KOH aqueous solution; scan rate: 1 mV s⁻¹.

MoNi₄ electrocatalyst unveiled a steady HER activity even though the supporting Ni foam was deformed to various degrees (Supplementary Fig. 38). For reported Raney nickel and nickel-molybdenum alloy electrodes, concentrated alkaline solutions (30 wt%) and high electrolyte temperatures (70 °C) are generally demanded to achieve high cathodic current densities of 200–500 mA cm⁻² (ref. 45). Here high cathodic current densities of up to 200 and 500 mA cm⁻² were delivered by the MoNi₄ electrocatalyst at extremely low overpotentials of ~44 and ~65 mV in a 5.3 wt% KOH solution at room temperature.

Afterward, a water-alkali electrolyser was built up in a 1 M KOH solution using MoNi₄/MoO₂@Ni as the cathode and a previously reported MoS₂/Ni₃S₂ hybrid as the anode (Supplementary Fig. 39)³⁸. As exhibited in Supplementary Fig. 40a, for a noble metal-based Pt–Ir/C couple, a cell voltage of ~1.7 V was applied for a current density of 10 mA cm⁻². In contrast, the MoNi₄–MoS₂/Ni₃S₂ couple required a low cell voltage of only ~1.47 V to deliver a current density of 10 mA cm⁻², which is much lower than that for the noble metal-based Pt–Ir/C couple. Over 10 h of galvanostatic electrolysis at 10 mA cm⁻², the applied voltage of the MoNi₄–MoS₂/Ni₃S₂ couple had an augmentation of ~0.02 V, which is much lower than the value of 0.07 V for the Pt–Ir/C couple (Supplementary Fig. 40b). Moreover, the electrolyser with a high current density of 200 mA cm⁻² was durably driven by the MoNi₄–MoS₂/Ni₃S₂ couple at a low voltage of ~1.70 V (Supplementary Movie 2).

HER active centres. To understand the intrinsic contributions of the surface MoNi₄ nanoparticles and the underlying MoO₂ cuboids to the HER activity, pure MoO₂ nanosheets and MoNi₄ nanoparticles supported by MoO₂ cuboids were also synthesized on carbon cloth. Thus, the contribution of the underlying Ni foam could be excluded (Supplementary Fig. 41). Clearly, the pristine MoO₂ nanosheets on carbon cloth showed a very high

HER onset potential of ~240 mV in 1 M KOH and ~200 mV in 0.5 M H₂SO₄, suggesting that the MoO₂ electrocatalyst inherently presented a very sluggish Volmer step and a poor Tafel process (Supplementary Fig. 42). In contrast, the MoNi₄ electrocatalyst supported by the MoO₂ cuboids on the carbon cloth (MoNi₄/MoO₂@C) exhibited a zero onset potential, which was similar to that for MoNi₄/MoO₂@Ni. When the surface MoNi₄ nanoparticles of MoNi₄/MoO₂@C were etched away using 2 M H₂SO₄ aqueous solution. Obviously, the produced MoO₂@C showed a largely increased onset potential of ~133 mV (Supplementary Figs 43–46). These results demonstrate that the excellent HER activity of the MoNi₄/MoO₂@Ni unambiguously originates from the surface MoNi₄ nanoparticles rather than from the supporting MoO₂ cuboids.

To gain profound insight into the electrocatalytic HER active sites, we also analysed the surface electrochemical behaviour of the MoNi₄ electrocatalyst on the MoO₂ cuboids. For a freshly prepared MoNi₄ electrocatalyst, an electrochemical cyclic voltammetry cycle between -0.025 and 0.275 V (versus RHE) was initially performed with a scan rate of 1 mV s⁻¹. Obviously, the positions of the electrochemically reversible peaks shifted from 0.175 V/0.113 V to 0.215 V/0.064 V when the KOH concentration was changed from 1 to 0.1 M (Supplementary Fig. 47a). The strong dependence on the concentration of KOH as the electrolyte revealed that the electrochemically reversible peaks originated from an ad-/desorption process of water molecules or hydrogen (between 0.05 and 0.35 V, as reported) rather than from the surface redox reactions of the MoNi₄ electrocatalyst and supporting MoO₂ cuboids¹². In addition, in contrast to the results on pure Ni nanosheets (0.150 V) and MoO₂ (0.164 V) cuboids, the water or hydrogen adsorption peak of the MoNi₄ electrocatalyst showed an anodic shift to 0.175 V, reflecting a superior water or hydrogen adsorption property (Supplementary Fig. 47b).

To evaluate the intrinsic electrocatalytic HER activity of the MoNi₄ electrocatalyst, the recorded cathodic current density was

normalized versus the related Brunauer Emmett Teller specific surface area of the MoNi₄ electrocatalyst (32 m² g⁻¹) (Supplementary Fig. 48). As described in Supplementary Fig. 49, when the current density was below 0.38 A m⁻², the polarization curve of the MoNi₄ electrocatalyst nearly overlapped with that of the Pt catalyst. However, the HER overpotential of the MoNi₄ electrocatalyst was much lower than that of the Pt catalyst at large current densities (>0.38 A m⁻²). These results illustrate that the intrinsic HER activity associated with the specific surface area of the MoNi₄ electrocatalyst is even higher than that of the Pt catalyst under alkaline conditions.

Theoretical calculations. To understand the fundamental mechanism of the outstanding HER activity on MoNi₄/MoO₂@Ni, the kinetic energy barrier of the prior Volmer step ($\Delta G(\text{H}_2\text{O})$) and the concomitant combination of adsorbed H into molecular hydrogen ($\Delta G(\text{H})$, Tafel step) were studied using the DFT calculations according to the as-built electrocatalyst models including the (111) facet of Ni metal, the (110) facet of Mo metal, the (110) facet of MoO₂ and the (200) facet of MoNi₄ (Supplementary Fig. 50). As shown in Fig. 4, MoO₂ has a large energy barrier for the Volmer step ($\Delta G(\text{H}_2\text{O}) = 1.01$ eV) and a strong hydrogen adsorption free energy ($|\Delta G(\text{H})| = 1.21$ eV), indicating a very sluggish Volmer–Tafel mechanism. Thus, MoO₂ is not the highly active centre for the HER, which agrees well with

the experimental results. The $\Delta G(\text{H}_2\text{O})$ values on pure Ni metal and Mo metal are as high as 0.91 and 0.65 eV, respectively (Fig. 4b and Supplementary Fig. 51). In contrast, the $\Delta G(\text{H}_2\text{O})$ on MoNi₄ is significantly decreased to 0.39 eV, which is even lower than the value of 0.44 eV on Pt (ref. 15). In addition, MoNi₄ has a lower $|\Delta G(\text{H})|$ of 0.74 eV than the value of 1.21 eV for MoO₂, which corresponds to a superior hydrogen adsorption capability (Fig. 4c). Thereby, the HER reaction on MoNi₄ is associated with a process defined by a fast Tafel step rather than a sluggish Volmer–Tafel step (Supplementary Fig. 52).

Discussion

In summary, we have demonstrated a MoNi₄ electrocatalyst supported by MoO₂ cuboids on nickel foam or carbon cloth. As favoured by a largely reduced energy barrier of the Volmer step, the achieved MoNi₄ electrocatalyst exhibits a high HER activity under alkaline conditions, which is highly comparable to that for Pt and outperforms any reported results for Pt-free electrocatalysts, to the best of our knowledge. Moreover, the large-scale preparation and excellent catalytic stability provide MoNi₄/MoO₂@Ni with a promising utilization in water-alkali electrolyzers for hydrogen production. Therefore, the exploration and understanding of the MoNi₄ electrocatalyst provide a promising alternative to Pt catalysts for emerging applications in energy generation.

Figure 4 | DFT calculations. (a) Calculated free energies of H₂O adsorption, activated H₂O adsorption, OH adsorption and H adsorption. (b) Calculated adsorption free energy diagram for the Volmer step. (c) Calculated adsorption free energy diagram for the Tafel step. Blue balls: Ni; aqua balls: Mo; red balls: O.

Methods

Material synthesis. To synthesize the MoNi_4 electrocatalyst, NiMoO_4 cuboids were first constructed on nickel foam through a hydrothermal reaction⁴⁶. First, the commercial nickel foam was successively washed with ethanol, a 1 M HCl aqueous solution and deionized water. Second, one piece of nickel foam ($1 \times 3 \text{ cm}^2$) was immersed into 15 ml of H_2O containing $\text{Ni}(\text{NO}_3)_2 \cdot 6\text{H}_2\text{O}$ (0.04 M) and $(\text{NH}_4)_6\text{Mo}_7\text{O}_{24} \cdot 4\text{H}_2\text{O}$ (0.01 M) in a Teflon autoclave. Third, the autoclave was heated at 150°C for 6 h in a drying oven. After washing with deionized water, the NiMoO_4 cuboids were achieved on the nickel foam. Finally, the as-constructed NiMoO_4 cuboids were heated at 500°C for 2 h in a H_2/Ar (4:96) atmosphere, and then, the MoNi_4 electrocatalyst anchored on the MoO_2 cuboids was obtained. The loading weight of the formed MoNi_4 nanoparticles and MoO_2 cuboids on the nickel foam was $\sim 43.4 \text{ mg cm}^{-2}$. The pure Ni nanosheets and MoO_2 cuboids on the nickel foam, as well as the pure MoO_2 nanosheets and MoNi_4 nanoparticles supported by MoO_2 cuboids on carbon cloth, were also prepared following the same procedure for MoNi_4 by changing the precursors and substrates.

Structure characterizations. SEM, as well as corresponding elemental mapping, and EDX analysis were carried out with a Gemini 500 (Carl Zeiss) system. HRTEM was performed using a LIBRA 200 MC Cs scanning TEM (Carl Zeiss) operating at an accelerating voltage of 200 kV. XPS experiments were carried out on an AXIS Ultra DLD (Kratos) system using Al K α radiation. XRD patterns were recorded on a PW1820 powder diffractometer (Phillips) using Cu-K α radiation. The electrochemical tests were carried out on WaveDriver 20 (Pine Research Instrumentation) and CHI 660E Potentiostat (CH Instruments) systems.

Electrochemical measurements. All electrochemical tests were performed at room temperature. The electrochemical HER was carried out in a three-electrode system. A standard Hg/HgO electrode and a graphite rod were used as the reference and counter electrodes, respectively. The Hg/HgO electrode was calibrated using bubbling H_2 gas on a Pt coil electrode. Potentials were referenced to an RHE by adding 0.923 V ($0.099 + 0.059 \times \text{pH}$) in a 1 M KOH aqueous solution. For comparison, Pt/C (20 wt%, FuelCellStore; loaded on the nickel foam at 1 mg cm^{-2}) was used as an HER electrocatalyst. The impedance spectra of the electrocatalysts in a three-electrode set-up were recorded at different HER overpotentials in a 1 M KOH electrolyte. All voltages and potentials were corrected to eliminate electrolyte resistances unless noted. Electrolyte resistance: 0.94Ω ; scan rate: 1 mV s^{-1} .

Theoretical calculations. All computations were performed by applying the plane-wave-based DFT method with the Vienna Ab Initio Simulation Package and periodic slab models. The electron ion interaction was described with the projector augmented wave method. The electron exchange and correlation energy were treated within the generalized gradient approximation in the Perdew–Burke–Ernzerhof formalism. The cut-off energy of 400 eV and Gaussian electron smearing method with $\sigma = 0.05 \text{ eV}$ were used. The geometry optimization was performed when the convergence criterion on forces became smaller than $0.02 \text{ eV } \text{\AA}^{-1}$ and the energy difference was $< 10^{-4} \text{ eV}$. The adsorption energy (E_{ads}) of species X is calculated by $E_{\text{ads}} = E(\text{X}/\text{slab}) - E(\text{X}) - E(\text{slab})$, and a more negative E_{ads} indicates a more stable adsorption. For the DFT calculations, the reactant (H_2O) and intermediates (OH and H) are first adsorbed on all possible active sites of the catalyst. Afterwards, the VASP software is utilized to optimize the adsorption. For evaluating the energy barrier ($E_a = E_{\text{TS}} - E_{\text{IS}}$), the transitional state (TS) was located using the Nudged Elastic Band method. All transition states were verified by vibration analyses with only one imaginary frequency. The $\text{p}(3 \times 3)\text{-Ni}(111)$, $\text{p}(3 \times 3)\text{-Mo}(110)$, $\text{p}(3 \times 3)\text{-MoO}_2(110)$ and $\text{p}(1 \times 1)\text{-MoNi}_4(200)$ surfaces were utilized to simulate the properties of these electrocatalysts.

Data availability. The data that support the findings of this study are available from the corresponding author on reasonable request.

References

- Turner, J. *et al.* Renewable hydrogen production. *Int. J. Energy Res.* **32**, 379–407 (2008).
- Dunn, S. Hydrogen futures: toward a sustainable energy system. *Int. J. Hydrog. Energy* **27**, 235–264 (2002).
- Holladay, J. D., Hu, J., King, D. L. & Wang, Y. An overview of hydrogen production technologies. *Catal. Today* **139**, 244–260 (2009).
- Kudo, A. & Miseki, Y. Heterogeneous photocatalyst materials for water splitting. *Chem. Soc. Rev.* **38**, 253–278 (2009).
- Lewis, N. S. & Nocera, D. G. Powering the planet: chemical challenges in solar energy utilization. *Proc. Natl Acad. Sci. USA* **103**, 15729–15735 (2006).
- Greeley, J., Jaramillo, T. F., Bonde, J., Chorkendorff, I. & Nørskov, J. K. Computational high-throughput screening of electrocatalytic materials for hydrogen evolution. *Nat. Mater.* **5**, 909–913 (2006).
- McKone, J. R., Marinescu, S. C., Brunschwig, B. S., Winkler, J. R. & Gray, H. B. Earth-abundant hydrogen evolution electrocatalysts. *Chem. Sci.* **5**, 865–878 (2014).
- Safizadeh, F., Ghali, E. & Houlachi, G. Electrocatalysis developments for hydrogen evolution reaction in alkaline solutions—a review. *Int. J. Hydrog. Energy* **40**, 256–274 (2015).
- Carmo, M., Fritz, D. L., Mergel, J. & Stolten, D. A comprehensive review on PEM water electrolysis. *Int. J. Hydrog. Energy* **38**, 4901–4934 (2013).
- Zou, X. & Zhang, Y. Noble metal-free hydrogen evolution catalysts for water splitting. *Chem. Soc. Rev.* **44**, 5148–5180 (2015).
- Zheng, Y., Jiao, Y., Jaroniec, M. & Qiao, S. Z. Advancing the electrochemistry of the hydrogen-evolution reaction through combining experiment and theory. *Angew. Chem. Int. Ed.* **54**, 52–65 (2015).
- Subbaraman, R. *et al.* Enhancing hydrogen evolution activity in water splitting by tailoring Li + -Ni (OH)₂-Pt interfaces. *Science* **334**, 1256–1260 (2011).
- Subbaraman, R. *et al.* Trends in activity for the water electrolyser reactions on 3d M (Ni, Co, Fe, Mn) hydr (oxy) oxide catalysts. *Nat. Mater.* **11**, 550–557 (2012).
- Danilovic, N. *et al.* Enhancing the alkaline hydrogen evolution reaction activity through the bifunctionality of Ni(OH)₂/metal catalysts. *Angew. Chem. Int. Ed.* **124**, 12663–12666 (2012).
- Fajín, J. L. C., Cordeiro, M. N. D. S. & Gomes, J. R. B. Density functional theory study of the water dissociation on platinum surfaces: general trends. *J. Phys. Chem. A* **118**, 5832–5840 (2014).
- Caban-Acevedo, M. *et al.* Efficient hydrogen evolution catalysis using ternary pyrite-type cobalt phosphosulphide. *Nat. Mater.* **14**, 1245–1251 (2015).
- Li, J.-S. *et al.* Coupled molybdenum carbide and reduced graphene oxide electrocatalysts for efficient hydrogen evolution. *Nat. Commun.* **7**, 11204–11211 (2016).
- McCrory, C. C. L. *et al.* Benchmarking hydrogen evolving reaction and oxygen evolving reaction electrocatalysts for solar water splitting devices. *J. Am. Chem. Soc.* **137**, 4347–4357 (2015).
- Morales-Guio, C. G., Stern, L.-A. & Hu, X. Nanostructured hydrotreating catalysts for electrochemical hydrogen evolution. *Chem. Soc. Rev.* **43**, 6555–6569 (2014).
- Shi, Y. & Zhang, B. Recent advances in transition metal phosphide nanomaterials: synthesis and applications in hydrogen evolution reaction. *Chem. Soc. Rev.* **45**, 1529–1541 (2016).
- Yan, Y., Xia, B., Xu, Z. & Wang, X. Recent development of molybdenum sulfides as advanced electrocatalysts for hydrogen evolution reaction. *ACS Catal.* **4**, 1693–1705 (2014).
- Hinmemann, B. *et al.* Biomimetic hydrogen evolution: MoS_2 nanoparticles as catalyst for hydrogen evolution. *J. Am. Chem. Soc.* **127**, 5308–5309 (2005).
- Tran, P. D. *et al.* Coordination polymer structure and revisited hydrogen evolution catalytic mechanism for amorphous molybdenum sulfide. *Nat. Mater.* **15**, 640–646 (2016).
- Ng, J. W. D. *et al.* Gold-supported cerium-doped NiO_x catalysts for water oxidation. *Nat. Energy* **1**, 16053–16060 (2016).
- Gong, M. *et al.* Nanoscale nickel oxide/nickel heterostructures for active hydrogen evolution electrocatalysis. *Nat. Commun.* **5**, 4695–4700 (2014).
- Fan, L. *et al.* Atomically isolated nickel species anchored on graphitized carbon for efficient hydrogen evolution electrocatalysis. *Nat. Commun.* **7**, 10667–10673 (2016).
- Zhou, H. *et al.* Efficient hydrogen evolution by ternary molybdenum sulfoselenide particles on self-standing porous nickel diselenide foam. *Nat. Commun.* **7**, 12765–12771 (2016).
- Wang, D.-Y. *et al.* Highly active and stable hybrid catalyst of cobalt-doped FeS_2 nanosheets–carbon nanotubes for hydrogen evolution reaction. *J. Am. Chem. Soc.* **137**, 1587–1592 (2015).
- Popczun, E. J. *et al.* Nanostructured nickel phosphide as an electrocatalyst for the hydrogen evolution reaction. *J. Am. Chem. Soc.* **135**, 9267–9270 (2013).
- Li, H. *et al.* Activating and optimizing MoS_2 basal planes for hydrogen evolution through the formation of strained sulphur vacancies. *Nat. Mater.* **15**, 48–53 (2015).
- Staszak-Jirkovsky, J. *et al.* Design of active and stable Co-Mo-S_x chalcogenides as pH-universal catalysts for the hydrogen evolution reaction. *Nat. Mater.* **15**, 197–203 (2015).
- Jiao, Y., Zheng, Y., Davey, K. & Qiao, S.-Z. Activity origin and catalyst design principles for electrocatalytic hydrogen evolution on heteroatom-doped graphene. *Nat. Energy* **1**, 16130–16138 (2016).
- Gong, Q. *et al.* Ultrasmall and phase-pure W_2C nanoparticles for efficient electrocatalytic and photoelectrochemical hydrogen evolution. *Nat. Commun.* **7**, 13216–13223 (2016).
- Wu, H. B., Xia, B. Y., Yu, L., Yu, X.-Y. & Lou, X. W. Porous molybdenum carbide nano-octahedrons synthesized via confined carburization in metal-organic frameworks for efficient hydrogen production. *Nat. Commun.* **6**, 6512–6519 (2015).
- Li, Y. H. *et al.* Local atomic structure modulations activate metal oxide as electrocatalyst for hydrogen evolution in acidic water. *Nat. Commun.* **6**, 8064–8070 (2015).

36. Konkena, B. *et al.* Pentlandite rocks as sustainable and stable efficient electrocatalysts for hydrogen generation. *Nat. Commun.* **7**, 12269–12276 (2016).
37. Liang, H.-W. *et al.* Molecular metal-N_x centres in porous carbon for electrocatalytic hydrogen evolution. *Nat. Commun.* **6**, 7992–7999 (2015).
38. Zhang, J. *et al.* Interface engineering of MoS₂/Ni₃S₂ heterostructures for highly enhanced electrochemical overall-water-splitting activity. *Angew. Chem. Int. Ed.* **128**, 6814–6819 (2016).
39. McKone, J. R., Sadtler, B. F., Werlang, C. A., Lewis, N. S. & Gray, H. B. Ni–Mo nanopowders for efficient electrochemical hydrogen evolution. *ACS Catal.* **3**, 166–169 (2013).
40. Merki, D., Vrubel, H., Rovelli, L., Fierro, S. & Hu, X. Fe, Co, and Ni ions promote the catalytic activity of amorphous molybdenum sulfide films for hydrogen evolution. *Chem. Sci.* **3**, 2515–2525 (2012).
41. Xie, J. *et al.* Defect-rich MoS₂ ultrathin nanosheets with additional active edge sites for enhanced electrocatalytic hydrogen evolution. *Adv. Mater.* **25**, 5807–5813 (2013).
42. Popczun, E. J., Read, C. G., Roske, C. W., Lewis, N. S. & Schaak, R. E. Highly active electrocatalysis of the hydrogen evolution reaction by cobalt phosphide nanoparticles. *Angew. Chem. Int. Ed.* **126**, 5531–5534 (2014).
43. Kibsgaard, J. & Jaramillo, T. F. Molybdenum phosphosulfide: an active, acid-stable, earth-abundant catalyst for the hydrogen evolution reaction. *Angew. Chem. Int. Ed.* **53**, 14433–14437 (2014).
44. Cao, B., Veith, G. M., Neuefeind, J. C., Adzic, R. R. & Khalifah, P. G. Mixed close-packed cobalt molybdenum nitrides as non-noble metal electrocatalysts for the hydrogen evolution reaction. *J. Am. Chem. Soc.* **135**, 19186–19192 (2013).
45. Birry, L. & Lasia, A. Studies of the hydrogen evolution reaction on raney nickel–molybdenum electrodes. *J. Appl. Electrochem.* **34**, 735–749 (2004).
46. Peng, S., Li, L., Wu, H., Madhavi, S. & Lou, X. Controlled growth of NiMoO₄ nanosheet and nanorod arrays on various conductive substrates as advanced electrodes for asymmetric supercapacitors. *Adv. Energy Mater.* **5**, 1401172–1401178 (2015).

Acknowledgements

This work was financially supported by the ERC Grant on 2DMATER and EC under Graphene Flagship (No. CNECT-ICT-604391). We also acknowledge the Cfaed

(Center for Advancing Electronics Dresden), the Dresden Center for Nanoanalysis (DCN) at TU Dresden and Dr Horst Borrmann for the X-ray diffraction characterizations in Max Planck Institute for Chemical Physics of Solids.

Author contributions

J.Z. and X.F. conceived and designed the experiments and wrote the paper; J.Z. carried out the synthesis and characterization of electrocatalysts; T.W. performed the DFT calculations; P.L., S.L., Z.L., X.Z., M.C. and E.Z. assisted with the HRTEM and XPS characterizations. All authors discussed the results and commented on the manuscript.

Additional information

Supplementary Information accompanies this paper at <http://www.nature.com/naturecommunications>

Competing interests: The authors declare no competing financial interests.

Reprints and permission information is available online at <http://npg.nature.com/reprintsandpermissions/>

How to cite this article: Zhang, J. *et al.* Efficient hydrogen production on MoNi₄ electrocatalysts with fast water dissociation kinetics. *Nat. Commun.* **8**, 15437 doi: 10.1038/ncomms15437 (2017).

Publisher's note: Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

This work is licensed under a Creative Commons Attribution 4.0 International License. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in the credit line; if the material is not included under the Creative Commons license, users will need to obtain permission from the license holder to reproduce the material. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>

© The Author(s) 2017