Effect of Crosslinker on Swelling and Thermodynamic Properties of Polyacrylamide Gels

J. BASELGA, I. HERNÁNDEZ-FUENTES,* R. M. MASEGOSA,**
and M. A. LLORENTE***

*Departamento de Materiales y Producción Aeroespacial,
E.T.S.I. Aeronáuticos, Universidad Politécnica,
28040 Madrid, Spain*

** Departamento de Química Física I, Facultad de Químicas,
Universidad Complutense, 28040 Madrid, Spain*

*** Cátedra de Química, E.U.I.T. Aeronáuticos,
Universidad Politécnica, 28040 Madrid, Spain*

**** Departamento de Química Física, Facultad de Ciencias,
Universidad a Distancia (UNED),
28040 Madrid, Spain*

(Received September 27, 1988)

ABSTRACT: PAA networks have been prepared by crosslinking copolymerization of acrylamide (AA) and *N,N'*-methylene-bis-acrylamide (BA) in water. The degree of swelling was measured in the range $v_2=0-0.16$ as a function of crosslinker proportion, C (%w/w) and total concentration, C_T (g/100 ml). The swelling of two networks with BA contents of 3% and 10% were measured as a function of temperature in the range 10—30°C. The interpretation of elastic and swelling data in terms of the scaling law $|f_{ph}^*| = Av_2^m$, shows a transition from a good solvent regime to a collapsed state for the polymer chains, when the crosslinker proportion is around 5 to 7%. Results of elastic and swelling measurements were used to determine the χ parameter. A different dependence of χ with v_2 was found for gels with BA contents below and above 5—7%. The enthalpic contribution to the interaction parameter χ_H was calculated from swelling experiments as a function of temperature. The results show that when the BA proportion is increased, the enthalpic interaction parameter at infinite dilution gets closer to the one of poly(*N*-methyl-acrylamide).

KEY WORDS Polyacrylamide Gels / Swelling / Collapse / Interaction
Parameter /

Polyacrylamide (PAA) gels, obtained by crosslinking copolymerization of acrylamide (AA) and *N,N'*-methylene-bis-acrylamide (BA), are heterogeneous and this becomes evident in any property that is measured on them¹⁻⁴ (see introduction of ref 1). Experimental results are usually explained supposing a two phase structure^{5,6} and much effort has been done to determine the origin of this heterogeneity. The compositional shift along the copolymerization process, the non uniform distribution of crosslinker^{1,7,8} and the extent of cyclization reactions^{9,10} seem to be fundamen-

tal aspects which greatly modify the structure of the gels.

Typical experiments are performed varying the total concentration of comonomers, C_T (g/100 ml), and the crosslinker proportion, C (%w/w), and the structure and properties of the resulting gels are strongly dependent on both variables. In this paper we report on the influence of the crosslinker amount on the swelling properties of this gels, in the light of scaling and thermodynamic arguments.

Scale concepts have been proved to be appropriate tools in understanding the physical

properties of polymer systems.¹¹ The relationship between the elastic modulus and the equilibrium polymer concentration¹¹ (see eq 2) for swollen networks allow us to estimate the excluded volume parameter¹² and, therefore, crossover effects between different regimes that may occur when the crosslinker proportion is varied.

On the other hand, in the thermodynamic behavior of swollen networks the interaction parameter χ plays an important role.¹³ The χ parameter can be obtained from swelling experiments by using the equality between mixing and elastic contributions to the solvent chemical potential if one knows how much that elastic contribution is. Here we calculate the elastic contribution from independent stress-strain measurements on the swollen networks which were previously reported.⁴

This method yields χ parameter values representative of the linear polymer/solvent interaction when the crosslinks have a negligible effect. Usually this requirement is met when the average molecular weight between crosslinks, M_c , is high enough (above 10^4). In the networks studied here the crosslinker content, although M_c values⁴ are above 10^4 , may affect deeply their swelling behavior. This feature will be studied by calculating the enthalpic contribution to the interaction parameter.

EXPERIMENTAL

Samples preparation

Polyacrylamide (PAA) gels were synthesized by crosslinking copolymerization of acrylamide (AA) and *N,N'*-methylene-bis-acrylamide (BA), both monomers from Eastman Kodak, in water at room temperature. BA was used after recrystallization from acetone. The redox pair potassium persulphate (PSA)/triethanolamine (TEA), both products from Carlo Erba, was used as a room temperature initiator system; their concentrations were $|\text{PSA}| = 6.57 \times 10^{-3} \text{ M}$ and $|\text{TEA}| = 8.51 \times 10^{-3} \text{ M}$.

Experiments carried out at constant tem-

perature, 30°C, were performed on previously synthesized gels⁴ with different compositions. They were obtained varying the total comonomer weight concentration, C_T (g/100 ml), and the weight fraction of crosslinker in the comonomers mixture, C (%w/w). In a set of gels, C_T was varied from 4.99 to 18 g/100 ml, keeping constant $C = 10\%$, and in a second set of experiments C was varied from 0.663 to 14.50%, while keeping constant $C_T = 6.7 \text{ g/100 ml}$. Experiments carried out at different temperatures were performed on newly synthesized gels using exactly the same polymerization conditions. The characteristics of the

Table I. Polymerization conditions, polymer volume fraction at swelling equilibrium, v_2 and elastic modulus, $|f_{ph}^*|$, on PAA gels

Sample	C_T g/100 ml	C %w/w	v_2	$ f_{ph}^* $ Nmm ⁻²
T- 1	18.0	10.1	0.158 0.156	0.311 0.336
T- 2	15.0	10.0	0.128 0.126	0.119 0.150
T- 3	11.0	9.5	0.0903 0.0862	0.0685 0.0723
T- 4	7.67	10.2	0.0587 0.0627	0.0217 0.0265
T- 5	6.72	10.1	0.0487 0.0484	0.0193 0.0170
T- 6	4.99	10.0	0.0338 0.0381	0.0074 0.0072
C- 1	6.71	0.663	0.0137 0.0124	0.0026 0.0022
C- 2	6.60	1.134	0.0293	0.0093
C- 3	6.70	2.599	0.0303 0.0313	0.0130 0.0138
C- 4	6.69	3.950	0.0403	0.0192
C- 5	6.71	5.784	0.0463 0.0422	0.0165 0.0192
C- 6	6.67	6.951	0.0571 0.0501	0.0195 0.0190
C- 7	6.68	8.756	0.0463	0.0154
C- 9	6.70	11.91	0.0474 0.0494	0.0135 0.0135
C-10	6.80	13.98	0.0460	0.0100
			—	0.0108
C-11	6.67	14.50	0.0487	0.0103

whole set of gels are given in the first three columns of Table I.

All the polymerizations were carried out for two days to ensure total conversion and subsequently the samples were extracted in water in order to remove initiator residues and the soluble fraction. Further details are given in ref 4.

Swelling Equilibrium Measurements

The extracted samples were placed in a thermostated bath for one week to attain swelling equilibrium in water at 30°C. Samples T-5 and C-3, differing only in the crosslinker proportion (10% and 3% respectively), were the ones chosen to carry out experiments at different temperatures; these temperatures were 30, 25, 20, 15, and 10°C. The samples were allowed to swell for one week at every temperature weighing them before each change.

Equilibrium polymer volume fractions were determined weighing the samples after they were vacuum dried at 50°C, until constant weight, and assuming additivity of volumes, by means of the expression:

$$v_2 = (1 + w d_2 / d_w)^{-1} \quad (1)$$

where w is the mass of solvent per unit mass of dry network and d_w and d_2 are the solvent¹⁴ and polymer densities respectively. d_2 was taken to be the same that the linear PAA¹⁵ ($d_2 = 1.300 \text{ g/ml}^{-1}$). In most cases two samples of each gel were measured.

Turbidimetric Measurements

Solutions of AA, BA, and initiator, with exactly the same concentration of samples C-3 and T-5, were let to polymerize for three days inside standard quartz cells. Turbidimetric measurements were carried out on a Shimadzu UV-240 spectrophotometer at 600 nm, were the spectrum of the sample C-3 shows any absorption band, using the standard device for temperature control.

RESULTS AND DISCUSSION

Swelling Results

Numerical values of the polymer volume fractions at 30°C for the samples studied, are given in column four of Table I and they are plotted against initial polymerization conditions, C_T and C , in Figure 1. Two different tendencies can be observed for the two sets of gels studied. The linear increase of v_2 with the total concentration has been reported⁴ to be a consequence of an increase on the crosslinking density.¹⁶ Increasing C_T , the probability of formation of network defects decreases (intramolecular cyclization decreases).

The variation of v_2 with the crosslinker proportion shows an asymptotic limit; first v_2 increases with C until a proportion of BA around 5–7% is reached, remaining practically constant for higher BA contents. Similar results have been reported for this system by Cohen *et al.*¹⁷ and our results agree also with the measurements of Richards and Temple.¹⁸

From a phenomenological point of view, it has been reported a change in this region of

Figure 1. Polymer volume fraction at swelling equilibrium v_2 , as a function of the total comonomer concentration C_T (g/100 ml), (○), and as function of crosslinker proportion C (% w/w), (□). Lines were drawn in order to show the trend of the data.

BA concentrations on many different properties which have been measured.¹⁻⁴ Coincidence on the same value of C for the appearance of turbidity,¹⁹ a maximum on the elastic modulus,⁴⁻⁶ or a minimum on the gel point conversion,⁸ has been observed. The presence of high BA contents induces the formation of an increasing number of heterogeneities in PAA gels with important consequences in their final structure and topology.

Results of swelling equilibrium at different temperatures are presented in Table II. As indicated in the experimental section, two samples were studied, both with the same initial total comonomer concentration ($C_T = 6.7$ g/100 ml), but one of them (sample T-5) in the range of high BA content ($C = 10.1\%$) while the second one (sample C-3) has a much lower amount of crosslinker monomer ($C = 3\%$). As can be seen (Table II), a slight decrease of v_2 with temperature is observed in both gels, as expected due to the increasing solvent capacity of the water towards the PAA gels. The values

of v_2 for T-5 gels are higher than the corresponding ones for C-3 gels at each temperature due to its higher crosslinking density (Table I).

Turbidimetric measurements at 600 nm as a function of temperature, on samples C-3 and T-5, are presented in Table III. As expected from the phase diagram of Bansil and Gupta,¹⁹ sample T-5 is opaque (high τ) while sample C-3 is transparent (very low τ). These features remain unchanged in the range of temperatures studied. Sample C-3 shows no substantial change of τ with temperature, although for sample T-5, turbidity slightly decreases, being more pronounced for low temperatures than for high temperatures.

Elastic and Swelling Data

Elastic data taken from ref 4 are given in column five of Table I. In Figure 2 the phantom modulus, $|f^*_{ph}|$ versus the equilibrium volume fraction is plotted, for the C-number set of gels, in a logarithmic form in order to interpret the data in terms of the universal relationship between the elastic modulus and polymer concentration¹¹

$$|f^*_{ph}| = A v_2^m \quad (2)$$

where the factor A contains the non-universal properties of the system¹² while the power law exponent, m , is connected with the excluded volume exponent, v , of the free polymer chains,¹¹ by

Table II. Polymer volume fraction at swelling equilibrium, v_2 , interaction parameter, χ , enthalpy parameter, χ_H and enthalpy parameter at infinite dilution, χ_H^0 , as a function of temperature for the system PAA gels/water

Sample	T °C	v_2	χ	χ_H	χ_H^0
Gel T-5	10	0.0499	0.495	-0.024	—
	15	0.0481	0.494	-0.022	—
	20	0.0473	0.493	-0.021	—
	25	0.0466	0.493	-0.020	0.015
	30	0.0454	0.492	-0.019	—
Gel C-3	10	0.0334	0.479	-0.035	—
	15	0.0326	0.478	-0.032	—
	20	0.0312	0.476	-0.027	—
	25	0.0302	0.474	-0.024	0.062
	30	0.0293	0.473	-0.021	—
Linear PAA	25	—	—	—	0.08 ^a
PNMA	25	—	—	—	-0.06 ^a

^a Reference 28.

Table III. Turbidity τ at 600 nm of samples C-3 and T-5 as a function of temperature

T °C	τ_{C-3} cm ⁻¹	τ_{T-5} cm ⁻¹
10	0.083	7.83
20	0.078	7.53
30	0.076	7.31
40	0.074	7.12
50	0.071	6.96
60	0.069	6.95
70	0.069	6.95

Figure 2. Logarithmic plot of the elastic modulus $|f_{ph}^*|$ as a function of polymer volume fraction at swelling equilibrium v_2 . Lines are the best fit of eq (2).

$$m = 3v(3v - 1)^{-1} \quad (3)$$

In eq 3, v may take the values $3/5$, $1/2$, or $1/3$ in good, θ and poor solvents, respectively. The first two values follow readily from the mean field approach formulated by Flory²⁰ (although for good solvents a different value has been given recently²¹), while the value $1/3$ results from the spherical volume occupied by a collapsed coil. Therefore the power law exponent, m , from eq 2, assumes the values 2.25, 3.0, and ∞ , respectively. However, some calculations made by Erman *et al.*²³ show that the predicted values given above for θ and good solvents occur within a specific concentration range.

As it can be seen from Figure 2, two different behaviors can be observed for the C -number set of gels. The data corresponding to the samples with the lowest BA content (less than 5%) can be fitted reasonably to a straight line (correlation coefficient 0.994). The slope of this line and therefore the value of m is 1.88 confirming the good solvent quality of water for this system. On the other hand, for samples with BA content above 5–7%, the trend of the data suggests an infinite slope which corresponds to a collapsed state of the polymer chains in the network structure. This results is

in agreement with Figure 1 and elastic data given in Table I, from where it can be seen that v_2 is insensitive to BA proportion above $C = 5$ –7% and also, different elastic moduli for almost the same value of v_2 are obtained in this region.

A transition between a good solvent regime to a collapsed state regime seems to be induced by the increasing amount of crosslinker. The way by which such a transition is induced may be explained, taking into account also experimental observations about the development of turbidity along the polymerization process, in terms of microsineresis^{9,23,24} during the formation of the gels. All these observations agree with the behavior found for other monovinyl/divinyl systems such as styrene/divinylbenzene.²⁵

Interaction Parameter

Let us now examine how the heterogeneities introduced in the gel structure by the increasing amount of BA affect the thermodynamics of these systems.

The chemical potential of the diluent, $\Delta\mu_1$, in a mixture of a collection of chain segments connected one to another as in a coherent network, may be written²⁰

$$\Delta\mu_1 = \ln(1 - v_2) + v_2 + \chi v_2^2 + (RT)^{-1}(\partial\Delta A_{e1}/\partial n_1) \quad (4)$$

where χ is a phenomenological coefficient, expressing deviations from purely combinatorial terms, which characterizes the interactions between solvent and polymer; ΔA_{e1} is the elastic free energy of the system, and n_1 is the number of molecules of solvent.

The last term in eq 4 represents the elastic contribution to the chemical potential of the solvent. In accordance with the theory of Flory²⁶ for a perfect tetrafunctional network, this last term is given by

$$(\Delta\mu_1)_{e1} = (V_1/RT)|f_{ph}^*|v_2^{1/3}(1 + K(v_2)) \quad (5)$$

where V_1 is the molar volume of the solvent

Figure 3. Interaction parameter χ as a function of polymer volume fraction v_2 . (●) correspond to the C-number set of gels and (○) to the T-number set. Lines are constructed fitting experimental results to curves of the form $\chi = \chi_1 + \chi_2 v_2$ in different ranges of v_2 : (—) $0 < v_2 < 0.16$; (---) $0 < v_2 < 0.05$; (-·-·-) $0.05 < v_2 < 0.16$.

Table IV. Interaction parameter χ of the system PAA gel/water as a function of polymer volume fraction, v_2 , at 30°C (coefficients of the equation $\chi = \chi_1 + \chi_2 v_2$)

Concentration range in v_2	χ_1	χ_2
0—0.16	0.483	0.199
0—0.05	0.467	0.610
0.05—0.16	0.491	0.121

and $K(v_2)$ is a function which interpolates between the affine and the phantom limits.²⁷ This function depends on the degree of swelling and can be calculated from elastic results given in Table I and ref 4.

At swelling equilibrium the first term of eq 4 vanishes ($\Delta\mu_1 = 0$) and the interaction parameter χ , may be calculated by using eq 4 and 5 for each value of v_2 .

The results obtained for the whole set of gels, at 30°C, are presented in Figure 3. As an approximation the interaction parameter can be assumed to vary linearly with the polymer composition, v_2 ; therefore the data have been fitted to a straight line of the form $\chi = \chi_1 + \chi_2 v_2$. Values of the constants χ_1 and χ_2 obtained by least square analysis are given in Table IV. The values of χ_1 coincide with the interaction parameter at infinite dilution, χ^0 , for the system linear PAA/water, and it can be compared with other results reported in the literature for this same system. Day and

Robb²⁸ found a value of $\chi_0 = 0.495$ for the system linear PAA/water, obtained by osmometric measurements. Similar studies²⁹ gave values for χ^0 in the range 0.487—0.495, for different fractions of linear PAA. However these values are slightly higher than the value of $\chi^0 = 0.466$ obtained by a Stockmayer-Fixman extrapolation.³⁰ All these data confirm the favourable interaction between PAA and water.

On the other hand, if we examine Figure 3 in more detail, we can observe that the values of χ corresponding to lower polymer concentrations (values of C below 5—7%), have a different dependence with v_2 than the data obtained at higher polymer concentration (values of C above 7%). Fitting both sets of data separately we obtained the parameters also given in Table IV. We can see that the extrapolation of the data corresponding to the low polymer concentration region yields a value of χ^0 lower than the one calculated for the most concentrated gels. This behavior is in agreement with the analysis of the elastic and swelling results made above. In the region of low values of C (low concentration, v_2) the lower value of χ^0 corresponds to the good solvent regime suggested by scaling arguments involved in eq 2; a value of m corresponding to a good solvent is obtained in this region whereas for more concentrated systems (higher values of C) a collapsed state is observed.

The behavior of the interaction parameters

Table V. Interaction parameter χ of the system PAA gel/water as a function of temperature (K) and polymer volume fraction, v_2 (coefficients a , b , c , and d of eq 6)

Sample	a	b	c	d
		deg ⁻¹		deg ⁻¹
T-5	0.4253	4.5447	1.8798	-226.26
C-3	0.3503	18.5527	4.8874	-849.06

as a function of temperature has been studied on gels T-5 and C-3. As mentioned above these two samples differ in the percentage of BA monomer and they fall in different regions of the phase diagram^{4,19} (see Table I). The results obtained are given in Table II. In the range of temperatures investigated, the variation of χ with temperature is very small in both samples. The results have been fitted by an expression of the form³¹

$$\chi = (a + b/T) + (c + d/T)v_2 \quad (6)$$

and the corresponding coefficients a , b , c , and d are given in Table V.

The enthalpic, χ_H , and entropic, χ_S contributions to the interaction parameter can be calculated from its dependence with temperature²⁰ by the expressions

$$\chi_H = -T(\partial\chi/\partial T)v_2 \quad (7)$$

$$\chi_S = \chi - \chi_H \quad (8)$$

By derivation of eq 6, values of χ_H for both gels have been calculated using the coefficients given in Table IV. The results are also given in Table II. As we can see, in the range of polymer concentrations covered, the values of χ_H are negative in both cases. A negative enthalpic contribution to the interaction parameter indicates the existence of favourable polymer-solvent specific interactions.

The values calculated here for χ_H can be compared with the ones reported by Day and Robb²⁸ obtained from heats of dilution measurements, at 25°C, on linear PAA and substituted polyacrylamides (poly(*N*-methyl

acrylamide) (PNMA) and poly(*N,N*-dimethyl acrylamide) (PDMA)) in water. These authors obtain positive values for the enthalpic contribution for the system linear PAA/water. Data were obtained in the range of polymer concentrations $v_2 = 0-0.1$, and fall in the interval $\chi_H = 0.08-0.12$. The fact that in the same composition range, we obtain negative values of χ_H may be explained by taking into account that our gels are not constituted exclusively by pure PAA chains since the crosslinking monomer is present. Therefore our gels should be considered as copolymeric systems, and the crosslinker (BA) as a monosubstituted acrylamide monomer. Thus, the values of χ_H obtained in these gels for all polymer concentrations, fall between the ones reported by Day and Robb in the range $v_2 = 0-0.1$, for the two systems linear PAA/water and PNMA/water (χ_H (PNMA) = -0.06 to -0.015).

On the other hand, by comparing the values at infinite dilution, χ_H^0 (see Table II), we can observe that in our case χ_H^0 is positive for the two gels studied and its value fall also between the values corresponding to the system linear PAA/water and PNMA/water. Moreover, the two gels examined show enthalpic contributions to the interaction parameter rather different; sample T-5 (high BA content) has a value of χ_H^0 close to the one of the system PNMA/water and sensibly lower than the value of the gel C-3 which is closer to the system PAA/water.

CONCLUSIONS

Elastic and swelling equilibrium measurements carried out on PAA gels, obtained with different percentages of the crosslinking monomer, show a transition between a good solvent regime, corresponding to BA concentrations below 5-7%, and a collapsed state at higher BA concentrations.

Values of the polymer-solvent interaction parameter as a function of the polymer concentration and at constant temperature, ob-

tained from swelling equilibrium measurements, confirm the behavior shown by the elastic experiments.

The enthalpic contribution to the interaction parameter, obtained from data of χ as a function of temperature, for different polymer concentrations, indicates the existence of favourable specific interactions in the system PAA/water. The values of χ_H obtained for our gels, fall between the values obtained for the systems: linear PAA/water and PNMA/water. This result is justified by the presence of BA units which are incorporated in the gels during their synthesis.

Acknowledgments. Financial support from CAICYT (SPAIN) under grant n° PA86/0370 is gratefully acknowledged.

REFERENCES

1. J. L. Nieto, J. Baselga, I. Hernández-Fuentes, M. A. Llorente and I. F. Piérola, *Eur. Polym. J.*, **23**, 551 (1987).
2. T.-P. Hsu and C. Cohen, *Polymer*, **25**, 1419 (1985).
3. V. F. Janas, F. Rodríguez and C. Cohen, *Macromolecules*, **13**, 977 (1980).
4. J. Baselga, I. Hernández-Fuentes, I. F. Piérola and M. A. Llorente, *Macromolecules*, **20**, 3060 (1987).
5. N. Weiss, T. T. Van Vliet and A. Silberberg, *J. Polym. Sci. Polym. Phys. Ed.* (a) **19**, 1505 (1981); (b) **17**, 2229 (1979).
6. N. Weiss and A. Silberberg, *Br. Polym. J.*, **9**, 144 (1977).
7. J. Baselga, M. A. Llorente, J. L. Nieto, I. Hernández-Fuentes and I. F. Piérola, *Eur. Polym. J.*, **24**, 161 (1988).
8. J. Baselga, I. Hernández-Fuentes, M. A. Llorente and I. F. Piérola, in preparation.
9. K. Dusek and W. Prins, *Adv. Polym. Sci.*, **6**, 1 (1969).
10. K. Dusek, *Dev. Polym.*, **3**, 143 (1982).
11. D.-G. De Glennes, "Scaling Concepts in Polymer Physics," Cornell University Press: Ithaca, N.Y. 1980.
12. M. Zrinyi and F. Horkay, *Macromolecules*, **17**, 2805 (1984).
13. B. Erman and P. J. Flory, *Macromolecules*, **19**, 2342 (1986).
14. H. Wagenbreth and W. Blanke, "The density of water in SI units and in the International Practical Temperature Scale," PTB-Information, 6/71, 412 (1968).
15. W. Scholtan, *Makromol. Chem.*, **14**, 169 (1954).
16. J. Baselga, I. F. a Piérola, I. Hernández-Fuentes and M. A. Llorente, *Makromol. Chem., Macromol. Symp.* (1988), in press.
17. T. D. Hsu, D. S. Ma and C. Cohen, *Polymer*, **24**, 1273 (1983).
18. E. G. Richards and C. J. Temple, *Nature (Phys. Sci.)*, **22**, 92 (1971).
19. R. Bansil and M. K. Gupta, *Ferroelectrics*, **30**, 63 (1980).
20. Preliminary experiments on determining the variation of turbidity with temperature, in the range 0—90°C, show no substantial change although a slight decrease was observed, higher for T-5 than for C-3.
21. P. J. Flory, "Principles of Polymer Chemistry," Cornell University Press: Ithaca, N.Y. 1953.
22. J. C. Le Guillon and J. Zinn-Justin, *Phys. Rev. Lett.*, **39**, 95 (1977).
23. I. Bahar and B. Erman, *Macromolecules*, **20**, 1696 (1987).
24. K. Dusek, *Chem. Zvesti.*, **25**, 184 (1971).
25. K. Dusek, *Polym. Prepr., ACS Div. Polym. Chem.*, **11**, 536 (1970).
26. J. Malinsky, J. Kablan and K. Dusek, *Collect. Czech. Chem.*, **34**, 711 (1969).
27. P. J. Flory, *J. Chem. Phys.*, **66**, 5720 (1977).
28. P. J. Flory and B. Erman, *Macromolecules*, **15**, 800 (1982).
29. J. C. Day and I. D. Robb, *Polymer*, **22**, 1530 (1981).
30. G. S. Misra and S. N. Bhattacharya, *Eur. Polym. J.*, **15**, 125 (1979).
31. See ref. 12 inside ref. 3.
32. M. R. Gómez-Antón, R. M. Masegosa and A. Horta, *Polymer*, **28**, 2116 (1987).