Georgetown University, Washington, DC, USA.

⁶Department of Emergency Medicine, Columbia University Irving Medical Center, New York, NY, USA.

✉e-mail: mz2621@cumc.columbia.edu

Published online: 19 April 2021

<https://doi.org/10.1038/s41591-021-01328-3>

References

1. UNHCR. <https://www.unhcr.org/refugee-statistics/> (accessed 23 February 2021).
2. Collins, K. & Holder, J. <https://www.nytimes.com/interactive/2021/03/31/world/global-vaccine-supply-inequity.html> *The New York Times* (31 March 2021).
3. Phelan, A. L., Eccleston-Turner, M., Rourke, M., Maleche, A. & Wang, C. *Lancet* **396**, 800–802 (2020).
4. Berkley, S. *Gavi, the Vaccine Alliance* <https://www.gavi.org/vaccineswork/covax-explained> (2020).
5. Figueroa, J. P. et al. *Lancet* **397**, 562–564 (2021).
6. The Economist Intelligence Unit. *The Economist* <https://www.eiu.com/n/85-poor-countries-will-not-have-access-to-coronavirus-vaccines/> (27 January 2021).
7. *The New Humanitarian* <https://www.thenewhumanitarian.org/maps-and-graphics/2021/coronavirus-humanitarian-update-map-data-vaccine-aid-response> (2021).
8. The International Federation of Red Cross and Red Crescent Societies. <https://media.ifrc.org/ifrc/document/least-protected-affected-migrants-refugees-facing-extraordinary-risks-covid-19-pandemic/> (10 September 2020).
9. Nair, S. *Refugees International* <https://www.refugeesinternational.org/reports/2020/12/29/vaccine-authorization-is-just-the-beginning-of-the-journey-to-protecting-displaced-populations-from-covid-19> (29 December 2020).
10. Rohan, H. & McKay, G. *Nat. Immunol.* **21**, 591–594 (2020).
11. Nachega, J. B., Mbala-Kingebeni, P., Otshudiema, J., Zumla, A. & Tam-Fum, J.-J. *M. Lancet Glob. Health* **8**, e991–e992 (2020).
12. The Global Fund. <https://www.theglobalfund.org/en/covid-19/news/2020-06-17-global-fund-survey-majority-of-hiv-tb-and-malaria-programs-face-disruptions-as-a-result-of-covid-19/> (17 June 2020).
13. Lam, E., McCarthy, A. & Brennan, M. *Hum. Vaccin. Immunother.* **11**, 2627–2636 (2015).
14. Burchett, H. E. D. et al. *Vaccine* **32**, 6505–6512 (2014).
15. Romero, S., Harmon, A., Tompkins, L. & del Rio, G.M.N. *The New York Times* <https://www.nytimes.com/2021/02/04/us/covid-vaccines-crossing-states.html> (4 February 2021).
16. Human Rights Watch. <https://www.hrw.org/news/2021/01/28/lebanon-gaps-remain-vaccine-program-planning> (28 January 2021).
17. Human Rights Watch. <https://www.hrw.org/news/2021/02/02/syria-covid-19-vaccine-access-should-be-expanded-fair> (2021).
18. Lieberman, A. *Devex* <https://www.devex.com/news/humanitarians-plan-for-covid-19-vaccinations-in-conflict-zones-98971> (25 January 2021).
19. Parkin Daniels, J. *The Guardian* <https://www.theguardian.com/global-development/2020/dec/22/columbia-coronavirus-vaccine-migrants-venezuela-ivan-duque> (22 December 2020).
20. Welsh, T. *Devex* <https://www.devex.com/news/in-brief-legal-status-for-venezuelans-in-colombia-to-improve-vaccine-access-99118> (9 February 2021).
21. Nnadi, C. et al. *J. Infect. Dis.* **216**, S368–S372 (2017).
22. de Quadros, C. *Sci. Am.* <https://www.scientificamerican.com/article/victories-and-challenges-in-the-war-against-polio/> (2013).
23. Toppenberg-Pejcic, D. et al. *Health Commun.* **34**, 437–455 (2019).
24. Edwards, J.K. et al. *MEASURE Evaluation* <https://www.measureevaluation.org/resources/publications/tr-20-412> (2020).
25. Camlin, C.S., Cassels, S. & Seeley, J. *J. Int. AIDS Soc.* <https://doi.org/10.1002/jia2.25136> (2018).

Acknowledgements

We thank S. Guyer and K. McCann for research and editorial support. The authors of this Comment are members of a research consortium led by Columbia University's Program on Forced Migration and Health, with the American University of Beirut, Brandeis University, Georgetown University and Universidad de los Andes. The consortium is conducting a two-year research project that aims to provide evidence and guidance to strengthen health systems to address the needs of displaced and host populations in contexts of protracted displacement. The program is funded by UK aid through the Foreign, Commonwealth and Development Office (FCDO). It is managed by the World Bank Group (WBG) and was established in partnership with the United Nations High Commissioner for Refugees (UNHCR). This work does not necessarily reflect the views of UK Aid, the WBG or UNHCR.

Author contributions

All authors jointly conceived of and conceptualized the commentary; M.Z. led the design and development of the manuscript; M.Z., L.S.L. and M.N.A. conducted background research; M.Z. and L.S.L. drafted and revised the manuscript; and all authors reviewed the manuscript and provided several rounds of critical feedback.

Competing interests

The authors declare no competing interests.

Additional information

Supplementary information The online version contains supplementary material available at <https://doi.org/10.1038/s41591-021-01328-3>.

Sustained behavior change is key to preventing and tackling future pandemics

Investment in research and programs to discover and apply the principles that underpin sustained behavior change is needed to address the continuing threat from COVID-19 and future pandemics and will require collaboration among behavioral, social, biomedical, public-health and clinical scientists.

Susan Michie and Robert West

Human behavior was instrumental in causing COVID-19, and changing it has been vital to tackling this pandemic. The countries that have done best in mitigating COVID-19's harms to health and to their economies have rapidly and successfully persuaded their populations to enact large-scale behavior change. Some of these interventions have been highly effective, others have been less so, and some have produced substantial social and financial harm. In particular, national 'lockdowns' have been effective in keeping people from interacting, to reduce the spread of disease¹, but they have been very damaging to people's lives and to national economies. Therefore,

lockdowns should ideally be used only to bring transmission levels low enough to be controllable by other policies. These policies include adequate 'find, test, trace, isolate and support' systems²; border controls and quarantine to prevent reseeding of infections; the creation of safe working, domestic and transport spaces; and the promotion of personal protective behaviors such as the use of face coverings³.

Capability, opportunity and motivation

Large-scale, sustained behavior change is needed to reduce the risk of, and to prepare for, future pandemics⁴. The COVID-19 pandemic has shown that populations will adopt at least some of the required behaviors

under certain conditions⁵. However, adoption has been variable across countries, over time and across social groups⁵.

Achieving sustained behavior change requires a sound understanding by policymakers and intervention designers of what underpins the behaviors concerned. For example, what does it take in all cultures to ensure that, where appropriate, people keep safe physical distances from each other, wear face coverings masks and disinfect their hands? What is needed to ensure that adequate ventilation is provided in enclosed spaces, and that people in high-risk settings use personal protective equipment effectively?

We provide here important behavioral targets for the prevention and mitigation of

Table 1 | Behaviors needed to minimize pandemic harm, and stakeholders responsible for them

Goal	Behavioral targets	Whose behaviors
Reduce opportunities for zoonotic infections	- The capture, breeding, storage and sale of animals - The preservation of ecosystems in which host and reservoir animals live	Policyholders, traders, business leaders, consumers, general public
Prevent initial spread of infection	- Early detection, local isolation and quarantine - Global early-warning systems for pandemics	Policyholders, public officials, health professionals, general public
Prevent spread within communities	- Case finding, testing, supported isolation and quarantine - Social distancing, reducing contact, disinfection and mask-wearing	Policyholders, health professionals, key workers, enforcement officers, general public
Prevent spread between communities	- Case finding, testing, supported isolation and quarantine - Travel and border controls	Policyholders, border officials, health professionals, travelers, enforcement officers
Build resilient public-health systems and health and care services	- Adequate resourcing of public health and health and care services - The creation and flexible deployment of surge capacity, and protection of staff	Policyholders, health professionals
Minimize exacerbation of inequalities	- Engagement of communities in co-producing policies and interventions - Tailoring of policies and interventions to the needs and circumstances of individual people and groups in society	Policyholders, community representatives, health professionals, enforcement officers

pandemics such as COVID-19 (Table 1). The behaviors vary in what is needed to enact them and the contextual influences on them.

A simple, comprehensive way of understanding behavior is through the 'capability–opportunity–motivation–behavior' (COM-B) model^{6,7} (Fig. 1). This model takes as its premise that for any behavior to occur, people must have

Fig. 1 | The COM-B model of behavior. Capability, opportunity and motivation are all essential for any behavior to occur. Capability and opportunity influence motivation. Behavior feeds back to influence capability, opportunity and motivation.

the following: the relevant physical and psychological capabilities; the opportunity; and greater motivation to perform that behavior than anything else they could be doing at the time. Capability and opportunity feed into motivation, so that having greater capability and opportunity can increase motivation (Fig. 1). Behavior then feeds back, and so changing behavior can, in turn, influence capability, opportunity and/or motivation. Thus, behavior is part of an evolving and interacting system. Creating sustained behavior change requires changes to capability, opportunity and motivation that are mutually reinforcing.

Physical capabilities include strength, stamina, and physical and psychomotor skills, whereas psychological capabilities include knowledge, resilience, and mental skills. Motivation comprises both reflective processes, such as self-conscious decision-making, and automatic processes that involve emotions and habits. Opportunity involves having the resources, time and physical space to enact a behavior. It also involves having social structures, norms and cues that make the behavior possible or promote it. The World Health Organization has used the COM-B model to make recommendations for improving adherence

Fig. 2 | The behavior change wheel framework for designing interventions. The layers in the wheel are not intended to line up with each other. Two publications^{7,8} have provided tables showing how a COM-B analysis points to intervention types and policy options most likely to be effective in a given context.

to rules and guidance on behaviors that are protective against COVID-19⁸.

Requirements for behavior change

The development of effective interventions requires an understanding of what changes in capability, motivation or opportunity, or their combination, will drive behavior change. Getting the balance wrong can be disastrous. For example, in 2020, the UK government largely failed in its attempts to get people with COVID-19 to self-isolate when needed, in part because it did not heed this lesson. Survey data showed that fewer than 50% of people with COVID-19 symptoms reported staying at home for the required isolation period⁹. Failure to self-isolate appeared to be driven largely by financial need or domestic or caring responsibilities—i.e., a lack of opportunity⁹. People on low incomes were just as motivated to self-isolate when needed as were those with more financial resources, but did so less¹⁰. Those who found it easiest to isolate were those who could work from large homes and had the funds to order in meals and other services. Adequate financial and practical support should have been a key part of the solution, and it has been a cornerstone of effective pandemic control in many countries, with up to 100% of lost wages being reimbursed, and with the provision of free alternative accommodation and daily visits. In the USA, introduction in some jurisdictions of emergency statutory entitlement to sick leave for people with symptoms or who had to quarantine was found to be effective in reducing cases¹¹.

Table 2 | Ways to create sustained behavior change for pandemic prevention and mitigation

Target	Examples of strategies
Change capabilities	• Build pandemic prevention and mitigation into mainstream educational programs at all levels • Create and maintain accessible educational resources tailored to the needs of all social groups
Change opportunities	• Create environments at home, at work and for travel that allow social distancing when required • Develop strong social norms around infection-mitigation behaviors
Change motivations	• Foster new identities and values around pandemic prevention and mitigation • Develop habits and routines that are protective to self and others

The UK government appeared to have erroneously assumed that the main reason people did not isolate was a lack of motivation, whereas it was instead a lack of opportunity. It threatened a fine of £10,000 for failure to comply with isolation mandates. An evaluation of free, mass testing in the city of Liverpool found that the take up of diagnostic tests among disadvantaged groups was as low as 4% in some areas¹², and a £36 billion ‘test, trace and isolate system’ was estimated to have reached as little as 3% of contacts of people who had tested positive for COVID-19¹³. It seems that the threat of a large monetary fine did have a motivational influence, but it was opposite to that intended, with the best way of avoiding a fine being to avoid a test.

The behavior change wheel

The UK case study described above illustrates the fact that for mass behavioral changes to achieve their intended outcome, systematic approaches need to move from an understanding of behavior in its context to identifying interventions and policies that can change the behavior. One such framework is the behavior change wheel, developed through the integration of 19 frameworks identified in a literature review^{7,14,15} (Fig. 2). This wheel can be used to link the COM-B model with nine possible types of intervention and seven policy options for implementation. Intervention designers can use the wheel to identify the intervention types most likely to achieve the desired change and can then choose the most appropriate mixture of implementation options, given whatever constraints may be operating.

Use of the behavior change wheel framework can be illustrated by the challenge of getting healthcare staff to adhere to infection prevention and control guidelines. A published study identified a range of interventions that could be effective¹⁶, but it was important

to go further and consider the capability, opportunity and motivation issues that needed to be addressed in a given context. First, in terms of capability, there was the nature of the guidelines, how they were communicated and what training was needed for this. Second, in the context of opportunity, it was essential to consider the physical spaces the staff worked in and the support they received from managers¹⁶. Third, for motivation, it was important that staff had trust in their personal protective equipment and that it was comfortable to use as required. Finally, to fully address the capability, opportunity and motivational issues, it was essential to include all staff, including support staff, in the process of intervention development and implementation¹⁵. The findings of this study further illustrated the need to treat all the actors and behaviors in a given scenario as part of an interconnected system, and pointed to workplace culture as an important influence, specifically managerial and peer support, social-norms solidarity and a focus on safety rather than complacency¹⁶.

Leadership, trust and solidarity

When it comes to motivation to adhere to stringent pandemic control regulations, variation in practices across different countries has highlighted the importance of good leadership fostering public trust in government and experts, and a sense of solidarity¹⁷. Trust derives from people seeing authorities as part of and serving the community¹⁸, and this in turn derives from these authorities treating the public as a respected partner rather than as a problem¹⁹.

The importance of fostering trust and solidarity has informed much of the advice provided by behavioral scientists participating in the UK government’s Scientific Advisory Group for Emergencies. This group has urged the government to understand the diversity of communities

that make up the UK population, and to engage with, consult, listen to and learn from them. In addition, the government was urged to support and enable the population to adhere; to avoid blame and punishment; to recognize, reward and celebrate achievements, often in challenging circumstances; and to communicate clearly, consistently and concisely, in line with evidence. Finally, the government was advised to be transparent, honest and open in written and verbal communication; to engender trust; and to avoid socially divisive language, policies and behavior.

Sustaining behavior change involves taking these principles and applying them to create a mutually reinforcing system in which capability, opportunity and motivation support each other (Table 2). For example, sustained improvements in knowledge will need education about viral transmission and its prevention to be built into educational programs at all levels. Improved opportunity will require structural changes to inhabited spaces to make it easier to achieve social distancing when required. Sustained changes to motivation will involve the development of social identities that place greater value on behaviors that mitigate infection risk and the development of habits and routines that embed these behaviors into everyday life.

The principles noted above are generic. Detailed scientific investigation is needed to develop and successfully apply them to create interventions suited to different scenarios. Such interventions have been called ‘behavioral, environmental, social and systems interventions’ (BESSIs)⁴. Despite the importance of these kinds of intervention, research investment in all BESSIs collectively has been estimated to be less than 4% of the \$3.3 billion in global spending on COVID-19 research²⁰. In a comparison of BESSI versus pharmacological trials, the contrast is stark: as of December 2020, there were 1,725 registered pharmacological trials and 213 conducted pharmacological trials, but only 11 registered BESSI trials and 3 conducted BESSI trials²¹.

Tackling inequalities

An important lesson from the COVID-19 pandemic is that no person or community or country can protect themselves or itself on their or its own: humans are all interconnected, and solutions must be global. Building pandemic-resilient societies for the future must include changing population-wide behaviors, as well as reducing inequalities. Embedding behaviors into societies requires changes to physical and social environments, such as fostering safe workplaces and norms around hygiene

behaviors. These need to be underpinned by community activation, organization regulation and national legislation.

Societies that are already unequal have been made more so by the COVID-19 pandemic, with the virus spreading most aggressively in overcrowded, multigenerational housing and poorly regulated workplaces. Furthermore, those with pre-existing health problems and those from specific ethnic backgrounds, both linked to poverty, were hit harder by the virus. Structural racism in many countries meant that those who were already more vulnerable were made doubly so due to low incomes and poor working conditions. On top of these increased inequalities came government policies that exacerbated inequalities further in many countries. In the UK, workers on regular salaries were more financially protected than those working in the precarious economy, and mortgage-holders were better protected than renters.

Testing for the virus, as well as medicines and vaccines, will continue to be vital to the strategy for tackling COVID-19 and future pandemics. But a substantial rebalancing of funding on research and programs needed

to embed behavioral changes across society and address inequality will also be critical in the long run. □

Susan Michie¹✉ and Robert West²✉

¹Centre for Behaviour Change, University College London, London, UK. ²Department of Behavioural Science and Health, Institute of Epidemiology and Healthcare, University College London, London, UK.
✉e-mail: s.michie@ucl.ac.uk;
robertwest100@gmail.com

Published online: 10 May 2021
<https://doi.org/10.1038/s41591-021-01345-2>

References

1. Flaxman, S. et al. *Nature* **584**, 257–261 (2020).
2. Rajan, S., Cylus, J. & McKee, M. *Eurohealth* **26**, 34–39 (2020).
3. West, R., Michie, S., Rubin, G. J. & Amlôt, R. *Nature Human Behaviour* **4**, 451–459 (2020).
4. Michie, S. & West, R. *Br. Med. J.* **370**, m2982 (2020).
5. Becher, M., Stegmüller, D., Brouard, S. & Kerrouche, E. Preprint at <https://doi.org/10.2139/ssrn.3652543> (2020).
6. West, R. & Michie, S. *Qeios* <https://doi.org/10.32388/WW04E6.2> (2020).
7. Michie, S., van Stralen, M. M. & West, R. *Implement. Sci.* **6**, 42 (2011).
8. World Health Organization. Regional Office for Europe. <https://apps.who.int/iris/handle/10665/337574> (November 2020).
9. Smith, L. E. et al. *Brit. Med. J.* **372**, n608 (2021).
10. Atchison, C. J. et al. *BMJ Open* **11**, e043577 (2021).
11. Pichler, S., Wen, K. & Ziebarth, N. R. *Health Aff.* **39**, 2197–2204 (2020).

12. University of Liverpool. <https://www.liverpool.ac.uk/research/news/articles/covid-19-liverpool-community-testing-pilot-interim-findings-published/> (23 December 2020).
13. Wood, P. *CityAM* <https://www.cityam.com/dido-harding-slammed-for-three-per-cent-test-and-trace-success-rate/> (10 November 2020).
14. West, R., Michie, S., Chadwick, P., Atkins, L. & Lorenzatto, F. *Public Health England* https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/933328/UFG_National_Guide_v04.00_1_1_1.pdf (2020).
15. Michie, S., Atkins, L. & West, R. *The Behaviour Change Wheel: A Guide To Designing Interventions* (Silverback Publishing, 2014).
16. Houghton, C. et al. *Cochrane Database Syst. Rev.* <https://doi.org/10.1002/14651858.CD013582> (2020).
17. Wright, L., Steptoe, A. & Fancourt, D. Preprint at *medRxiv* <https://doi.org/10.1101/2020.10.19.20215376> (2020).
18. Brewer, M.B. in *Rationality and Social Responsibility: Essays in Honor of Robyn Mason Dawes* 215–232 (Psychology Press, 2008).
19. Tyler, T. R. & Blader, S. L. *Pers. Soc. Psychol. Rev.* **7**, 349–361 (2003).
20. Head, M. G. et al. *Lancet Glob. Health* **8**, e1295–e1304 (2020).
21. BESSI. <https://www.bessi-collab.net> (accessed 23 April 2021).

Author contributions

S.M. and R.W. contributed to the concept for this Comment, and to the initial drafting and to revisions.

Competing interests

S.M. and R.W. are unpaid directors of the Unlocking Behavior Change community interest company, and are participants in the Independent Scientific Pandemic Insights Group on Behaviours of the UK Scientific Advisory Group for Emergencies, and in the Independent Scientific Advisory Group for Emergencies.

First-generation physician-scientists are under-represented and need better support

First-generation students, whose parents do not have baccalaureate degrees, are less likely to apply to MD-PhD programs than to MD programs, which has led to a worrying lack of diversity among physician-scientists.

Briana Christophers, Briana Macedo, Edwin Nieblas-Bedolla, Mollie Marr, Olaf S. Andersen and Catharine Boothroyd

Physician-scientists occupy a unique and important space that bridges scientific research and medical practice, and many have expressed concern that physician-scientists are an endangered species, with a dwindling pool of interested future researchers^{1–4}. Indeed, the number of MD-PhD applicants in the USA has remained stagnant from 2012, when there were 1,853 applicants, to 2020, when there were 1,825. Meanwhile, applications to medical school have steadily increased during the same time period, from 45,266 to 53,030 (refs. ^{5,6}). Is this because the traditional pool of applicants—those who have adequate advising and probably do not come from minority identities—has

reached saturation? If so, there is a pressing need to recruit students who do not fit the traditional mold into the physician-scientist career path.

People who identify as the first in their family to receive a baccalaureate degree—also known as ‘first-generation’ students—remain under-represented in MD-PhD programs in the USA. The experience of first-generation physician-scientists in training has been excluded from conversations about diversity and inclusion, since first-generation status often intersects with other under-represented identities. The needs and barriers faced by first-generation MD-PhD applicants and trainees probably overlap those faced by first-generation

undergraduate, medical and graduate students, but due to a lack of research, some specific needs and barriers are unknown and will require future study.

Given that first-generation MD-PhD students come from a background currently under-represented in medicine, they may be more likely to focus on important but under-investigated problems pertaining to the nation's health. For example, it was not until the US National Institutes of Health had its first female director, in the early 1990s, that it was mandated that women be included in clinical trials for diseases that affected more than just men⁷. Similarly, a 2018 study showed a 19% decrease in cardiac mortality in Black men when they were