scientific reports

OPEN

Check for updates

Heart failure patients monitoring using IoT-based remote monitoring system

Muhammad Umer^{®1}, Turki Aljrees², Hanen Karamti³, Abid Ishaq¹, Shtwai Alsubai⁴, Marwan Omar⁵, Ali Kashif Bashir^{6,7,8⊠} & Imran Ashraf^{9⊠}

Intelligent health monitoring systems are becoming more important and popular as technology advances. Nowadays, online services are replacing physical infrastructure in several domains including medical services as well. The COVID-19 pandemic has also changed the way medical services are delivered. Intelligent appliances, smart homes, and smart medical systems are some of the emerging concepts. The Internet of Things (IoT) has changed the way communication occurs alongside data collection sources aided by smart sensors. It also has deployed artificial intelligence (AI) methods for better decision-making provided by efficient data collection, storage, retrieval, and data management. This research employs health monitoring systems for heart patients using IoT and AI-based solutions. Activities of heart patients are monitored and reported using the IoT system. For heart disease prediction, an ensemble model ET-CNN is presented which provides an accuracy score of 0.9524. The investigative data related to this system is very encouraging in real-time reporting and classifying heart patients with great accuracy.

Abbreviations

AI	Artificial Intelligence
WHO	World Health Organization
CNN	Convolutional Neural Network
LSTM	Long Short Term Memory
MLP	Multi-layer Perceptron
ANN	Artificial Neural Network
ETC	Extra Tree Classifier
SVM	Support Vector Machine
LR	Logistic Regression
RF	Random Forest
VC	Voting Classifier
GBM	Gradient Boosting Machine
SGD	Stochastic Gradient Descent
GNB	Gaussian Naive Bayes
YOLO	You Only Look Once
VGG	Visual Geometry Group
TN	True Negative

TP True Positive

¹Department of Computer Science and Information Technology, The Islamia University of Bahawalpur, Bahawalpur 63100, Pakistan. ²Department College of Computer Science and Engineering, University of Hafr Al-Batin, 39524 Hafar Al-Batin, Saudi Arabia. ³Department of Computer Sciences, College of Computer and Information Sciences, Princess Nourah bint Abdulrahman University, P.O.Box 84428, 11671 Riyadh, Saudi Arabia. ⁴Department of Computer Science, College of Computer Engineering and Sciences, Prince Sattam bin Abdulaziz University, P.O. Box 151, 11942 Al-Kharj, Saudi Arabia. ⁵Information Technology and Management, Illinois Institute of Technology, Chicago, USA. ⁶Department of Computing and Mathematics, Manchester Metropolitan University, Manchester, UK. ⁷Woxsen School of Business, Woxsen University, Hyderabad 502 345, India. ⁸Department of Computer Science and Mathematics, Lebanese American University, Beirut, Lebanon. ⁹Information and Communication Engineering, Yeungnam University, Gyeongsan 38541, Korea. [⊠]email: dr.alikashif.b@ieee.org; imranashraf@ynu.ac.kr

FN False Negative

FP False Positive

Technology has brought about significant transformations across various domains, revolutionizing the world as we know it. It has enhanced communication, business operations, education, healthcare, and much more. Digital technology has played a pivotal role in breaking down geographical barriers, expanding our horizons, and facilitating business activities. Particularly in the wake of the COVID-19 pandemic, modern Intelligent applications have gained immense popularity and are being used for diverse purposes, including medical care. Additionally, the Internet stands as a remarkable technological achievement¹, serving as the backbone that connects digital technologies and makes them accessible worldwide. Social media platforms have emerged as influential sources of information, particularly impacting the younger generation. Portable technologies provide instant access to a wealth of data through social media platforms IoT has rapidly emerged as a transformative field in computer science, significantly impacting various aspects of our world.

Concepts such as smart cars, smart-resource-based cities², smartphones, smart driving, smart homes³, smart driving⁴, and smart farming⁵ have revolutionized the way people live and work worldwide. Smart devices play a crucial role in these smart homes and cities, enabling control over various aspects of daily life. Soon, smart devices are expected to track human activities in real-time and gather data using internal body sensors⁶. This data can be transmitted to medical experts, allowing for real-time monitoring of human health. IoMT which stands for Internet of Medical Things, specifically focuses on IoT-based health equipment integration⁷. AI combined with wearable tech has opened new horizons in the IoMT domain⁸, creating novel possibilities in the healthcare field to drive innovative developments. Given the significance of accurate and timely diagnosis and treatment in healthcare, further efforts are required to bridge existing gaps and create intelligent systems for health monitoring.

Developed countries are experiencing a transformation in the medical field through the integration of Information Technology (IT). Conventional medical systems often suffer from overcrowding, high energy consumption, and overwhelming routine workloads, leading to service delays. In the realm of the Internet of Medical Things (IoMT), wearable sensor devices are interconnected with healthcare providers' smart devices, enabling real-time tracking of patients' health records and facilitating personalized treatment⁹. Patients' health can effectively and affordably be monitored powered by IoMT. Limited staff and resources in third-world countries are under pressure and pose a significant challenge to the medical systems due to ever-increasing chronic diseases. Emergency response time is of vital importance when it comes to saving lives in the medical field. IoMT functioning is illustrated in Fig. 1 within the physical environment.

AI is the hottest computer domain that endows machines with intelligence, enabling smart devices to operate autonomously without human intervention. Smart devices leverage AI capabilities to establish seamless




Figure 1. Mechanism of IoMT¹⁰.

connections and exhibit creative functionality. Through AI processes, vast amounts of data collected from smart devices are analyzed to uncover concealed patterns¹¹. Furthermore, AI processes generate recommendations to enhance system performance. AI and ML can aid in solving multiple complex problems in almost all walks of life. AI and ML are employed in computational systems to tackle dynamic challenges and improve various aspects of life. The integration of IoT, AI, and ML has the potential to revolutionize people's daily lives and interactions. Within the medical field, sensors and smart devices accumulate extensive datasets. ML and AI algorithms are applied to identify fundamental trends and facilitate the diagnosis of different diseases.

AI-based solutions offer medical staff a convenient way to handle large datasets and provide proactive suggestions for disease prevention. The fusion of artificial intelligence methods with health diagnosis techniques AIOMT, (Artificial Intelligence of Medical Things), has proven beneficial in the healthcare sector. The primary objective of AIOMT is minimizing healthcare expenses and hospital admissions¹². As the population continues to grow, traditional methods of medical diagnosis are insufficient to meet the increasing demands. Given the scarce resources and the challenges posed by population growth, finding effective resource management solutions becomes a top priority. Proper diagnosis and the subsequent improvement of treatment methods contribute to effectively managing infectious disease outbreaks. IoMT has significantly improved the site of infections in¹³. The authors examined cybersecurity threats associated with IoMT architecture, as well as the security criteria essential for IoMT¹⁴. Several initiatives are discussed in¹⁵ to enhance security requirements, address design challenges, and explore security techniques aimed at bolstering the security of IoMT.

Post-COVID-19, there is a pressing need for a real-time diagnosis remote healthcare system to address various diseases. To enhance healthcare facilities, collaborative efforts between academia and industry are essential to tackle these challenges. Although recent initiatives have focused on designing smart point-of-care (PoC) devices and smart bed concepts, additional endeavors are required to accommodate the growing population. As per the World Health Organization (WHO), an alarming 17.9 million deaths are reported annually due to heart problems¹⁶. Cardiac disease is a serious healthcare challenge and typically arises from arterial narrowing. In underdeveloped countries, heart failure is a major fatality contributor. While elderly individuals are commonly affected, heart disease can also afflict younger patients. In the United States, heart disease accounts for one out of every nine deaths¹⁷. The primary symptoms of heart disease include chest pain and fatigue, although it can also manifest without noticeable symptoms. It is crucial to improve a distant health monitoring system specifically for individuals with heart conditions, ensuring continuous monitoring of their activity. In emergency situations, these remote health monitoring systems can offer immediate assistance. IoMT is of great significance in medicine for remote areas where medical emergency response time is not up to the mark. Early discovery and treatment of diseases are helpful in saving precious lives. Moreover, remote health monitoring minimizes the costs associated with routine diagnoses by eliminating travel expenses and other medical costs.

The IoMT (Internet of Medical Things) represents a complex intersection of IoT and medical technology, presenting numerous challenges. Given the critical nature of healthcare and the preservation of human life, a modern IoMT-based AI-integrated modern distant healthcare monitoring system is a need of the hour. In order to comply with medical standards, software systems in medical contexts require meticulous and comprehensive verification. The IoMT-based AI system must comply with the following:

Security Security of all internet-based ventures is a must and a healthcare monitoring system for cardiac diseases, based on AI technologies is no exception^{18,19}. So Security of data must be ensured by having a reliable remote healthcare monitoring system. It should possess a robust defense against potential cyber-attacks from other devices. Precise readings of such systems are of vital importance and there should be no compromise on the cyber security of such systems as any counterfeit reading can cost precious human lives.

Reliablity All digital technology is software driven and medical software systems are no exception in this context. So the reliability of such software systems is of utmost importance^{20,21}. A system lacking reliability cannot be employed in any domain, especially when it involves the medical history, confidentiality, privacy, and related credentials of patients. It is essential to address internal implementation issues and external factors to guarantee accurate measurements. To prevent any potential harm, every system should incorporate an auto-correction algorithm to promptly rectify any errors or discrepancies.

Safety The remote monitoring software should prioritize cost-effectiveness while minimizing its environmental impact. The system must be designed in a human-friendly manner^{22,23}, ensuring that it does not have any adverse effects on humans. Designers, users, and medical operators should be trained enough to use the system without facing any negative consequences.

This study presents the design of a remote monitoring software system that leverages IoMT and utilizes AI techniques. The system collects spontaneous human data and applies AI algorithms in collaboration with biomedical experts to classify cardiac diseases and patients based on historical data and hidden patterns. By analyzing the live instantaneous patient data, the system detects the presence of heart disease. This remote monitoring software system offers valuable support for early diagnosis and eliminates the need to reach a hospital. The proposed system is of literature documented system's standard in relation to its performance as demonstrated by various trials. The primary contributions of this study are given here

- A comprehensive overview of the current body of literature on the IoMT is provided, particularly highlighting the primary applications of IoMT in healthcare. Furthermore, key challenges and difficulties in implementing IoMT are discussed.
- An intelligent health monitoring system is proposed using the IoT paradigm that collects and analyzes data from individuals with heart conditions. In addition, machine and deep ensemble learning ensemble model

ET-CNN is incorporated in the IoMT system to efficiently detect and identify patients that need emergency help for heart care.

The proposed system's performance is analyzed through multiple experiments, and a thorough analysis of
its effectiveness is conducted by comparing it to current state-of-the-art methods.

The remainder of the paper is structured as follows: In section "Related work", an overview of the previous literature is presented. Section "Introduction and background of IoMT" elucidates the functioning of IoMT. Section "Proposed framework of intelligent healthcare system" outlines the dataset utilized here and presents the proposed intelligent framework, along with an explanation of the different algorithms employed. Experimental details and evaluation parameters are provided in section "Experimental results". Finally, section "Conclusions" concludes the paper.

Related work

In the modern era, numerous technologies have emerged to facilitate the monitoring of medical data. The rapid progress in this field has been driven by the development of sensors, which enable instantaneous data collection and monitoring. Smart devices are equipped with various sensors and have become valuable tools for data collection. For instance, a ring-based sensor technique is utilized to screen patients^{24,25}, where a wearable ring with a sensor enables real-time cardiac monitoring. Similarly, in²⁶, an ear-based sensor technique is employed for uninterrupted monitoring of individuals with heart conditions. Being compact in size and easily wearable by different age groups, these sensors facilitate the monitoring process.

Rapid response is crucial for heart patients during emergencies, as delays in early diagnosis and ineffective methods can lead to fatal outcomes. In²⁷, the authors propose a technique that leverages IoT technology and cloud resources for early diagnosis. Managing and storing medical data pose significant challenges in the health-care field, but by integrating IoT technology with cloud infrastructure, which offers extensive storage capacity, substantial improvements can be achieved. An energy-efficient protocol for healthcare applications and gadgets has been developed in a related study²⁸ employing coding with dynamic channels combining multiple-layer access with physical access. The primary objective is energy optimization and enhancing nodes' network lifetime.

The COVID-19 pandemic posed a significant risk to the health of frontline healthcare workers, necessitating extra precautions in patient care. Remote health monitoring applications played a crucial role in enabling medical staff to effectively diagnose patients. These applications' implementation is done using IoT-based devices^{29,30}. Real-time public surveillance is done at various public locations using image-processing applications. Further analysis can be done through IoMT-based data retrieval by medical professionals³¹.

IoMT technology has witnessed the presentation of various approaches and systems utilizing IoT connectors, as demonstrated in Table 1. The health-monitoring system was proposed by Jain et al.³² that leverages nearinfrared spectroscopy and machine learning (ML) techniques for glucose level analysis. The use of IoMT edge devices for human health monitoring has become increasingly prevalent, enabling swift and accurate outcomes. The proposed glucose level detector exhibits a significantly reduced error ratio related to current approaches in the literature. A methodology for classifying diseases is introduced by Shui-Hua Wang et al.³³ including tuberculosis, COVID-19, pulmonary diseases, and pneumonia. This method enhances the accuracy of disease diagnosis by medical professionals and exhibits superior performance in detecting various illnesses. In³⁴, remote-controlled ambulance service is designed in an approach by the authors. Real-time results are obtained using artificial intelligence (AI) approaches, which prove beneficial in medical applications that demand prompt and accurate responses. Similarly, Harshal Arbat et al.³⁵ developed a methodology that utilizes a smart health band to monitor heart patients. The band measures heart rate data, which is then analyzed to assess the patient's health status.

In today's world, smart devices are vigorously used in the healthcare domain to aid professionals in analyzing human health data. In⁴⁴, a mobile application-based approach is devised for monitoring human health. When mobile apps are integrated with cloud computing and IoT, the proficiencies of health monitoring systems can be greatly enhanced. Ample storage space to host large volumes of IoT-based data is the hallmark of cloud technology to provide processing services for rendering. This method is also able to assess the stress level of the body by measuring the brain signals. Michael Fischer et al.⁴⁵ presented a method that even enables non-professionals to get information regarding certain diseases. Bot-based diagnosis of the patients is done by providing instructions to the bot. Integrating smart devices with bots enhances the provision of healthcare services. Although the

References	Standards	Purpose		
36	Bluetooth	They used for the detection and monitoring of the sounds of the heart		
37	Bluetooth	They used it for the monitoring of fitness during the physical activity		
38	Wifi	ey used it for the health condition monitoring remotely		
39	3G	They used it for faster data communication during emergency situations		
40	Satellites	They used it for the patents tracking in case of emergency situations		
41	NFC	They used it for the monitoring of the Home for the persons who are not enough skillful		
42	2G, 3G	They used it for the real-time skincare		
43	RFID	They used it for the quick and timely tracking and localization of the medical instruments		

Table 1. Applications of IoT and their connectors.

.....

technique's accuracy may be lower compared to other methods, it represents a significant stride toward automated disease diagnosis. A comprehensive overview of IoT-based studies can be found in Table 2.

In a similar fashion, a combination of IoMT devices, cloud technology, and IoT sensors is used in developing a comprehensive healthcare system to cater to the needs of heart patients⁵⁴. The system monitors body temperature, oxygen levels, and eye movement as indicators of heart disease. Similarly, in⁵⁵, the authors devised a model for heart disease monitoring. Early diagnosis of cardiac patients is enabled in an ensemble model and utilizing sensor data within a fog computing environment. Cardiac disease is identified by using an adaptive Neuro-Fuzzy Inference System having multiple kernel learning employed to identify heart disease^{56,57}. Despite better results, it has a computational complexity of a higher degree. A programmed method is used to segregate individuals having low heart failure risk from higher risk heart failure individuals⁵⁸. The authors utilized the CART (Classification and Regression Tree) technique and achieved sensitivity and specificity values of 93% and 63%, respectively. Authors applied Arduino UNO with various IoT sensors to monitor the heart⁵⁹. An inclusive overview of advanced cardiac disease studies can be found in Table 3.

Introduction and background of IoMT

The Internet of Medical Things (IoMT) is a network of interconnected medical devices and applications that collect, transmit, and analyze healthcare data⁶⁶. IoMT leverages the Internet of Things (IoT) technology to improve healthcare delivery, patient monitoring, and medical research. Here's how IoMT works:

1. **Medical Devices and Sensors:** IoMT relies on various medical devices and sensors equipped with sensors and communication capabilities. These devices can be wearables (like smartwatches and fitness trackers), implantable devices (like pacemakers), or standalone monitoring equipment (like blood pressure monitors or glucometers).

References	Year	IoMT	Limitations	
44	2016	A system for electrocardiogram (ECG) that operates on the cloud and enables remote access	Limited in assessing stress level through brain signals	
46	2016	A robust healthcare system that prioritizes patient security	Lack of integration with smart devices	
47	2016	An advanced healthcare system utilizing intelligent technology to benefit patients in the field of medicine	technology to benefit patients in Limited automation in disease diagnosis	
48	2016	A system that uses the Internet of Things (IoT) to detect and recognize kidney anoma- lies	Limited scope beyond kidney anomaly detection	
49	2016	Healthcare empowered by the Internet of Things (IoT) technology	Lack of specific application focus	
50	2016	A mobile healthcare system that leverages the capabilities of the Internet of Things (IoT) for enhanced medical care	Limited accuracy in disease diagnosis	
51	2022	National Instrument myRIO is used for smart data.	Scalability for handling a larger number of patients is not addressed	
52	2022	ICU monitoring systems designed using IoT devices.	The need for user training, and scalability concerns	
53	2023	Remote monitoring of patients using heath sensors	Data protection standards is essential but may pose challenges	

Table 2. Previous IoT base state-of-the-art systems.

.....

Reference	Approach	Dataset	Challenges
56	Multi-Kernel Learning and Neuro-Fuzzy Inference	KEGG Metabolic Dataset	inappropriate performance evaluation metrics
60	BiGRU, BiLSTM, CNN ensemble	Cardiac Disease Dataset	The study uses the dataset is not a standard dataset
61	RF, XGB, and GBC	Multiple heart disease datasets such as Cleveland, Hungarian, Z-Alizadeh Sani Dataset	Stacking three models introduces higher complexity and cost to the model
62	Fisher technique and Generalized Discriminant Analysis	two datasets NSR-CAD and SR-CAD	The training process on large datasets for heart rate variability needs improvement due to the existing lack of training
63	NB, k-NN, RF, and DT	Multiple heart disease datasets such as Cleveland, Hungary, VA Long Beach, Switzerland Datasets	It is important to conduct further experimentation with different combinations of models and feature choices to explore potential enhancements
64	LSTM and RNN	IoT cloud data from UCI machine learning reposi- tory's Cleveland and Hungarian datasets	The challenges include managing vast amounts of patient data, integrating Internet of Things (IoT) devices, utilizing deep learning for accurate disease diagnosis, ensuring data quality, addressing privacy and security concerns, achieving early disease recogni- tion, and extracting meaningful features from the data
65	Bi-LSTM	data collected from IoT sensors, electronic clinical data (ECD)	Key challenges include managing and processing vast healthcare data, ensuring data quality, maintaining privacy and security, early disease detection, and personalized healthcare

Table 3. Previous studies related to heart disease.

- 2. **Data Collection:** Medical devices continuously collect health-related data from patients or individuals. This data can include vital signs (e.g., heart rate, blood pressure, temperature), activity levels, glucose levels, ECG readings, and more. The sensors convert these physical measurements into digital data.
- 3. Data Transmission and Storage: The collected data is transmitted securely over the internet or a dedicated network to a central location. This central location can be a cloud server, a hospital's data center, or a health-care provider's network. Data storage often involves rigorous security measures to protect sensitive healthcare information.
- 4. **Remote Monitoring:** IoMT enables remote patient monitoring, allowing healthcare providers to keep tabs on patients' health status without the need for in-person visits. This is particularly valuable for chronic disease management and post-surgery recovery.
- 5. **Patient Empowerment:** IoMT empowers patients by giving them access to their own health data. Patients can monitor their progress, set health goals, and make informed decisions about their well-being.
- 6. **Data Analysis:** Healthcare professionals and algorithms analyze the collected data. Machine learning and artificial intelligence (AI) are often used to identify trends, anomalies, or patterns in the data. This analysis can help in diagnosing conditions, monitoring patients, and making treatment decisions.

IoMT holds immense potential to revolutionize healthcare by improving patient outcomes, reducing healthcare costs, and enhancing the overall quality of care⁶⁷. However, it also poses challenges related to data security, inter-operability, and regulatory compliance that must be carefully addressed to ensure its successful implementation.

Fundamentally, Internet of Medical Things (IoMT) systems operate by integrating numerous technologies. The selection of these technologies depends on the nature of the desired task, latency requirement, security needs, etc.

Communication technologies

IoMT can use several communication technologies including Ethernet, Bluetooth, Zigbee, Wi-Fi, near-field communication, and satellite communication. Ethernet can use a local area network (LAN) or a wide area network (WAN). The Ethernet connection is known for its reliability, high-speed capabilities, and enhanced security measures. Typically, Ethernet operates at a standard speed of 10 Mbps. Bluetooth, on the other hand, is more suitable to enable wireless communication among electrical appliances over short distances. It operates through short-range radio frequencies. Bluetooth devices typically function within a range of approximately 10 m, making them suitable for medical equipment, where close proximity communication is often required.

Intermediary devices based on mesh networks are used by Zigbee devices for the transmission of data over extended distances, enabling communication with devices located farther away. Compared to Bluetooth, Zigbee technology exhibits faster data transmission capabilities. Today, Zigbee technology is predominantly used with IoT technology. It also provides extra security with 128-bit encryption for secure data transmission.

Wi-Fi is more suitable to establish a link between computers, tablets, cell phones, and others. Wi-Fi adheres to the IEEE 802.11 standards and operates over a wide communication range. To increase the number of connected devices to a certain Wi-Fi network from an extended range, an access point or Wi-Fi range extender is coupled to the router allowing increased connectivity and coverage. Near-field communication (NFC) is employed for wireless connectivity over short distances, typically within a range of 4 cm. NFC enables swift and effortless transmission of data with a simple touch between gadgets. NFC technology operates either in active mode without pairing, or in passive mode requires pairing for communication between devices. Contrary to NFC which provides the lowest range, satellite communication provides the longest range. Satellites are positioned at high altitudes around Earth. In modern times, satellites are extensively employed in weather forecasting, telecommunication, and geopositioning. They play a crucial role in analyzing regions that are inaccessible by conventional means. In the recent past, satellites have also been instrumental in capturing and transmitting solar system images.

Challenges of IoMT

Due to its sensitive nature, the medical domain requires a higher level of privacy and confidentiality of the patient data^{10,68}. In the context of IoMT, wireless technology is predominantly utilized, raising significant concerns about data privacy. Several key challenges pertaining to this issue are discussed below.

- 1. Robust cybersecurity in IoMT is a big challenge. Data privacy must be ensured for the sensitive data of patients^{69,70}. To tackle privacy and security, blockchain technology is one feasible solution⁷¹.
- 2. Interoperability poses a challenge in utilizing IoMT systems. The complexity of exchanging data makes interoperability difficult between multiple IoMT-based systems^{72,73}. Standardized interfaces are needed to resolve this issue.
- 3. The integration of sensors and medical equipment can be costly to upgrade and maintain. The inclusion of affordable and maintenance-free sensors can stimulate the development of IoMT-based devices and enhance their widespread adoption⁷⁴.
- 4. The power consumption of IoMT devices is also a big concern. Most IoMT sensors, require backup solutions or high-capacity batteries⁷⁵. Sustainable medical appliances are the need of the hour.
- Biomedical sensors involve several semiconductors that contain earth elements and hazardous chemicals, potentially causing adverse environmental effects⁷⁶. Centralized overseeing and supervising sensor production needs to be ensured.

Vulnerabilities of IoMT

The IoMT has shed light on critical security challenges in the healthcare sector. IoMT, while promising significant advancements in patient care and monitoring, presents vulnerabilities that can have far-reaching consequences⁷⁷. One of the foremost concerns is the potential for data breaches and unauthorized access to sensitive medical information. Weak authentication mechanisms and inadequate encryption can expose patient records to malicious actors. Additionally, device vulnerabilities, often stemming from outdated software or firmware, create opportunities for cyberattacks that could compromise patient safety and privacy. Furthermore, the reliance on interconnected networks makes IoMT susceptible to network-based attacks, such as man-in-the-middle attacks or denial of service incidents, threatening the availability and integrity of healthcare services. As healthcare organizations continue to embrace IoMT technologies, understanding and addressing these vulnerabilities are imperative to ensure the security and trustworthiness of healthcare systems and the protection of patient data.

Advantages of IoT-based healthcare monitoring systems

The development of healthcare monitoring systems has garnered significant attention from researchers and medical experts. Various effective research initiatives have been undertaken in the medical field, with many more currently in progress⁷⁸. The growing numbers of elderly and chronic conditions patients have led to an increasing gap between those receiving healthcare and those in need of treatment. Traditional healthcare, primarily provided in hospitals, often falls short in meeting the needs of the elderly and individuals with impairments^{79,80}. However, the Internet of Things (IoT) presents a practical and effective solution for real-time health monitoring of the elderly through sensor data and telecommunications. The combination of IoT and smart technology has the potential to enhance and expand healthcare services. Scientists have created a range of emergency systems that make use of sensors and advanced wireless communication, specifically designed to monitor the health of elderly individuals. By having vital signs and other related health data, valuable insights into general health and potential risks can be obtained⁸¹.

Significance of IoT utilization in healthcare

IoT has revolutionized the healthcare industry by transforming how healthcare is delivered. We are now entering a new era where applications, technologies, and healthcare providers are interacting in unprecedented ways. The IoT enables the creation of integrated healthcare networks, offering valuable insights and tools. Previously time-consuming and error-prone healthcare processes can be automated with the aid of AI and IoT, once dependent upon human involvement. For example, many hospitals have implemented networked equipment to regulate ventilation and temperature in operating rooms. The potential benefits of IoT in healthcare are numerous, but a few key ones are enlisted here:

- Reduced chance of human errors.
- Overcoming limitations of physical visits and distance.
- Streamlined record-keeping.
- Early detection and treatment of chronic disorders.
- Enhanced management of medicine.
- Prompt medical focus.
- Better treatment outcomes.

The integration of IoT technologies in healthcare holds great promise for improving efficiency, accuracy, and patient care across various aspects of the healthcare ecosystem.

Proposed framework of intelligent healthcare system

This section introduces a healthcare platform based on IoT which is specifically designed for individuals with cardiac failure. The framework incorporates artificial intelligence (AI), cloud services, and IoT technologies. Figure 2 illustrates the proposed system layout for intelligent healthcare⁸². By utilizing IoT devices, this framework enables medical personnel to conveniently monitor their health. Leveraging cloud-based and IoT technologies, medical records of patients suffering from heart failures can be retrieved anytime from around the globe. The Algorithm 1 demonstrates the comprehensive flow of the proposed architecture.

Zigbee and Firebase authentication is used to implement security measures in an intelligent healthcare system based on an IoT. During data transmission, 128-bit encryption is applied as a token to the JSON file. Firebase authentication is used to verify the device token by generating a token containing customs token claims and exact credentials. Firebase custom token and device-generated 128-bit token verify the user identity during real-time data exchange between devices. The authorization process follows authentication using Firebase's general Security rules. The security mechanism of Firebase can be summarized as a three-step security measure, outlined as follows:

- The device token is the guarantee that a particular request has originated from a particular device but it does not carry any valuable information.
- A custom token includes all of the user's data except for their profile information. Additionally, Firebase servers cannot inherently rely on this token since the service account used by our Cloud Function may not always have authorization. For example, there may be situations where we decide to invalidate the token or change its encryption key.




Figure 2. Proposed IoT-based monitoring system workflow.

.....

- 1: Read: patient history records, prescriptions, and Medical healthcare labs.
- 2: Connect: Establish a connection to Firebase and interact with the database.
- 3: Authentication: verification from Healthcare system.
- 4: **if** Communication == 'True' **then**
- 5: Sending health data using JSON file.
- 6: Deep learning techniques utilize medical analysis data to generate predictive insights.
- 7: The generated predictions are then utilized in creating patient history reports.
- 8: Transfer the medical history report from Firebase cloud storage to the designated medical expert device.

9: **else**

- 10: The patient's medical data is also stored in the device's local storage.
- 11: When a successful connection is established, the local storage data is transferred to Firebase.
- 12: **end if**

Algorithm 1. Steps carried out for the IoT-based heart monitoring system.

• The assertions within a custom token are validated using the signInWithCustomToken API. Afterward, the backend generates a Firebase ID token that includes the user profile and acts as undeniable proof that the bearer has authorization to carry out actions on behalf of the user. This token, which remains valid for 1 hour, cannot be invalidated.

Figure 2 depicts the mechanism by which intelligent systems facilitate the transmission and updating of patient data within the Internet of Things (IoT). The equipment to be used is selected on a patient care facility and hospital-specified basis. The proposed construction allows for the real-time monitoring of patient data, enabling prompt access to emergency medical care for patients. Since the data is stored in the cloud, healthcare profession-als can remotely access the information and provide guidelines by taking into account the patient's condition.

The core aim of this intelligent system is to improve patients' survival chances by offering an affordable, reliable, dependable, and simple monitoring system for heart-related problems. The suggested system collects data from various sources and transmits it to the cloud for processing using deep learning and ML models. This helps healthcare professionals to access structured data, facilitating comprehensive investigation and analysis.

Dataset

The dataset used in this section has been from the UCI-ML repository comprising heart failure records related to the medical domain⁸³. This specifically pertains to patients with serious heart failure, encompassing 11 clinical features that were collected during follow-up. Among 299 dataset records, 194 were male patients and 105 were female patients. The features of the dataset are outlined in Table 4.

Deep learning model

Deep learning has emerged as a rapidly growing research area within the AI domain. The deep learning methods applied in data demonstration have yielded promising outcomes. Medical professionals found automated processes highly efficient and effective in diagnosis. DL is known for its ability to handle large volumes of data, eliminate manual feature extraction, and has gained popularity in medical data analysis.

Multilayer perceptron

When dealing with small training datasets, the Multi-Layer Perceptron (MLP) is often the preferred option due to its ability to produce rapid results and its reliability^{16,84}. The MLP is composed of three layers: the input layer, the output layer, and the hidden layer. The hidden layer serves as a mediator between the input and output layers, facilitating the processing of neurons. The internal operations of the MLP involve multiplying the input neurons by their corresponding weights w_{ij} , and the output y_j is determined by summing these values. This computation can be expressed using the following formula:

$$y_j = f\left(\sum w_{ij} * O_i\right),$$

In this equation, the weights *w* are assigned to the gradient descent algorithm, while *O* represents the hidden layers.

RNN

RNN is considered to be an optimal choice when sequential neural networks are discussed¹⁶. In RNN processing, a weighted sequence from one neuron's input is fed to other neurons resembling the sequential arrangement of words in a sentence. RNNs are drafted to generate sequences and predict the next word in the loop, thus capturing the temporal dependencies within the data.

Convolutional neural network

CNN (Convolutional Neural Network) is a powerful neural network model that excels at capturing intricate relationships among various data attributes. It is particularly well-suited for image analysis tasks, as it can effectively analyze input images, identify and rank different objects and features within the images, and distinguish them. A CNN comprises a node layer and a hidden layer including output and input layers. To achieve improved outcomes, this study employs a tailored CNN structural design⁸², as depicted in Fig. 3.

The proposed 8-layer architecture consists of 2 max-pooling layers, 2 dense layers, and 2 convolutions layers. In medicine, CNN has proven to be a game-changer approach for classification tasks. In the CNN model, the error function is denoted by Sigmoid, and the backpropagation algorithm is employed. CNN can easily classify various diseases including lung disease, brain tumors, and cardiac diseases. It is preferably used in the medical field for handling larger data. The pooling layer in CNN can either be average or maximum pooling. Maximum pooling is commonly used for extracting sharp features, while average pooling is employed for extracting flat features.

Long short term memory

An enhanced version of RNN known as LSTM (Long Short-Term Memory) is particularly effective for processing long-term sequences. LSTM addresses the vanishing gradient problem often encountered by RNNs and surpasses

Serial no.	Attribute	Description	Range	Measured In
1	Time	It represents the development age	4-285	Days
2	Events	It represents the death of the patent during the development period	0,1	Boolean
3	Gender	It represents the sex of the patient	0,1	Binary
4	Smoking	It represent that whether the patient smokes or not	0,1	Boolean
5	Diabetics	It represents that whether the patient is diabetic or not	0,1	Boolean
6	BP	It represents whether the patient has blood pressure or not	0,1	Boolean
7	Anaemia	It represents whether the patient has RBC (Red blood cell) deficiency or not	0,1	Boolean
8	Age	It represents the age of the patient.	40-49	Years
9	Sodium	It represent the level of sodium in the patient body	114-148	mEq/L
10	Creatinine	It represent the level of Creatinine in patient body	0.50-9.40	mg/dL
11	Platelets	it represent the Blood platelets level in patient body	25.01-850	Kiloplatelets/m

 Table 4.
 Heart disease dataset details.




Figure 3. Layers structure of the proposed CNN model.

them in performance. It has the capability to memorize specific patterns in data. An LSTM is composed of three gates: the input gate, the output gate, and the forget gate. These gates play crucial roles in the LSTM's ability to control information flow. The representation of the word sequence is illustrated in Equations (1)-(3).

$$i_t = \sigma(x_t U^i + h_{t-1} W^i + b_i)$$
(1)

$$o_t = \sigma \left(x_t U^o + h_{t-1} W^o + b_o \right)$$
(2)

$$f_t = \sigma(x_t U^f + h_{t-1} W^f + b_f),$$
(3)

In the given context, the variables can be defined as follows: x_t is the input sequence, h_{t-1} is the previous hidden state, t, i_t is the input gate, which controls the flow of information, o_t is the output gate, f_t is the forget gate.

Experimental design

In this study, a highly efficient health monitoring model is introduced specifically for monitoring patients with heart conditions. The model proposed in this research incorporates a machine-deep ET-CNN architecture, as visualized in Fig. 4. Furthermore, RNN, LSTM, and multilayer perceptron (MLP) models are also utilized. The MLP model comprises hidden input and output layers. The hidden layer functions as the processing layer, establishing connections between the input and output layers.

In the equation, O represents the hidden layer, and w denotes the weight value.

In the experiments, the performance of multiple-layer structures is evaluated, and it is found that hidden-layer structures yield favorable results. The hidden layer structure provides features from the cardiac failure dataset as input. The following parameter values were set: a learning rate of 0.01, a batch size of 256, a dropout rate of 0.2, and 25 epochs. Additionally, the CNN approach-based performance evaluation method is implemented to ascertain its effectiveness. The CNN-based approach employed a total of 8 layers. ET-CNN-based approaches having initial parameter values are listed in Table 5.




Figure 4. Workflow diagram of the proposed model.

Parameter	Value
Number of tree	200
Node split size	10
No. of jobs	-1
Random state	52
Batch size	256
Epochs	25
Function	Binary cross entropy
No. of filters	5×64
Optimizer	Adam
Pooling	2×2

Table 5. ET-CNN models parametric values.

During the initial stage, the input dataset was the heart failure dataset. Specifically, 13 features from the heart failure dataset are selected to train the data, aiming at improving the accuracy of predictions. A timely and accurate diagnosis, alongside appropriate treatment, is crucial for patients with acute heart failure to enhance their chances of survival.

Voting classifiers combine the results of various classifiers to make a final decision based on voting. There are two types of voting classifiers: Soft and hard voting. The percent weight of each classifier is computed by soft voting while classifiers' results prediction is done using hard voting. For every entry, class probability multiplied by classifier weight and then averaged to determine the final result is predicted by this prototype. In our research, a voting classifier, an extra tree classifier (ET), and a convolutional neural network (CNN) are used in combination, outperforming other techniques for heart patient disease prediction. Algorithm 2 illustrates the methodology of the projected voting classifier, presented as follows:

$$\widehat{p} = \operatorname{argmax}\left\{\sum_{i}^{n} \operatorname{ExtraTreeClassifier}_{i}, \sum_{i}^{n} \operatorname{ConvolutionalNeuralNetwork}_{i}\right\}.$$
(4)


where $\sum_{i}^{n} Extra Tree Classifier_i$ and $\sum_{i}^{n} Convolutional Neural Network_i$ predict the probability-based results for each test model by Extra Tree Classifier and Convolutional Neural Network, respectively. Extra Tree Classifier and Convolutional Neural Network instance's probabilities are passed through soft voting criteria in Algorithm 2. Figure 5 shows the visual representation of the proposed ensemble model.

Input: input data $(x, y)_{i=1}^{N}$ M_{ET} = Trained_ ET M_{CNN} = Trained_ CNN

```
1: for i = 1 to M do
```

- 2: **if** $M_{ET} \neq 0 \& M_{CNN} \neq 0 \& training_set \neq 0$ **then**
- 3: $ProbET normal = M_{ET} \cdot probibility(normal class)$
- 4: $ProbET attack = M_{ET}.probibility(attack class)$
- 5: $ProbCNN normal = M_{CNN}$. probibility (normal class)
- 6: $ProbCNN attack = M_{CNN}. probibility(attack class)$
- 7: Decision function = $max(\frac{1}{N_{classifier}}\sum_{classifier}(Avg_{(ProbET-normal,ProbCNN-normal)}), (Avg_{(ProbCNN-attack,ProbCNN-attack)})$
- 8: end if
- 9: Return final label \hat{p}
- 10: end for

Algorithm 2. Ensembling of Extra Tree Classifier and Convolutional Neural Network Classifier (ET-CNN).



Performance evaluation metrics

To assess the effectiveness of the proposed model, various performance measures are computed, such as precision, accuracy, and F1 score, among others. A model's accuracy is of prime importance in the healthcare field because here accurate predictions actually matter. These performance measures help determine the reliability and effectiveness of the model in making accurate predictions, contributing to informed decision-making and improved patient outcomes.

Experimental results

To evaluate the performance of the ET-CNN-based model, a dataset containing information from heart patients is used. Along with the deep learning algorithms MLP, CNN, LSTM, and RNN, machine learning algorithms were also employed for comparison purposes. A training-testing ratio of 70-30 was applied to all prototypes in order to assess their performance. The DL algorithms were implemented using Python libraries such as Keras and TensorFlow.

Table 6 presents the performance evaluation of DL models in terms of accuracy, recall, precision, and F1 scores. The ET-CNN model takes the lead, achieving a 0.9524 accuracy score, along with precision, recall, and F1 scores of 0.97 each.

Model	Accuracy	Precision	Recall	F1 Score
ET-CNN	0.9524	0.97	0.97	0.97
CNN ⁸⁶	0.9398	0.95	0.95	0.95
MLP ⁸⁶	0.9120	0.94	0.94	0.94
RNN ⁸⁶	0.9100	0.89	0.91	0.90
LSTM ⁸⁶	0.8691	0.93	0.93	0.93
RF without SMOTE ⁸⁵	0.8889	0.89	0.89	0.89
ETC with SMOTE ⁸⁵	0.9262	0.93	0.93	0.93

Table 6. Results of deep learning models⁸⁵.

The CNN model outperforms the other deep learning models in terms of performance. A comparative analysis was conducted with two other models mentioned in the study⁸⁵. The referenced study conducted experiments under various situations, including oversampling through the SMOTE (synthetic minority oversampling technique). The SMOTE method is applied to both the ETC and the CNN models. The outcomes presented in Table 6 demonstrate that the CNN model performed better than ETC and CNN models employed with SMOTE in the study⁸⁵ and DL model in⁸⁶.

In the study mentioned by Ishaq et al.⁸⁵, Table 7 displays the accuracy results achieved by various models, including Decision Tree (DT), Logistic Regression (LR), Stochastic Gradient classifier (SGD), and others. The machine learning models utilized SMOTE oversampling techniques to give the best performance and to deal with class-imbalance problems. The comparison with the study⁸⁵ shows the superiority of the proposed CNN model over all other best experiments done so far. Despite the utilization of SMOTE in their research⁸⁵, the ET-CNN model outperformed these approaches.

Performance comparison with transfer learning models

This study also conducted a performance comparison using transfer learning approaches. Two transfer-learning models, namely AlexNet and Visual Geometry Group (VGG 16), are employed for this analysis. The VGG-16 architecture comprises pooling, padding, connected, and convolution layers, while AlexNet is also a convolutional neural network (CNN) with a large number of attributes. Table 8 provides a performance evaluation comparing the VGG-16, CNN, and AlexNet models. The CNN model demonstrates superior performance, although the VGG-16 model also exhibits good precision, recall, and F1 scores.

In Table 9, a comparison of the training times for the proposed CNN model and the transfer learning model is presented, providing insights into their computational complexity. Table 9 indicates the superiority of the proposed approach in terms of computational complexity. Tables 8 and 7 indicate the superiority in terms of experimental results performance.

Models	Accuracy
SGD ⁸⁵	0.5491
GNB ⁸⁵	0.7540
SVM ⁸⁵	0.7622
LR ⁸⁵	0.8442
DT ⁸⁵	0.8778
GBM ⁸⁵	0.8852
AdaBoost ⁸⁵	0.8852
RF ⁸⁵	0.9188
ETC ⁸⁵	0.9262
LSTM ⁸⁶	0.8691
RNN ⁸⁶	0.9100
MLP ⁸⁶	0.9120
CNN ⁸⁶	0.9398
ET-CNN	0.9524

 Table 7. Performance comparison of ML and DL models.

Model	Accuracy	Precision	Recall	F1 Score
AlexNet	0.9170	0.89	0.89	0.89
VGG 16	0.9291	0.89	0.90	0.90
ET-CNN	0.9524	0.97	0.97	0.97

 Table 8.
 Proposed CNN performance comparison with transfer learning models.

Model	Time (min)
AlexNet	21
VGG-16	17
Proposed approach	10

Table 9. Training time complexities of the models.

.....

K-fold cross-validation results of the proposed model

The significance of the proposed model is checked by utilizing the cross-validation technique using the heart disease dataset. The proposed model based on ET-CNN successfully categorizes patient data, achieving 0.960, an average accuracy. Additionally, the recall, precision, and F1 scores for the model are reported as 0.973, 0.976, and 0.975, respectively. The result of k-fold cross-validation is shown in Table 10 using the proposed CNN model.

Discussion

In the realm of managing large patient data, predominantly with critical heart failure requiring regular and uninterrupted observation, there is a growing tendency to have IoT-based intelligent patient monitoring systems. This research introduces a monitoring system based on AI and integrated with a machine-deep ET-CNN model for detecting heart failure instances. In order to ascertain the performance of our suggested ET-CNN prototypes against other transfer learning, deep learning, and ML models, numerous experiments were conducted during this study including AlexNet and VGG-16. The investigational conclusions reveal that the proposed ET-CNN model outperforms the other models, demonstrating the highest level of effectiveness, having a classification accuracy of 0.9524, the ET-CNN surpasses the performance of the alternative models employed in the study.

The proposed model demonstrates superior performance compared to all other deep learning and ML models. It achieves high recall, accuracy, precision, and F1 score results. The efficiency of the projected CNN model is further validated through 5-fold cross-validation, highlighting its efficacy. Additionally, a comprehensive comparison is conducted between the proposed approach and existing works, considering various characteristics such as the number of utilized features, the combination of AI methods, IoT integration, and monthly record-keeping of patients. The consequences of this comparison are illustrated in Table 11, which clearly indicates that the anticipated system outperforms existing approaches.

Comparison with published systems

Performance comparison of the proposed model with previously published paper on the same dataset. The comparison of accuracy between the proposed CNN model and the studies by^{95–98} is illustrated in Table 12⁹⁵. Achieved an accuracy score of 0.85 for heart disease detection utilizing a modified logistic regression model. On the other hand, both both^{96,98}employed the Naive Bayes (NB) model, obtaining accuracy scores of 0.74 and 0.86, respectively. In study⁹⁷, a KNN model was used by the authors for the same objective and a higher accuracy of 0.92 was achieved. In contrast, the suggested model attained a 0.9524 score as far as the accuracy score is concerned, surpassing the performance of these studies.

Proposed system performance on the real-time dataset

To thoroughly assess the performance of the proposed approach, additional experiments were conducted using an instantaneously collected dataset, which allowed for the evaluation of the proposed model's efficacy in a realworld setting, providing insights into its performance in practical scenarios.

Folds	Accuracy	Precision	Recall	F-Score
F1	0.953	0.971	0.978	0.974
F2	0.959	0.979	0.978	0.978
F3	0.961	0.975	0.975	0.975
F4	0.962	0.978	0.979	0.978
F5	0.959	0.979	0.982	0.980
Average	0.960	0.973	0.976	0.975

Table 10. Proposed model k-fold cross-validation.

Research works	Feature > 4	Patient history	AI learning technique	Cloud storage
87	No	No	Yes	Yes
88	No	No	Yes	Yes
89	No	No	Yes	Yes
90	No	No	Yes	Yes
91	No	No	Yes	Yes
92	No	No	No	Yes
93	No	No	No	Yes
94	No	No	No	Yes
Proposed model	Yes	Yes	Yes	Yes

Table 11. The proposed system will be compared to existing systems using a "Yes" to indicate the presence of a feature and a "No" to indicate the absence of a specific feature.

Research studies	Models	Accuracy
Kumar Dwivedi ⁹⁵	Logistic regression	0.85
Parthiban et al. ⁹⁶	Naïve Bayes	0.74
Shah et al. ⁹⁷	K-NN	0.90
Vembandasamy et al.98	Naïve Bayes	0.86
Proposed Model	ET-CNN	0.9524

Table 12. Results comparison with the previous syste	ems.
--	------

Cleveland dataset

The public health dataset is utilized, containing four subsets namely Switzerland, Cleveland, Long Beach V, and Hungary. These datasets have 76 features but only 14 features out of these 76 features have been used in all the published research to date in this context. A dataset containing cardiac disease-related data from across the USA and 303 patients from Ohio state-based CCF (Cleveland Clinic Foundation). UCI_MLRepository is the cardiac disease-related publicly available dataset⁹⁹. Every clinical case out of 303 includes a target attribute among a total of 76 features. The target attribute is represented by an integer ranging from 0 to 4, where 0 indicates a heart patient and values in the range of [1, 2, 3] represent healthy subjects. For the purpose of this study, binary classification was employed, having target values set to 0 for heart patients and 1 for healthy individuals. 125 instances out of 282 clinical sessions were found to be cardiac cases while the rest of the cases (55.67% or 157 out of 282) were healthy ones.

Results of the experiments

Table 13 provides the outcomes of real-time data based on deep learning models. Deep learning models are preferred over ML models due to their excellent performance in comparison. Among deep learning models, the projected ET-CNN model demonstrates significant performance with an accuracy value of 0.9718, outperforming MLP, RNN, and LSTM models. Following the CNN model, the RNN model achieves an accuracy score of 0.9449. In terms of F1 score and precision, the proposed CNN model outperforms the other models. It also outperformed the rest of the models in recall scores with the highest score of 0.98.

Results comparison with modern approaches

Our suggested healthcare monitoring method for cardiac patients is evaluated against the existing well-established and advanced methods in the domain. An ensemble method was used to develop a cardiovascular risk prediction system based on IoT, in a study referenced¹⁰⁰. However, it is important to note that ensemble techniques can introduce higher complexity and computational resource requirements, which may not be suitable for health-related systems. Furthermore, if not properly implemented, these techniques can lead to overfitting issues. Table 14 compares the performance inter-alia proposed and referenced¹⁰⁰ models. The results clearly

Model	Accuracy	Precision	Recall	F1 Score
ET-CNN	0.9718	0.95	0.98	0.96
CNN ⁸⁶	0.9534	0.93	0.97	0.95
MLP ⁸⁶	0.9302	0.91	0.93	0.92
RNN ⁸⁶	0.9449	0.92	0.92	0.92
LSTM ⁸⁶	0.9329	0.91	0.92	0.91

 Table 13. Performance comparison of the deep learning models on real-time data.

Voting classifiers	Precision (%)	Recall (%)	F1 Score (%)
KNN, ADA, XGB ¹⁰⁰	88.8	89.0	88.9
XBG, KNN, SVM ¹⁰⁰	87.8	87.8	87.8
MLPC, KNN, XGB ¹⁰⁰	91.0	91.0	91.0
KNN, ADA, MLPC, XGB ¹⁰⁰	87.1	87.5	87.3
MLPC, SVM, ADA, XGB ¹⁰⁰	88.2	88.6	88.4
SVM, XGB, MLPC, KNN, ADA ¹⁰⁰	87.2	87.3	87.2
CNN ⁸⁶	93.4	97.5	95.6
Proposed ET-CNN	95.1	98.24	96.3

Table 14. Performance comparison of the proposed approach with existing research work¹⁰⁰.

Scientific Reports | (2023) 13:19213 |

demonstrate that the suggested approach is better than the mentioned study, showcasing its superior performance and effectiveness in health monitoring applications.

Limitations of current work

The major limitation of this research work is the collection of data from multiple sources and the sending of data to the cloud storage for further analysis. However IoT-based systems are capable for incorporation of digital wearable fitness gadgets that can be controlled via multiple devices by healthcare professionals. Such devices have limited processing powers and local data storage. Such devices are relatively less secure and hence a potential risk to the privacy and confidentiality of patients' data. The integration of IoT-based wearable devices has the potential to provide continuous monitoring of patients, enabling early detection of potential health issues. This expanded system can enhance the overall healthcare monitoring process and contribute to the timely diagnosis and management of patient's health conditions.

Conclusions

Monitoring patients with acute heart holds significant importance in acting rapidly in case of emergencies. Incorporating IoT and artificial intelligence-based solutions has emerged as potential solutions in medical care. The utilization of IoT technology has enabled medical professionals to access patients' records without requiring them to physically visit medical clinics. This study presents the development of a health monitoring system aimed at monitoring the health status of individuals with critical heart failure. The proposed healthcare system has increased the survival chances for chronically ill patients and offers convenient, cost-effective, and reliable monitoring specifically for cardiac patients. The system gathers data from patients and transmits it to the cloud for further analysis. Furthermore, this study introduces an extra tree classifier with an optimized convolutional neural network model for the precise identification of individuals with heart conditions. The performance of this model is evaluated in comparison to various deep learning, machine learning, and transfer learning approaches. The trial findings demonstrate that the suggested prototype outperforms all other utilized models, achieving an accuracy score of 0.9524. The effectiveness of the proposed model is further confirmed through 5-fold crossvalidation. Furthermore, a comparison of its performance with existing studies that employed the same dataset. In both cases, the proposed model consistently exhibits superior results. Additionally, the proposed technique demonstrates higher accuracy and shorter training time compared to alternative models. The future work of this research work is to design an automated telemedicine system on which patients not only can continuously monitor healthcare but also can get proper medication based on health monitoring data.

Data availability

The dataset generated and analyzed during the current study are available in the Kaggle repository, (https://www.kaggle.com/datasets/mohamedamineferrag/edgeiiotset-cyber-security-dataset-of-iot-iiot). The dataset analyzed during the current study is available from the corresponding author upon reasonable request.

Received: 31 July 2023; Accepted: 30 October 2023 Published online: 06 November 2023

References

- 1. Goldie, J. G. S. Connectivism: A knowledge learning theory for the digital age?. Med. Teach. 38, 1064–1069 (2016).
- Pan, M. *et al.* Internet development and carbon emission-reduction in the era of digitalization: Where will resource-based cities go?. *Resour. Policy* 81, 103345. https://doi.org/10.1016/j.resourpol.2023.103345 (2023).
- 3. Padmanaban, S. et al. The Role of Internet of Things in Smart Homes. In Artificial Intelligence-based Smart Power Systems (eds Padmanaban, S. et al.) https://doi.org/10.1002/9781119893998.ch13 (Wiley, 2022).
- Subhan, F. et al. AI-enabled wearable medical internet of things in healthcare system: A survey. Appl. Sci. https://doi.org/10. 3390/app13031394 (2023).
- 5. De Alwis, S. et al. A survey on smart farming data, applications and techniques. Comput. Ind. 138, 103624 (2022).
- Wan, S., Qi, L., Xu, X., Tong, C. & Gu, Z. Deep learning models for real-time human activity recognition with smartphones. *Mob. Netw. Appl.* 25, 743–755 (2020).
- Joyia, G. J., Liaqat, R. M., Farooq, A. & Rehman, S. Internet of medical things (iomt): Applications, benefits and future challenges in healthcare domain. J. Commun. 12, 240–247 (2017).
- Mohammed, K., Abdelhafid, M., Kamal, K., Ismail, N. & Ilias, A. Intelligent driver monitoring system: An internet of thingsbased system for tracking and identifying the driving behavior. *Comput. Stand. Interfaces* 84, 103704 (2023).
- 9. Polu, S. K. & Polu, S. Iomt based smart health care monitoring system. Int. J. Innov. Res. Sci. Technol. 5, 58-64 (2019)
- Razdan, S. & Sharma, S. Internet of medical things (iomt): Overview, emerging technologies, and case studies. *IETE Tech. Rev.* 39, 775–788 (2022).
- Tyagi, A. K. & Chahal, P. Artificial intelligence and machine learning algorithms. In Research Anthology on Machine Learning Techniques, Methods, and Applications, 421–446 (IGI Global, 2022).
- 12. Fiaidhi, J. & Mohammed, S. Security and vulnerability of extreme automation systems: The iomt and ioa case studies. *IT Prof.* 21, 48–55 (2019).
- Jain, S. *et al.* Internet of medical things (iomt)-integrated biosensors for point-of-care testing of infectious diseases. *Biosens. Bioelectron.* 179, 113074 (2021).
- Hernandez-Jaimes, M. L., Martinez-Cruz, A., Ramírez-Gutiérrez, K. A. & Feregrino-Uribe, C. Artificial intelligence for IoMT security: A review of intrusion detection systems, attacks, datasets and Cloud–Fog–Edge architectures. *Internet Things* 23, 100887. https://doi.org/10.1016/j.iot.2023.100887 (2023).
- 15. Bhushan, B. *et al.* Towards a secure and sustainable internet of medical things (iomt): Requirements, design challenges, security techniques, and future trends. *Sustainability* **15**, 6177 (2023).
- 16. Umer, M. et al. Iot based smart monitoring of patients' with acute heart failure. Sensors 22, 2431 (2022).
- Virani, S. S. et al. Heart disease and stroke statistics-2020 update: A report from the american heart association. Circulation 141(9), e139-e596. https://doi.org/10.1161/CIR.00000000000757 (2020).

- Ghubaish, A. et al. Recent advances in the internet-of-medical-things (iomt) systems security. IEEE Internet Things J. 8, 8707– 8718 (2020).
- Jiang, H. et al. An energy-efficient framework for internet of things underlaying heterogeneous small cell networks. IEEE Trans. Mob. Comput. 21, 31–43 (2020).
- Rani, S., Ahmed, S. H., Talwar, R., Malhotra, J. & Song, H. Iomt: A reliable cross layer protocol for internet of multimedia things. IEEE Internet things J. 4, 832–839 (2017).
- Cheng, B., Zhu, D., Zhao, S. & Chen, J. Situation-aware iot service coordination using the event-driven soa paradigm. *IEEE Trans. Netw. Serv. Manag.* 13, 349–361 (2016).
- 22. Zikria, Y. B., Afzal, M. K. & Kim, S. W. Internet of multimedia things (iomt): Opportunities, challenges and solutions. *Sensors* 20, 2334 (2020).
- Cheng, B. et al. Situation-aware dynamic service coordination in an iot environment. IEEE/ACM Trans. Netw. 25, 2082–2095 (2017).
- 24. Asada, H. H., Shaltis, P., Reisner, A., Rhee, S. & Hutchinson, R. C. Mobile monitoring with wearable photoplethysmographic biosensors. *IEEE Eng. Med. Biol. Mag.* 22, 28–40 (2003).
- 25. Liu, M. et al. Three-dimensional modeling of heart soft tissue motion. Appl. Sci. 13, 2493 (2023).
- Patterson, J. A., McIlwraith, D. C. & Yang, G.-Z. A flexible, low noise reflective ppg sensor platform for ear-worn heart rate monitoring. In 2009 sixth international workshop on wearable and implantable body sensor networks, 286–291 (IEEE, 2009).
- La, H. J., Ter Jung, H. & Kim, S. D. Extensible disease diagnosis cloud platform with medical sensors and iot devices. In 2015 3rd International Conference on Future Internet of Things and Cloud, 371–378 (IEEE, 2015).
- 28. Chehri, A. Energy-efficient modified dcc-mac protocol for iot in e-health applications. Internet things 14, 100119 (2021).
- Sood, S. K. & Mahajan, I. Wearable iot sensor based healthcare system for identifying and controlling chikungunya virus. Comput. Ind. 91, 33–44 (2017).
- 30. Ting, D. S. W., Carin, L., Dzau, V. & Wong, T. Y. Digital technology and covid-19. Nat. Med. 26, 459-461 (2020).
- Vaishya, R., Haleem, A., Vaish, A. & Javaid, M. Emerging technologies to combat the covid-19 pandemic. J. Clin. Exp. Hepatol. 10, 409–411 (2020).
- Jain, P., Joshi, A. M. & Mohanty, S. P. iglu: An intelligent device for accurate noninvasive blood glucose-level monitoring in smart healthcare. *IEEE Consum. Electron. Mag.* 9, 35–42 (2019).
- 33. Wang, S.-H., Zhang, Y., Cheng, X., Zhang, X. & Zhang, Y.-D. Psspnn: Patchshuffle stochastic pooling neural network for an explainable diagnosis of covid-19 with multiple-way data augmentation. *Comput. Math. Methods Med.* **2021**, 1–18 (2021).
- Samani, H. & Zhu, R. Robotic automated external defibrillator ambulance for emergency medical service in smart cities. IEEE Access 4, 268–283 (2016).
- 35. Arbat, H., Choudhary, S., & Bala, K. IOT smart health band. Imp. J. Interdiscip. Res., 2 (2016).
- Frank, P.-W. L. & Meng, M. Q.-H. A low cost bluetooth powered wearable digital stethoscope for cardiac murmur. In 2016 IEEE International Conference on Information and Automation (ICIA), 1179–1182 (IEEE, 2016).
- 37. FOSFA. F. o. s. f. a. trackers. https://www.fitbit.com/global/eu/home. Accessed: 2022-12-30.
- Yu, S.-N. & Cheng, J.-C. A wireless physiological signal monitoring system with integrated bluetooth and wifi technologies. In: 2005 IEEE Engineering in Medicine and Biology 27th Annual Conference, 2203–2206 (IEEE, 2006).
- 39. Lou, D. et al. A wireless health monitoring system based on android operating system. Ieri Procedia 4, 208-215 (2013).
- Aziz, K., Tarapiah, S., Ismail, S. H. & Atalla, S. Smart real-time healthcare monitoring and tracking system using gsm/gps technologies. In 2016 3rd MEC International Conference on Big Data and Smart City (ICBDSC), 1–7 (IEEE, 2016).
- Leong, T.-Y., Warren, J. R. & Kuhn, K. A. In MEDINFO 2007: Proceedings of the 12th World Congress on Health (Medical) Informatics-Building Sustainable Health Systems (IOS Press, 2007).
- 42. Jung, S. Scott jung. www.medgadget.com/2017/01/samsung-s-skin-analyzes-improves-skin.html. Accessed: 2022-12-16.
- Tsai, M.-H., Pan, C.-S., Wang, C.-W., Chen, J.-M. & Kuo, C.-B. Rfid medical equipment tracking system based on a locationbased service technique. J. Med. Biol. Eng. 39, 163–169 (2019).
- Chavan, P., More, P., Thorat, N., Yewale, S. & Dhade, P. Ecg-remote patient monitoring using cloud computing. Imp. J. Interdiscip. Res. 2, 368–372 (2016).
- Fischer, M. & Lam, M. From books to bots: Using medical literature to create a chat bot. In: Proceedings of the First Workshop on IoT-enabled Healthcare and Wellness Technologies and Systems, 23–28 (2016).
- Bhoomika, B. K. & Muralidhara, K. Secured smart healthcare monitoring system based on iot. Int. J. Recent Innov. Trends Comput. Commun. 3, 4958–4961 (2015).
- Motwani, K., Mirchandani, D., Rohra, Y., Tarachandani, H., & Yeole, A.S. Smart nursing home patient monitoring system. *Imp. J. Interdiscip. Res.* 2 (2016).
- Krishna, K. D. et al. Computer aided abnormality detection for kidney on fpga based iot enabled portable ultrasound imaging system. Irbm 37, 189–197 (2016).
- Chandel, V., Sinharay, A., Ahmed, N. & Ghose, A. Exploiting imu sensors for iot enabled health monitoring. In: Proceedings of the First Workshop on IoT-enabled healthcare and wellness technologies and systems, 21–22 (2016).
- Singh, R. A proposal for mobile e-care health service system using IoT for Indian scenario. J. Netw. Commun. Emerg. Technol. 6(1), 21–23 (2016).
- RajanJeyaraj, P. & Nadar, E. R. S. Smart-monitor: Patient monitoring system for iot-based healthcare system using deep learning. IETE J. Res. 68, 1435–1442 (2022).
- 52. Al Mudawi, N. Integration of iot and fog computing in healthcare based the smart intensive units. *IEEE Access* **10**, 59906–59918 (2022).
- 53. Mohammed, B. G. & Hasan, D. S. Smart healthcare monitoring system using iot. Int. J. Interact. Mob. Technol. 17, 141–152 (2023).
- 54. Cui, M., Baek, S.-S., Crespo, R. G. & Premalatha, R. Internet of things-based cloud computing platform for analyzing the physical health condition. *Technol. Health Care* 29, 1233–1247 (2021).
- 55. Muzammal, M., Talat, R., Sodhro, A. H. & Pirbhulal, S. A multi-sensor data fusion enabled ensemble approach for medical data from body sensor networks. *Inf. Fusion* 53, 155–164 (2020).
- Manogaran, G., Varatharajan, R. & Priyan, M. Hybrid recommendation system for heart disease diagnosis based on multiple kernel learning with adaptive neuro-fuzzy inference system. *Multimed. Tools Appl.* 77, 4379–4399 (2018).
- 57. Dang, W. *et al.* A feature matching method based on the convolutional neural network. *J. Imaging Sci. Technol.* **67**(3), 1–11 (2023).
- Guidi, G., Pettenati, M. C., Melillo, P. & Iadanza, E. A machine learning system to improve heart failure patient assistance. *IEEE J. Biomed. Health Inform.* 18, 1750–1756 (2014).
- Rahman, A. et al. IEEE 13th Annual Information Technology. Electronics and Mobile Communication Conference (IEMCON) 0475–0484, 2022. https://doi.org/10.1109/IEMCON56893.2022.9946516 (2022).
- Baccouche, A., Garcia-Zapirain, B., Castillo Olea, C. & Elmaghraby, A. Ensemble deep learning models for heart disease classification: A case study from Mexico. *Information* 11, 207 (2020).
- Tama, B. A., Im, S. & Lee, S. Improving an intelligent detection system for coronary heart disease using a two-tier classifier ensemble. *BioMed Res. Int.* 2020, 9816142. https://doi.org/10.1155/2020/9816142 (2020).

- 62. Singh, R. S., Saini, B. S. & Sunkaria, R. K. Detection of coronary artery disease by reduced features and extreme learning machine. *Clujul Med.* **91**, 166 (2018).
- 63. Mohan, S., Thirumalai, C. & Srivastava, G. Effective heart disease prediction using hybrid machine learning techniques. *IEEE Access* 7, 81542–81554 (2019).
- Ramkumar, G., Seetha, J., Priyadarshini, R., Gopila, M. & Saranya, G. Iot-based patient monitoring system for predicting heart disease using deep learning. *Measurement* 218, 113235. https://doi.org/10.1016/j.measurement.2023.113235 (2023).
- Nancy, A. A., Ravindran, D., Raj Vincent, P. M. D., Srinivasan, K. & Gutierrez Reina, D. Iot-cloud-based smart healthcare monitoring system for heart disease prediction via deep learning. *Electronics*https://doi.org/10.3390/electronics11152292 (2022).
- Khan, M. A., Quasim, M. T., Algarni, F. & Alharthi, A. Decentralised Internet of Things A Blockchain Perspective: A Blockchain Perspective 119–215 (Springer, 2020). https://doi.org/10.1007/978-3-030-38677-1.
- Venkatesh, D. A. N. Reimagining the future of healthcare industry through internet of medical things (iomt), artificial intelligence (ai), machine learning (ml), big data, mobile apps and advanced sensors. Artificial Intelligence (AI), Machine Learning (ML), Big Data, Mobile Apps and Advanced Sensors (October 28, 2019) (2019).
- Liang, X., Huang, Z., Yang, S. & Qiu, L. Device-free motion & trajectory detection via rfid. ACM Trans. Embed. Comput. Syst. 17, 1–27 (2018).
- Ajagbe, S. A., Awotunde, J. B., Adesina, A. O., Achimugu, P. & Kumar, T. A. Internet of medical things (iomt): Applications, challenges, and prospects in a data-driven technology. In *Intelligent Healthcare* 299–319. https://doi.org/10.1007/978-981-16-8150-9_14 (2022).
- Li, Q.-K., Lin, H., Tan, X. & Du, S. H0 consensus for multiagent-based supply chain systems under switching topology and uncertain demands. *IEEE Trans. Syst. Man Cybern. Syst.* 50, 4905–4918 (2018).
- Alsamhi, S. & Lee, B. Blockchain for multi-robot collaboration to combat covid-19 and future pandemics. arxiv 2020. arXiv preprintarXiv:2010.02137.
- 72. Yasmeen, G., Javed, N. & Ahmed, T. Interoperability: A challenge for iomt. ECS Trans. 107, 4459 (2022).
- 73. Wang, F., Wang, H., Zhou, X. & Fu, R. A driving fatigue feature detection method based on multifractal theory. *IEEE Sens. J.* 22, 19046–19059 (2022).
- 74. Mukhopadhyay, S. C. & Suryadevara, N. K. Internet of things: Challenges and opportunities (Springer, 2014).
- 75. Selvaraj, S. & Sundaravaradhan, S. Challenges and opportunities in iot healthcare systems: A systematic review. SN Appl. Sci. 2, 139 (2020).
- 76. Hossein Motlagh, N., Mohammadrezaei, M., Hunt, J. & Zakeri, B. Internet of things (iot) and the energy sector. *Energies* 13, 494 (2020).
- Rahman, M. & Jahankhani, H. Security vulnerabilities in existing security mechanisms for iomt and potential solutions for mitigating cyber-attacks. In *Information Security Technologies for Controlling Pandemics*. Advanced Sciences and Technologies for Security Applications (eds Jahankhani, H. et al.) (Springer, Cham, 2021). https://doi.org/10.1007/978-3-030-72120-6_12.
- Patel, W. D., Patel, C. & Valderrama, C. IoMT based efficient vital signs monitoring system for elderly healthcare using neural network. *Int. J. Res.* VIII(I), 239–244. https://doi.org/16.10089.IJR.2018.V8I1.285311.234454 (2019).
- Li, C., Hu, X. & Zhang, L. The iot-based heart disease monitoring system for pervasive healthcare service. *Procedia Comput. Sci.* 112, 2328–2334 (2017).
- Wang, H. *et al.* Transcranial alternating current stimulation for treating depression: A randomized controlled trial. *Brain* 145, 83–91 (2022).
- Cao, H.-R. & Zhan, C. A novel emergency healthcare system for elderly community in outdoor environment. Wirel. Commun. Mob. Comput. 2018, 7841026. https://doi.org/10.1155/2018/7841026 (2018).
- 82. Umer, M. et al. Iot based smart monitoring of patients with acute heart failure. Sensorshttps://doi.org/10.3390/s22072431 (2022).
- Ahmad, T., Munir, A., Bhatti, S. H., Aftab, M. & Raza, M. A. Survival analysis of heart failure patients: A case study. *PLoS ONE* 12, e0181001 (2017).
- Lu, S. et al. Analysis and design of surgical instrument localization algorithm. CMES-Comput. Model. Eng. Sci. 137(1), 669–685 (2023).
- Ishaq, A. *et al.* Improving the prediction of heart failure patients' survival using smote and effective data mining techniques. IEEE Access 9, 39707–39716 (2021).
- Almujally, N. A. *et al.* Monitoring acute heart failure patients using internet-of-things-based smart monitoring system. *Sensors* 23, 4580. https://doi.org/10.3390/s23104580 (2023).
- Sattar, H. et al. Smart wound hydration monitoring using biosensors and fuzzy inference system. Wirel. Commun. Mob. Comput. 2019, 8059629. https://doi.org/10.1155/2019/8059629 (2019).
- Ruman, M. R. et al. Iot based emergency health monitoring system. In: 2020 International Conference on Industry 4.0 Technology (14Tech), 159–162 (IEEE, 2020).
- Ullah, K., Shah, M. A. & Zhang, S. Effective ways to use internet of things in the field of medical and smart health care. In: 2016 international conference on intelligent systems engineering (ICISE), 372–379 (IEEE, 2016).
- Tripathi, V. & Shakeel, F. Monitoring health care system using internet of things: An immaculate pairing. In: 2017 International Conference on Next Generation Computing and Information Systems (ICNGCIS), 153–158 (IEEE, 2017).
- 91. Raj, C., Jain, C. & Arif, W. Heman: Health monitoring and nous: An iot based e-health care system for remote telemedicine. In: 2017 International Conference on Wireless Communications, Signal Processing and Networking (WiSPNET), 2115–2119 (IEEE, 2017).
- 92. Reena, J. K. & Parameswari, R. A smart health care monitor system in iot based human activities of daily living: a review. In: 2019 International Conference on Machine Learning, Big Data, Cloud and Parallel Computing (COMITCon), 446–448 (IEEE, 2019).
- 93. Bashir, R. N., Bajwa, I. S. & Shahid, M. M. A. Internet of things and machine-learning-based leaching requirements estimation for saline soils. *IEEE Internet Things J.* **7**, 4464–4472 (2019).
- Saleem, K., Sarwar, I., Sarwar, N., Anwar, W. & Ashraf, A. IoT healthcare: Design of smart and cost-effective sleep quality monitoring system. J. Sensor. 2020, 8882378. https://doi.org/10.1155/2020/8882378 (2020).
- 95. Dwivedi, A. K. Performance evaluation of different machine learning techniques for prediction of heart disease. *Neural Comput. Appl.* **29**, 685–693 (2018).
- Parthiban, G. & Srivatsa, S. Applying machine learning methods in diagnosing heart disease for diabetic patients. *Int. J. Appl. Inf. Syst.* 3, 25–30 (2012).
- 97. Shah, D., Patel, S. & Bharti, S. K. Heart disease prediction using machine learning techniques. SN Comput. Sci. 1, 1-6 (2020).
- Vembandasamy, K., Sasipriya, R. & Deepa, E. Heart diseases detection using Naive Bayes algorithm. *Int. J. Innov. Sci. Eng. Technol.* 2, 441–444 (2015).
- Cook, A. Cleveland clinic foundation heart disease. https://www.kaggle.com/datasets/alexisbcook/cleveland-clinic-foundationheart-disease. Accessed: 2023-02-16.
- Islam, M. N. et al. Predictis: An iot and machine learning-based system to predict risk level of cardio-vascular diseases. BMC Health Serv. Res. 23, 171 (2023).

Acknowledgements

Princess Nourah bint Abdulrahman University Researchers Supporting Project number (PNURSP2023R192), Princess Nourah bint Abdulrahman University, Riyadh, Saudi Arabia.

Author contributions

M.U. and A.K.B. conceived the idea and performed an analysis. A.I., T.A. and S.A. performed the data curation and formal analysis. H.K., M.U. and A.I. provided the resources and software. A.K.B. and M.O. supervised the work. M.U., A.I. and I.A. conducted experiments. M.U., T.A., S.A. and H.K. wrote the initial manuscript, I.A. and M.O. did the write-review and editing. All authors reviewed the manuscript.

Competing interests

The authors declare no competing interests.

Additional information

Correspondence and requests for materials should be addressed to A.K.B. or I.A.

Reprints and permissions information is available at www.nature.com/reprints.

Publisher's note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/.

© The Author(s) 2023