SCIENTIFIC REPORTS

OPEN

Carrier density independent scattering rate in SrTiO₃-based electron liquids

Evgeny Mikhchev¹, Santosh Raghavan¹, Jack Y. Zhang¹, Patrick B. Marshall¹, Adam P. Kajdos¹, Leon Balents² & Susanne Stemmer¹

Received: 30 October 2015

Accepted: 08 January 2016

Published: 10 February 2016

We examine the carrier density dependence of the scattering rate in two- and three-dimensional electron liquids in SrTiO₃ in the regime where it scales with T^n (T is the temperature and $n \leq 2$) in the cases when it is varied by electrostatic control and chemical doping, respectively. It is shown that the scattering rate is independent of the carrier density. This is contrary to the expectations from Landau Fermi liquid theory, where the scattering rate scales inversely with the Fermi energy (E_F). We discuss that the behavior is very similar to systems traditionally identified as non-Fermi liquids ($n < 2$). This includes the cuprates and other transition metal oxide perovskites, where strikingly similar density-independent scattering rates have been observed. The results indicate that the applicability of Fermi liquid theory should be questioned for a much broader range of correlated materials and point to the need for a unified theory.

A complete understanding of materials whose transport and thermodynamic properties deviate from Landau Fermi liquid theory remains one of the central problems in physics^{1,2}. Non-Fermi-liquid behavior is usually identified via power-laws in the temperature (T) dependence of properties such as electrical resistance. For example, the resistance of non-Fermi liquids scales with T^n , where $n < 2$. In many cases, including some very extensively characterized materials, such as the cuprate superconductors, it is still under debate if the observed behavior can be described by a modified Fermi liquid theory or if a completely new description of such metallic states is required^{1–4}.

Conversely, a correlated electron system is usually identified as a classic Fermi liquid when $n = 2$, which is the exponent predicted from the electron-electron scattering contribution to the resistance. There may, however, exist another case, namely systems that *appear* to behave like a Fermi liquid, exhibiting $n = 2$, but on closer inspection fail to be described by Fermi liquid theory. This case is important, because many of the systems that exhibit non-Fermi liquid behavior and exotic states, such as unconventional superconductivity, emerge from “parent phases” that are thought to be Fermi liquids, because $n = 2$.

The fact that the resistance follows T^2 behavior up to unusually high temperatures ($T \gg T_F$, where T_F is the Fermi energy) in many correlated electron systems may already hint at difficulties for Fermi liquid theory. Examples include highly doped SrTiO₃^{5–8}, cuprate superconductors that show T^2 behavior to room temperature in some parts of their phase diagrams^{9,10}, and rare earth nickelates, which follow $n = 2$ to room temperature^{11,12}. Well-defined T^2 resistivity is found in many other 3d, 4d, and 5d transition metal perovskites^{13–15}. Another phenomenon that is difficult to reconcile with Fermi liquid quasiparticles^{16–18} is a pronounced separation of the 0-K Hall and longitudinal transport scattering rates in electron liquids in SrTiO₃ quantum wells even though $n \approx 2$ indicates a Fermi liquid¹⁹.

In this work, we examine the applicability of Fermi liquid theory by tuning the carrier density in two different SrTiO₃-based electron liquids: (i) *chemically doped* SrTiO₃ and (ii) electrostatically gated two-dimensional electron liquids (2DELs) in thin SrTiO₃ *quantum wells* sandwiched between two insulating SmTiO₃ layers. Uniformly doped SrTiO₃ exhibits a T^2 dependence of the resistance over an exceptionally wide doping range^{5–8,20}. As the doping is increased, optical phonon mode scattering, which operates at high temperatures, is screened out and the T^2 regime expands to ever higher temperatures⁷. This behavior is consistent with electron-electron scattering dominating the transport. The quantum wells contain about $7 \times 10^{14} \text{ cm}^{-2}$ mobile carriers that are introduced by

¹Materials Department, University of California, Santa Barbara, CA 93106-5050, USA. ²Kavli Institute for Theoretical Physics, University of California, Santa Barbara, California 93106-4030, USA. Correspondence and requests for materials should be addressed to S.S. (email: stemmer@mrl.ucsb.edu)

Figure 1. (a) Schematic cross-sectional view of the test device. (b) Top view optical micrograph of the device. (c) Sheet resistance and (d) resistance normalized to $V_G = 0$ as a function of T and V_G . (e) Gate leakage at different temperatures. (f) Carrier density measured by Hall effect at $T = 100$ K as a function of V_G .

the charge (polar) discontinuity between SrTiO_3 and SmTiO_3 ²¹. Electrical transport is dominated by the T^n contribution ($n \leq 2$) to room temperature^{7,22}. A drop from $n \sim 2$ to $n \sim 5/3$ occurs at a critical quantum well thickness¹⁹. The endpoint (SmTiO_3 without any embedded SrO layer) is an antiferromagnetic Mott insulator.

We examine the temperature coefficient A , the residual resistance R_0 , and the exponent n in the temperature dependence of the electrical sheet resistance, R_{xx} , as the 2D or 3D carrier density is varied:

$$R_{xx} = R_0 + AT^n \quad (1)$$

We use electric field gating to modulate the charge carrier densities in the 2DELs. This has the advantage of avoiding alloy disorder and allows for continuous modulation of the carrier density by the applied electric voltage. We show that Fermi liquid theory faces difficulties in providing a quantitative explanation of a nearly carrier density independent scattering rate in R_{xx} for both the 2DELs and the uniformly doped SrTiO_3 .

Results

Figure 1(a) shows a schematic of the gated Hall bar device structure. An optical micrograph is shown in Fig. 1(b). A 6-nm layer of the wide-band gap insulator SrZrO_3 served as a gate dielectric. The thin SrTiO_3 quantum well, containing one unit cell of SrTiO_3 (2 SrO layers), is confined by insulating SmTiO_3 layers. At this thickness of the SrTiO_3 quantum wells a non-Fermi liquid exponent n is expected^{19,23}.

Figure 1(c) shows the temperature dependence of the quantum well sheet resistance, R_{xx} , at different gate voltages, V_G . The normalized $[(R/R(V_G = 0))]$ sheet resistance is shown in Fig. 1(d) across the entire measured T range (2–300 K). The resistance modulation between $V_G = -1$ and $+1$ V was 3–4% and was reversible. The gate leakage current, $I_G(V_G)$, showed non-linear behavior at all temperatures [Fig. 1(e)]. The highest leakage was 15 nA, below 1 nA for most V_G 's, and in all cases orders of magnitude below the source-drain current of 40 μA .

The electrostatic gate effect was independently confirmed by Hall effect measurements as a function of V_G . The Hall resistance was linear in magnetic field, allowing for extraction of the carrier density N , which is shown in Fig. 1(f). The changes in N were consistent with accumulation (depletion) of charge carriers for positive (negative) V_G , respectively, and the observed resistance change. The total modulation between $V_G = -1$ and $+1$ V was $\Delta N = 1.62 \times 10^{13} \text{ cm}^{-2}$. Despite this being a fairly large amount of charge modulated, due to the very high carrier density ($\sim 3 \times 10^{14} \text{ cm}^{-2}$ per interface, corresponding to the theoretically expected $\frac{1}{2}$ of an electron per interface unit cell²¹), the fractional modulation is only 2.1%. This was, however, sufficient to investigate the changes in the non-Fermi liquid parameters.

Figure 2. (a) Non-Fermi liquid behavior in $R_{xx}(T)$ at $V_G = 0$ V. The dashed line is a fit to Eq. (1). (b) Same data and fit plotted as dR_{xx}/dT vs. T . The inset is the same data on a log-log scale.

Discussion

Figure 2 shows an example of a fit of $R_{xx}(T)$ at $V_G = 0$ V with $n = 1.645$. The results for all V_G are shown in Fig. 3. The fit range was restricted to 150–240 K, but the description was valid in the 125–300 K range. Below 125 K, $R_{xx}(T)$ exhibited a logarithmic upturn, which is not yet understood. When R_0 , A , and n were used as free parameters, n was insensitive to V_G and thus the carrier density modulation, within experimental error [see error bars in Fig. 3(a)]. We note that these results are fully consistent with a much larger, systematic study of resistivity and Hall effect in ungated $\text{RTiO}_3/\text{SrTiO}_3/\text{RTiO}_3$ ($R = \text{Sm, Gd}$) quantum wells as a function of SrTiO_3 thickness presented elsewhere¹⁹.

The non-Fermi liquid exponent $n \sim 5/3$ has been observed in several other systems, such as electron-doped cuprates²⁴ and rare earth nickelates^{11,12}. All systems are in proximity to an antiferromagnetically ordered state. Nevertheless, n is at variance with theoretical predictions of two and three-dimensional antiferromagnetic quantum critical fluctuations ($n = 1$ and $3/2$, respectively²⁵). In principle, n could be modified from a theoretical value by disorder²⁶. However, while disorder (interface roughness) is clearly reflected in $R_0(V_G)$ (see below), it does not measurably change the non-Fermi liquid exponent n . This points to an intrinsic origin of this particular value of n .

For reliable analysis of the trends in the A parameter, n was fixed to 1.645. As shown in Fig. 3(b,c), both R_0 and A depend on V_G and therefore N , as expected. We discuss $R_0(V_G)$ first. Specifically, $R_0 = m^* \Gamma_0 / Ne^2$, where m^* is the effective electron mass, Γ_0 is the scattering rate at $T = 0$ (a measure of disorder level) and e the electron charge²⁷. Figure 3(d) shows $R_0(V_G)$, $A(V_G)$, and $N^{-1}(V_G)$ normalized to their values at $V_G = 0$ V. $R_0(V_G)$ varies by a factor of two more than $N(V_G)$, implying that Γ_0 also changes with V_G . Γ_0 decreases upon charge carrier accumulation. This can be explained with asymmetries in interfacial roughness. Figure 4 shows a high-angle annular dark-field scanning transmission electron microscopy (HAADF-STEM) image, with interfaces indicated by the dashed lines. Overlaid on the image are averaged intensities of each column of atoms, integrated parallel to the interface. HAADF intensities are sensitive to atomic numbers present in the columns and thus provide a measure of intermixing/roughness. The intensities are relatively constant within the SrTiO_3 and SmTiO_3 layers. Interfacial regions on either side of the quantum well, marked by arrows, show a less abrupt intensity change for the bottom interface of the quantum well (right side in Fig. 5), indicating a rougher (more intermixed) interface. Asymmetries in top/bottom interface roughness are ubiquitous in superlattices^{28,29}. In thin quantum wells, the dominant scattering contributing to R_0 is interface roughness³⁰. For $V_G > 0$, charge carriers accumulate at the smoother top interface, thereby decreasing Γ_0 relative to $V_G < 0$.

We next discuss the dependence of A in the carrier density N . Within the Drude model, the AT^n term in Eq. (1) can be written as³¹:

Figure 3. Results for the fit parameters in Eq. (1) as a function of V_G : (a) Non-Fermi liquid temperature exponent n , (b) residual resistance R_0 and, (c) the electron-electron scattering strength A . (d) R_0 , A , and inverse carrier density N^{-1} (at $T = 100$ K) normalized to their $V_G = 0$ values.

Figure 4. HAADF STEM image of a SrTiO₃ quantum well containing 4 SrO layers (orange dashed lines) sandwiched between two SmTiO₃ layers. The relative intensities of each plane of atoms, integrated parallel to the interface, are shown as an overlay. The arrows mark the first interfacial layer on either side of the quantum well. The more abrupt intensity difference between the SrO and SmO layers on the left side of the quantum well, compared to the right, indicates a sharper interface.

$$AT^n = \frac{m^*}{Ne^2} \cdot \Gamma(T^n), \quad (2)$$

where $\Gamma(T^n)$ is the scattering rate. From Figs 3(d) and 5(a), one observes $A \sim N^{-1}$, in accordance with the pre-factor in Eq. (2). This implies that the scattering rate $\Gamma(T^n)$ is independent of N . This observation is at odds with the standard Fermi liquid theory of the electron-electron scattering contributions to the resistance, where the relevant energy scale is the Fermi energy, E_F . From dimensional analysis and $n = 2^{31}$:

$$\Gamma(T^2) = B \cdot \frac{(k_B T)^2}{\hbar E}, \quad (3)$$

where B is a dimensionless factor that incorporates scattering event probabilities and k_B is the Boltzmann constant. For a Fermi liquid, $E = E_F^{31}$. For an arbitrary exponent ($1 \leq n \leq 2$), Eq. (3) becomes:

$$\Gamma(T^n) = B \cdot \frac{(k_B T)^n}{\hbar E^{(n-1)}}, \quad (4)$$

Figure 5. Temperature coefficient A as a function of the carrier density N in (a) gated quantum wells and (b) uniformly doped SrTiO_3 . The dashed lines are a guide to the eye to illustrate $A \sim 1/N$ (blue) and $A \sim 1/N^{5/3}$ (grey). The latter relationship is often associated with electron-electron scattering in a Fermi liquid³³. In (b), the carrier densities at which a higher lying conduction band fills, according to ref. 44, are indicated by vertical lines. A small increase in A is observed at these carrier densities, but no deviation from $A \sim 1/N$. The experimental data in (b) are from La and Gd-doped SrTiO_3 thin films grown by molecular beam epitaxy^{51,52} and from Nb-doped and oxygen deficient SrTiO_3 single crystals^{6,8}.

In the case of the gated quantum well, $n = 1.645$ and $\Gamma(T^{1.645}) \sim 1/E^{0.645}$. Details of B depend on the mechanism(s) giving rise to a momentum change and other assumptions^{6,32–34}. In particular, Umklapp processes are necessary to relax the momentum³⁵ and their contribution is strongly dependent on N . For instance, according to refs. 33,36, $A \sim 1/N^{5/3}$. The importance of Umklapp processes has been discussed recently⁸ for electron-electron scattering in SrTiO_3 doped to very low concentrations, where Umklapp processes are thought to be negligible (i.e., with much lower concentrations than the quantum wells studied here). There is debate in the literature as to whether a normal process can also relax momentum under certain conditions^{37–39}. Independent of this question, however, from Luttinger's theorem, Eqs. (3–4) should result in a pronounced carrier density dependence of $\Gamma(T^n)$ if $E = E_F$, contrary to what is observed. The insensitivity of $\Gamma(T^n)$ to a change in N upon gating therefore suggests that E is not E_F but some other, N independent, energy scale.

To check if the scattering rate and the relevant energy scale E remain insensitive to N when it is varied over many orders of magnitude, we consider uniformly doped SrTiO_3 . Figure 5(b) shows A as a function of N (which is the 3D carrier density in this case) for different samples from the literature in the regime where $R_{xx}(T) \sim AT^2$. Again, we observe $A \sim N^{-1}$, implying that $\Gamma(T^2)$ is independent of N , at odds with Fermi liquid theory. The fact that this relationship is maintained over such a wide range of N appears to also rule out any accidental cancellations by any carrier dependencies in B . We note weak steps in A , possibly associated with additional bands being filled⁸, which was also observed in the temperature coefficient of the mobility⁷, and could be due to an associated change in the density of states and/or multiband effects, both of which increase A . Nevertheless, the $A \sim N^{-1}$

Figure 6. Scattering rate as a function of T , calculated as $\Gamma = ANT^2e^2/m^*$, for $m^* = m_e$, the free electron mass. AN is taken from the slope of $A(N)$ data for uniformly doped SrTiO_3 in Fig. 5(b). The three lines correspond to the three regimes of band filling, as shown in Fig. 5(b). For comparison, the thermal energy, $k_B T$, is indicated by the black dashed line.

relationship is maintained in each regime, even though the temperature exponent would suggest a classic Fermi liquid, i.e. $n = 2$.

In systems with T -linear behavior, such as the cuprates, E in Eq. (4) becomes irrelevant as can be seen by setting $n = 1$. Furthermore, $B \sim 1$ ^{40,41}. This has sometimes been attributed to an underlying quantum critical point that causes the relaxation time to become independent of the microscopic processes so that the temperature is the only energy scale in the system⁴². The results here suggest something far more general, namely, a breakdown of the Fermi liquid state in certain materials, such as doped SrTiO_3 , far from any (at least magnetic) quantum critical point. In these materials the energy scale in the scattering rate, which is not E_F , becomes increasingly irrelevant as a system transitions from an $n = 2$ regime to $n < 2$, as can be seen from Eq. (4).

It is remarkable that the “anomalous Fermi liquid” behavior is observed despite the fact that the materials studied here have well-defined Fermi surfaces^{43–45} at low temperature, and show features consistent with filling of successive bands with increasing doping^{43,45}. It is instructive to plot Γ , defined through Eq. (2), taking $m^* = m_e$, the free electron mass, as shown in Fig. 6. We see that it is always much smaller than the bandwidth (several eV). Furthermore, $\hbar\Gamma \gg k_B T$ at high temperature, which is clearly outside Fermi liquid theory. Moreover, if we estimate an order of magnitude for the energy scale by combining Eqs. 2 and 3, $E = (k_B T)^2 / \hbar\Gamma$, we find $E \sim 10$ meV, which is smaller than E_F , at least at high carrier densities.

These observations compound the difficulty of conventional Fermi liquid theory in addressing the T^2 resistivity, and suggest that some distinctly stronger scattering process must be involved. Future studies should address this mechanism and the nature of the energy scale E in Eqs. (3–4) in strongly correlated materials, such as the cuprates, nickelates, and titanates, all of which show a wide T^2 regime (as well as deviations from it). We note that in several materials with $n < 2$, which include the cuprates and the SrTiO_3 quantum wells, the Hall scattering rate maintains a T^2 dependence^{18,19,46}. It has been pointed out that the nature of the energy scale (E) for the Hall scattering rate in such systems is unclear¹⁷, but, interestingly, it has been found to have a weak doping dependence, i.e., similar to what we observe for R_{xx} ^{9,17}. A doping independent scattering rate has also been recently reported in the cuprates¹⁰ and several other perovskites¹⁵. Finally, we note that the continuity of the $A \sim 1/N$ behavior across four orders of magnitude of N is inconsistent with a sudden, sharp increase in Umklapp scattering around $N \sim 2 \times 10^{20} \text{ cm}^{-3}$, as predicted in refs 20 and 8.

In summary, the broad implication of this study is that some materials with a robust T^2 resistivity are not conventional Fermi liquids, and their transport is likely just as anomalous as that of those that are traditionally identified as non-Fermi liquids (when $1 \leq n \leq 2$). This leaves a formidable challenge to theory, namely a unified understanding of the entire T^n resistivity regime, with a carrier density independent energy scale in the scattering rate, and allowing for intermediate exponents between the T^2 and the T -linear limits.

Methods

The $\text{SmTiO}_3(10 \text{ nm})/\text{SrTiO}_3(2 \text{ SrO layers thick})/\text{SmTiO}_3(1.2 \text{ nm})/\text{SrZrO}_3(6 \text{ nm})$ stack was grown on a (001)LSAT substrate by hybrid molecular beam epitaxy, as described in detail elsewhere^{47–49}. The devices were processed using standard contact photolithography techniques. The Pt (100 nm) gate contact was deposited by electron beam evaporation. The mesa was defined by dry etching. Prior to the deposition of the Ti(400 nm)/Au(3000 nm) Ohmic contacts, SrZrO_3 was selectively removed with a wet etch in buffered HF diluted 1:10 in water. Electrical measurements from 2 to 300 K were performed in a Quantum Design Physical Property Measurement System (PPMS). Cross section samples for HAADF-STEM imaging were prepared by focused ion beam thinning and

imaged using a FEI Titan S/TEM operated at 300 kV, with a convergence angle of 9.6 mrad. Atomic column positions were obtained by fitting each column to a two-dimensional Gaussian. Integrated intensities were obtained by averaging a circular region with radius $\frac{1}{4}$ of the unit cell around each atomic column⁵⁰.

References

- Anderson, P. W. New physics of metals: Fermi surfaces without Fermi liquids. *Proc. Natl. Acad. Sci.* **92**, 6668–6674 (1995).
- Schofield, A. J. Non-Fermi liquids. *Contemp. Phys.* **40**, 95–115 (1999).
- v. Löhneysen, H., Rosch, A., Vojta, M. & Wölfle, P. Fermi-liquid instabilities at magnetic quantum phase transitions. *Rev. Mod. Phys.* **79**, 1015–1075 (2007).
- Stewart, G. R. Non-Fermi-liquid behavior in d- and f-electron metals. *Rev. Mod. Phys.* **73**, 797–855 (2001).
- Baratoff, A. & Binnig, G. Mechanism of superconductivity in SrTiO₃. *Physica B & C* **108**, 1335–1336 (1981).
- van der Marel, D., van Mechelen, J. L. M. & Mazin, I. I. Common Fermi-liquid origin of T² resistivity and superconductivity in n-type SrTiO₃. *Phys. Rev. B* **84**, 205111 (2011).
- Mikheev, E. *et al.* Limitations to the room temperature mobility of two- and three-dimensional electron liquids in SrTiO₃. *Appl. Phys. Lett.* **106**, 062102 (2015).
- Lin, X., Fauqué, B. & Behnia, K. Scalable T² resistivity in a small single-component Fermi surface. *Science* **349**, 945–948 (2015).
- Ando, Y. *et al.* Evolution of the Hall Coefficient and the Peculiar Electronic Structure of the Cuprate Superconductors. *Phys. Rev. Lett.* **92**, 197001 (2004).
- Barisic, N. *et al.* Universal sheet resistance and revised phase diagram of the cuprate high-temperature superconductors. *Proc. Nat. Acad. Sci.* **110**, 12235–12240 (2013).
- Zhou, J. S., Goodenough, J. B. & Dabrowski, B. Pressure-induced non-Fermi-liquid behavior of PrNiO₃. *Phys. Rev. Lett.* **94**, 226602 (2005).
- Mikheev, E. *et al.* Tuning bad metal and non-Fermi liquid behavior in a Mott material: rare earth nickelate thin films. *Sci. Adv.* **1**, e1500797 (2015).
- Nagai, I. *et al.* Highest conductivity oxide SrMoO₃ grown by a floating-zone method under ultralow oxygen partial pressure. *Appl. Phys. Lett.* **87**, 024105 (2005).
- Sakai, A. *et al.* Thermoelectric Properties of Electron-Doped KTaO₃. *Jap. J. Appl. Phys.* **48**, 097002 (2009).
- Oka, D. *et al.* Intrinsic high electrical conductivity of stoichiometric SrNbO₃ epitaxial thin films. *Phys. Rev. B* **92**, 205102 (2015).
- Anderson, P. W. Hall-Effect in the 2-Dimensional Luttinger Liquid. *Phys. Rev. Lett.* **67**, 2092–2094 (1991).
- Lee, D. K. K. & Lee, P. A. Transport phenomenology for a holon–spinon fluid. *J. Phys. Condens. Matter* **9**, 10421–10428 (1997).
- Coleman, P., Schofield, A. J. & Tselik, A. M. How should we interpret the two transport relaxation times in the cuprates? *J. Phys. - Condens. Mat.* **8**, 9985–10015 (1996).
- Mikheev, E. *et al.* Separation of transport lifetimes in SrTiO₃-based two-dimensional electron liquids. *Phys. Rev. B* **91**, 165125 (2015).
- Klimin, S. N., Tempere, J., Marel, D. V. D. & Devreese, J. T. Microscopic mechanisms for the Fermi-liquid behavior of Nb-doped strontium titanate. *Phys. Rev. B* **86**, 045113 (2012).
- Moetakef, P. *et al.* Electrostatic carrier doping of GdTiO₃/SrTiO₃ interfaces. *Appl. Phys. Lett.* **99**, 232116 (2011).
- Moetakef, P. *et al.* Toward an artificial Mott insulator: Correlations in confined high-density electron liquids in SrTiO₃. *Phys. Rev. B* **86**, 201102(R) (2012).
- Jackson, C. A., Zhang, J. Y., Freeze, C. R. & Stemmer, S. Quantum critical behaviour in confined SrTiO₃ quantum wells embedded in antiferromagnetic SmTiO₃. *Nat. Commun.* **5**, 4258 (2014).
- Butch, N. P. *et al.* Quantum critical scaling at the edge of Fermi liquid stability in a cuprate superconductor. *Proc. Nat. Acad. Sci.* **109**, 8440–8444 (2012).
- Moriya, T. Theory of itinerant electron magnetism. *J. Magn. Magn. Mater.* **100**, 261–271 (1991).
- Rosch, A. Interplay of disorder and spin fluctuations in the resistivity near a quantum critical point. *Phys. Rev. Lett.* **82**, 4280–4283 (1999).
- Rice, T. M. & Brinkman, W. F. Effects of Impurities on the Metal-Insulator Transition. *Phys. Rev. B* **5**, 4350 (1972).
- Feenstra, R. M. *et al.* Interface roughness and asymmetry in InAs/GaSb superlattices studied by scanning tunneling microscopy. *Phys. Rev. Lett.* **72**, 2749 (1994).
- May, S. J. *et al.* Magnetically asymmetric interfaces in a LaMnO₃/SrMnO₃ superlattice due to structural asymmetries. *Phys. Rev. B* **77**, 174409 (2008).
- Gold, A. Electronic transport properties of a two-dimensional electron gas in a silicon quantum-well structure at low temperature. *Phys. Rev. B* **35**, 723 (1987).
- Ashcroft, N. W. & Mermin, N. D. *Solid State Physics*. (Brooks/Cole, Belmont, 1976).
- Baber, W. G. The Contribution to the Electrical Resistance of Metals from Collisions between Electrons. *Proc. Royal Soc. London A* **158**, 383–396 (1937).
- Lawrence, W. E. & Wilkins, J. W. Electron-Electron Scattering in the Transport Coefficients of Simple Metals. *Phys. Rev. B* **7**, 2317 (1973).
- Jacko, A. C. Non-Universality of the Kadowaki-Woods Ratio in Layered Materials, Honors Thesis, University of Queensland (2006).
- Gantmakher, V. F. & Levinson, I. B. Effect of collisions between carriers on the dissipative conductivity. *Sov. Phys. JETP* **47**, 133–137 (1978).
- Thompson, A. H. Electron-Electron Scattering in TiS₂. *Phys. Rev. Lett.* **35**, 1786 (1975).
- Gurzhi, R. N. Some features of the electrical conductivity of metals at low temperatures. *Sov. Phys. JETP* **20**, 953–960 (1965).
- Pal, H. K., Yudson, V. I. & Maslov, D. L. Resistivity of non-Galilean-invariant Fermi- and non-Fermi liquids. *Lith. J. Phys.* **52**, 142–164 (2012).
- Maebashi, H. & Fukuyama, H. Electrical Conductivity of Interacting Fermions. II. Effects of Normal Scattering Processes in the Presence of Umklapp Scattering Processes. *J. Phys. Soc. Jap.* **67**, 242–251 (1998).
- Bruin, J. A. N., Sakai, H., Perry, R. S. & Mackenzie, A. P. Similarity of Scattering Rates in Metals Showing T-Linear Resistivity. *Science* **339**, 804–807 (2013).
- Devillers, M. A. C. Lifetime of electrons in metals at room temperature. *Solid State Comm.* **49**, 1019–1022 (1984).
- Sachdev, S. *Quantum Phase Transitions*, 2nd ed. (Cambridge University Press, Cambridge, 2014).
- Allen, S. J. *et al.* Conduction-band edge and Shubnikov-de Haas effect in low-electron-density SrTiO₃. *Phys. Rev. B* **88**, 045114 (2013).
- Lin, X., Zhu, Z. W., Fauque, B. & Behnia, K. Fermi Surface of the Most Dilute Superconductor. *Phys. Rev. X* **3**, 021002 (2013).
- Uwe, H. *et al.* Conduction Band Structure of SrTiO₃. *Jpn. J. Appl. Phys.* **24** (Suppl. 24–2), 335–337 (1985).
- Chien, T. R., Wang, Z. Z. & Ong, N. P. Effect of Zn Impurities on the Normal-State Hall Angle in Single-Crystal YBa₂Cu_{3-x}Zn_xO_{7-δ}. *Phys. Rev. Lett.* **67**, 2088–2091 (1991).
- Jalan, B., Engel-Herbert, R., Wright, N. J. & Stemmer, S. Growth of high-quality SrTiO₃ films using a hybrid molecular beam epitaxy approach. *J. Vac. Sci. Technol. A* **27**, 461–464 (2009).

48. Moetakef, P. *et al.* Growth window and effect of substrate symmetry in hybrid molecular beam epitaxy of a Mott insulating rare earth titanate. *J. Vac. Sci. Technol. A* **31**, 041503 (2013).
49. Kajdos, A. P., Ouellette, D. G., Cain, T. A. & Stemmer, S. Two-dimensional electron gas in a modulation-doped SrTiO₃/Sr(Ti,Zr)O₃ heterostructure. *Appl. Phys. Lett.* **103**, 082120 (2013).
50. Zhang, J. Y. *et al.* Correlation between metal-insulator transitions and structural distortions in high-electron-density SrTiO₃ quantum wells. *Phys. Rev. B* **89**, 075140 (2014).
51. Cain, T. A., Kajdos, A. P. & Stemmer, S. La-doped SrTiO₃ films with large cryogenic thermoelectric power factors. *Appl. Phys. Lett.* **102**, 182101 (2013).
52. Moetakef, P. & Cain, T. A. Metal-insulator transitions in epitaxial Gd_{1-x}Sr_xTiO₃ thin films grown using hybrid molecular beam epitaxy. *Thin Solid Films* **583**, 129–134 (2015).

Acknowledgements

This work was supported in part by FAME, one of six centers of STARnet, a Semiconductor Research Corporation program sponsored by MARCO and DARPA and by the U.S. Army Research Office (grant no. W911NF-14-1-0379). L.B. and S.S. thank the MRSEC Program of the National Science Foundation under Award No. DMR-1121053, which supported the film growth experiments and the central facilities of the UCSB MRL used in this work. The microscopy studies (J. Y. Z.) were supported by the DOE (DEFG02-02ER45994). J.Y.Z. also received support from the Department of Defense through an NDSEG fellowship.

Author Contributions

S.R., P.B.M., and A.P.K. performed the film growth. E. M. processed the devices and carried out the electrical measurements and data analysis. J.Y.Z. performed the STEM analysis. E.M., L.B., and S.S. wrote the manuscript.

Additional Information

Competing financial interests: The authors declare no competing financial interests.

How to cite this article: Mikheev, E. *et al.* Carrier density independent scattering rate in SrTiO₃-based electron liquids. *Sci. Rep.* **6**, 20865; doi: 10.1038/srep20865 (2016).

This work is licensed under a Creative Commons Attribution 4.0 International License. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in the credit line; if the material is not included under the Creative Commons license, users will need to obtain permission from the license holder to reproduce the material. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>