SCIENTIFIC REPORTS

OPEN

Robust two-dimensional superconductivity and vortex system in $\text{Bi}_2\text{Te}_3/\text{FeTe}$ heterostructures

Received: 14 March 2016

Accepted: 27 April 2016

Published: 17 May 2016

Hong-Chao Liu^{1,2}, Hui Li¹, Qing Lin He³, Iam Keong Sou^{1,3}, Swee K. Goh² & Jiannong Wang^{1,3}

The discovery of two-dimensional superconductivity in $\text{Bi}_2\text{Te}_3/\text{FeTe}$ heterostructures provides a new platform for the search of Majorana fermions in condensed matter systems. Since Majorana fermions are expected to reside at the core of the vortices, a close examination of the vortex dynamics in superconducting interface is of paramount importance. Here, we report the robustness of the interfacial superconductivity and 2D vortex dynamics in four as-grown and aged $\text{Bi}_2\text{Te}_3/\text{FeTe}$ heterostructure with different Bi_2Te_3 epilayer thickness (3, 5, 7, 14 nm). After two years' air exposure, superconductivity remains robust even when the thickness of Bi_2Te_3 epilayer is down to 3 nm. Meanwhile, a new feature at ~13 K is induced in the aged samples, and the high field studies reveal its relevance to superconductivity. The resistance of all as-grown and aged heterostructures, just below the superconducting transition temperature follows the Arrhenius relation, indicating the thermally activated flux flow behavior at the interface of Bi_2Te_3 and FeTe. Moreover, the activation energy exhibits a logarithmic dependence on the magnetic field, providing a compelling evidence for the 2D vortex dynamics in this novel system. The weak disorder associated with aging-induced Te vacancies is possibly responsible for these observed phenomena.

In condensed matter physics, exotic physical phenomena usually emerge at the heterostructure interface of two materials with different topological characters. Recently, new topological materials including topological insulators^{1–13}, topological superconductors^{1,2,14–17}, and topological semimetals^{18–22}, have attracted considerable attention owing to the presence of novel physical properties with promising applications in spintronics, quantum computing, valleytronic devices *etc.* Unlike conventional insulators, three-dimensional (3D) topological insulators, *e.g.* Bi_2Se_3 and Bi_2Te_3 , are protected by the time reversal symmetry and have insulating bulk surrounded by metallic surface states with helical Dirac fermions. At the interface between the topological surface states and an *s*-wave superconductor, a two-dimensional (2D) spinless $p_x + ip_y$ topological superconductor was predicted to be induced by the proximity effect, which hosts the Majorana fermions¹⁴. In order to observe the Majorana fermions in condensed matter systems, the proximity effect has been widely investigated in topological insulator-superconductor devices^{23–27} and heterostructures^{28–32}. Adopting a different strategy, we prepared and reported the 2D interfacial superconductivity in topological insulator-iron chalcogenide, *i.e.*, $\text{Bi}_2\text{Te}_3/\text{FeTe}$ heterostructure, where neither Bi_2Te_3 nor FeTe thin films was superconducting³³. Since superconductivity can be stabilized in a heterostructure containing the topological insulator Bi_2Te_3 , their interplay is expected to provide a new platform for the search of Majorana fermions, which obey the non-Abelian statistics and may play an important role in the development of fault-tolerant quantum computer³⁴. Furthermore, in topological superconductors the Majorana bound states are always hosted in the vortex cores¹⁴. Therefore, the stability of the superconductivity and vortex dynamics study become important topics for the search and further manipulation of the Majorana fermions.

Here, we study the robustness of the interfacial superconductivity and 2D vortex dynamics in the $\text{Bi}_2\text{Te}_3/\text{FeTe}$ heterostructure using the electrical transport measurements. After two years' air exposure, the aged

¹Department of Physics, The Hong Kong University of Science and Technology, Clear Water Bay, Hong Kong, China.

²Department of Physics, The Chinese University of Hong Kong, Shatin, New Territories, Hong Kong, China. ³William Mong Institute of Nano Science and Technology, The Hong Kong University of Science and Technology, Clear Water Bay, Hong Kong, China. Correspondence and requests for materials should be addressed to S.K.G. (email: skgoh@phy.cuhk.edu.hk) or J.W. (email: phjwang@ust.hk)

Figure 1. (a) Normalized temperature dependent resistances and (b) dR/dT curves of sample $Bi_2Te_3(7nm)/FeTe$ in as-grown and after-two-years cases. The as-grown and after-two-years normal state resistances at 18 K are 21.0 Ω and 25.3 Ω , respectively. The T_{max} , T_{mid} , T_{zero} of after-two-years case are indicated with dash lines and arrows. Normalized temperature dependent resistances of samples $Bi_2Te_3(14nm)/FeTe$, $Bi_2Te_3(7nm)/FeTe$, $Bi_2Te_3(5nm)/FeTe$ and $Bi_2Te_3(3nm)/FeTe$ in (c) as-grown and (d) after-two-years case, respectively. The corresponding dR/dT curves are given in their insets.

heterostructures remain superconducting but with a broader transition region. A new feature appears at ~ 13 K after two years, and its relevance to superconductivity is further revealed by high field studies. The resistance of the $Bi_2Te_3/FeTe$ heterostructure just below the transition temperature follows the Arrhenius relation, which we attribute to thermally activated flux flow (TAFF) behavior. The activation energy exhibits a logarithmic dependence on the applied magnetic field, indicating the existence of a 2D vortex system.

Results and Discussion

Figure 1(a) presents the normalized temperature dependent resistances $R(T)$ of $Bi_2Te_3(7nm)/FeTe$ in both as-grown and after-two-years measurements. Before the normalization, the normal state resistance of all after-two-years samples is generally higher: using $R(18K)$ as a benchmark, it is 12–64% larger compared with the as-grown samples. Since the formation of Te vacancies is always observed in the Bi_2Te_3 and FeTe after long-term exposure to air^{35–37}, it provides an explanation for the aging induced resistance increase here. Despite the increase in resistance, superconductivity is still robust after two years' air exposure, although the transition regime becomes broader and the zero-resistance temperature T_{zero} drops. Therefore, the weak disorder from the Te vacancies is not completely detrimental to superconductivity; instead it provides an interesting avenue for investigating the vortex dynamics, which will be discussed later. Compared with the as-grown result, in $Bi_2Te_3(7nm)/FeTe$ the temperature of the maximum resistance, T_{max} , shifts from 12.4 K to 13 K and the resistance exhibits a two-step drop below T_{max} in the after-two-years case. To provide a clearer view on these results, dR/dT curves are plotted in Fig. 1(b). As can be seen, in the after-two-years case, a shoulder appears at around 11–13 K, corresponding to the first slow resistance drop in the $R(T)$ curve. As temperature further decreases, a sharp transition starts. We define the starting point of the sharp resistance drop as T_{mid} in after-two-years $R(T)$ result, as shown in Fig. 1(b). Therefore, compared with the as-grown result, it demonstrates that an additional new feature appears at around 13 K in after-two-years case.

To learn more about the observation of the new feature, we further measure $R(T)$ of after-two-years heterostructures with different Bi_2Te_3 layer thicknesses. Compared with the as-grown results in Fig. 1(c) and its inset, a broader superconducting transition and a two-step resistance drop are observed in all after-two-years heterostructures even with the Bi_2Te_3 layer down to 3 nm as shown in Fig. 1(d) and its inset. Furthermore, from the dR/dT curves in the inset of Fig. 1(d), T_{max} shows an increase after two years and locates at ~ 13 K for all samples, manifesting that the new feature is indeed induced by the aging effect. Meanwhile, relative to the full

Figure 2. Normalized temperature dependent resistances of sample $\text{Bi}_2\text{Te}_3(14\text{nm})/\text{FeTe}$ in magnetic fields ranging from 0 T to 14 T in (a) as-grown and (b) after two-years cases, respectively. The magnetic field is perpendicular to the ab plane as shown in the insets.

Figure 3. Magnetic field-temperature phase diagram of samples (a) $\text{Bi}_2\text{Te}_3(7\text{ nm})/\text{FeTe}$ and (b) $\text{Bi}_2\text{Te}_3(14\text{ nm})/\text{FeTe}$. The upper critical field H_{max} and H_{zero} in the as-grown case are plotted as triangle symbols, and the H_{max} , H_{mid} and H_{zero} in the after-two-years case are presented as circle symbols. The solid and hollow symbols represent the perpendicular and parallel fields' situations, respectively.

superconducting transition, the shoulder is weakened as the Bi_2Te_3 thickness decreases as shown in the inset of Fig. 1(c,d), which indicates that the new feature around 13 K is probably relevant to the interfacial superconductivity of the heterostructure.

Figure 4. $\ln R_{sg}(T)$ vs. $1/T$ in different perpendicular magnetic fields for sample (a) $\text{Bi}_2\text{Te}_3(7\text{ nm})/\text{FeTe}$ in as-grown case, (b) $\text{Bi}_2\text{Te}_3(7\text{ nm})/\text{FeTe}$ in after-two-years case, (d) $\text{Bi}_2\text{Te}_3(14\text{ nm})/\text{FeTe}$ in as-grown case, (e) $\text{Bi}_2\text{Te}_3(14\text{ nm})/\text{FeTe}$ in after-two-years case. The solid lines in (a,b,d,e) are fitting results from the Arrhenius relation, whose slopes give the values of U in (c,f). The solid lines in (c,f) are fitting results from the function $U = U_0 \ln(H_0/H)$.

To further investigate the aging effect on the superconducting transition of $\text{Bi}_2\text{Te}_3/\text{FeTe}$ heterostructure, the temperature dependent resistances in different magnetic fields are studied. Fig. 2(a,b) show the as-grown and after-two-years $R(T)$ results of $\text{Bi}_2\text{Te}_3(14\text{ nm})/\text{FeTe}$ in different magnetic fields applied perpendicular to the ab plane, respectively. With an increasing magnetic field, T_{max} , T_{mid} and T_{zero} gradually shift to lower temperature together as superconductivity is suppressed. Similar behavior is also observed in the parallel fields. From the $R(T)$ curves in different magnetic fields, the corresponding upper critical fields H_{max} , H_{mid} and H_{zero} in both as-grown and after-two-years cases can be obtained, and the $H - T$ phase diagrams of $\text{Bi}_2\text{Te}_3(7\text{ nm})/\text{FeTe}$ and $\text{Bi}_2\text{Te}_3(14\text{ nm})/\text{FeTe}$ are plotted in Fig. 3(a,b), respectively. For both samples, the phase diagram clearly exhibits the anisotropy between the parallel and perpendicular field for both as-grown and after-two-years cases. Meanwhile, the anisotropy ratio $H_{c2}^{\parallel}/H_{c2}^{\perp}$ of the after-two-years sample shows a decrease, especially for H_{zero} , comparing with the as-grown one. For both field directions, the as-grown H_{max} locates between the after-two-years H_{max} and H_{mid} , and all three curves show the same variation trend as magnetic field changes. It further manifests that the new feature at 13 K, i.e., the after-two-years H_{max} , are relevant to the interfacial superconductivity of the heterostructure. In the study of BiS_2 -based superconductor $\text{LaO}_{0.5}\text{F}_{0.5}\text{BiS}_2$, two-step drop of $R(T)$ in different magnetic fields was also observed³⁸. Since the $\text{LaO}_{0.5}\text{F}_{0.5}\text{BiS}_2$ sample was polycrystalline, the origin of two anisotropic upper critical fields was attributed to the anisotropy of the grains in different directions³⁸. However, this scenario cannot be applied easily to our heterostructures, since they are all composed of single crystalline films. In addition, the anisotropic behavior of upper critical fields in our heterostructures can be largely suppressed and affected by the annealing process in N_2 atmosphere, at the expense of lowering the superconductivity transition temperature (see Supplementary information).

Comparing with type-I superconductors, our $\text{Bi}_2\text{Te}_3/\text{FeTe}$ heterostructure samples show a relatively broad superconducting transition regime ($> 3\text{ K}$) in magnetic fields even for the as-grown samples. This means the mixed states exist in the transition regime and vortex dynamics studies will be important and can provide useful information about the interfacial superconducting behavior. Thermally activated flux flow (TAFF) describes the motion of vortices due to the activation over some energy barriers, e.g. pinning centers^{39–41}. It was widely studied in 3D iron-based superconductors, such as $\beta\text{-FeSe}$ single crystal⁴¹, $\text{Fe}_{1.03}\text{Te}_{0.55}\text{Se}_{0.45}$ ⁴², $\text{Fe}_{1.14}\text{Te}_{0.91}\text{S}_{0.09}$ ⁴³, $\text{NdFeAsO}_{0.7}\text{F}_{0.3}$ ⁴⁴ and cuprates superconductors, such as, $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ ⁴⁵ and $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ ⁴⁶. Recently, TAFF was also reported in novel 2D superconductors, such as FeSe single layer⁴⁷ and exfoliated NbSe_2 ⁴⁸, where in the latter case the TAFF behavior was reported to come from the unbinding of vortex-antivortex pairs. According to the TAFF theory, the resistivity ρ in the TAFF region follows the Arrhenius relation^{39–41}

$$\rho(T, H) = \rho_0(H) \exp(-U(H)/T) \quad (1)$$

where ρ_0 is a temperature independent constant, U is the thermal activation energy of the flux flow. Therefore, Eq. (1) can be written as $\ln \rho(T, H) = \ln \rho_0(H) - U(H)/T$. At a fixed magnetic field, $\ln \rho(T) - 1/T$ plot is expected to have a linear relation in the TAFF regime. Two samples, $\text{Bi}_2\text{Te}_3(7\text{ nm})/\text{FeTe}$ and $\text{Bi}_2\text{Te}_3(14\text{ nm})/\text{FeTe}$, are carefully studied by applying the TAFF theory, as shown in Fig. 4. For both as-grown and after-two-years cases, the temperature dependent resistances of two samples in different perpendicular fields are plotted on $\ln \rho(T) - 1/T$ axes in Fig. 4(a,b,d,e), respectively. As can be seen, all curves exhibit good linear behaviors at low temperature

region, manifesting that they follow the Arrhenius relation very well. All fitting lines in different fields cross to one point, whose corresponding temperature T_m should be equal to the T_c of the system. For the as-grown case, T_m of $\text{Bi}_2\text{Te}_3(7\text{ nm})/\text{FeTe}$ and $\text{Bi}_2\text{Te}_3(14\text{ nm})/\text{FeTe}$ are obtained as 11.6 K and 10.2 K, which are close to their $T_{\text{max}} = 12.4\text{ K}$ and 11.4 K , respectively. However, for after-two-years results (c.f. Fig. 4(b,e)), T_m of $\text{Bi}_2\text{Te}_3(7\text{ nm})/\text{FeTe}$ and $\text{Bi}_2\text{Te}_3(14\text{ nm})/\text{FeTe}$ are obtained as 9 K and 8.7 K, which are closer to their T_{mid} of $\sim 11\text{ K}$ than T_{max} of $\sim 13\text{ K}$. This indicates that as-grown samples fall into the TAFF region much faster than the after-two-years samples when the superconducting transition commences. This slower approach to the TAFF region in the after-two-years samples, to a large extent, is affected by the new feature around 13 K, although the origin of this new feature remains unclear.

From the linear fitting of $\ln \rho(T, H) - 1/T$ curves, the activation energy $U(H)$ can be obtained from the slope value. Figure 4(c,f) displays U at different magnetic fields for $\text{Bi}_2\text{Te}_3(7\text{ nm})/\text{FeTe}$ and $\text{Bi}_2\text{Te}_3(14\text{ nm})/\text{FeTe}$, respectively. For the as-grown samples (triangular symbols in Fig. 4(c,f)), U exhibits a logarithmic dependence on the magnetic field, $U = U_0 \ln(H_0/H)$, with $H_0 \approx H_{c2}$, as observed in other 2D systems^{48–50}. This observation of a 2D vortex system is consistent with the earlier report of the Berezinsky-Kosterlitz-Thouless transition in the $\text{Bi}_2\text{Te}_3/\text{FeTe}$ interface^{33,51}. For both $\text{Bi}_2\text{Te}_3(7\text{ nm})/\text{FeTe}$ and $\text{Bi}_2\text{Te}_3(14\text{ nm})/\text{FeTe}$ samples, the fitted value of H_0 decreases after two years' air exposure as displayed in Fig. 4(c,f), which shows a good agreement with the result of upper critical field H_{zero} in Fig. 3. The energy prefactor $U_0 \sim \Xi \cdot d/\lambda^2$, where d is the superconducting layer thickness, λ is the penetration depth and Ξ is a numerical factor which depends on the nature of the energy barrier⁵⁰. In the aged samples, U shows an overall decrease, implying that the aging weakens the vortex pinning behavior or enhances the flux flow of the system. Interestingly, the logarithmic dependence of U on H remains valid, albeit with a lower U_0 (circular symbols in Fig. 4(c,f)). Therefore, the 2D nature of the vortex system remains robust in the aged heterostructures. Assuming that the dominant thermal activation mechanism remains the same in the aged samples, the drop in U_0 compared with the as-grown samples can be attributed to an increase in λ . Empirically, $\lambda(0) \approx 1.05 \times 10^{-3}(\rho_0/T_c)^{1/2}$, where ρ_0 is the residual resistivity of the normal state and $\lambda(0)$ is the zero temperature limit of the penetration depth⁵². Further assuming that the temperature dependences of $\lambda(T)$ and $\rho(T)$ do not vary strongly with age, we can estimate $U'_0/U_0 \sim (\lambda/\lambda')^2 \sim [R(18\text{ K})/R'(18\text{ K})] \times (T'_c/T_c)$, where the primed quantities are for the aged sample. For $\text{Bi}_2\text{Te}_3(7\text{ nm})/\text{FeTe}$, take $(R(18\text{ K}), R'(18\text{ K}), T_c, T'_c) = (21.0\Omega, 25.3\Omega, 10\text{ K}, 6\text{ K})$, U'_0/U_0 is estimated to be ~ 0.50 , in reasonable agreement with the observed ratio of ~ 0.38 . Following the same procedure for $\text{Bi}_2\text{Te}_3(14\text{ nm})/\text{FeTe}$, U'_0/U_0 is estimated to be ~ 0.52 whereas the observed ratio is also ~ 0.38 .

One possible scenario responsible for the logarithmic magnetic field dependence of U is the nucleation and the subsequent motion of the dislocation pairs associated with the vortex lattice. In this model, U is primarily the energy cost of nucleating the pair^{49,50}. In the aged samples, the lowering of U can be associated with the relative ease of nucleating the dislocation pairs. Since exposing Bi_2Te_3 and FeTe to air inevitably promotes the formation of Te vacancies^{35–37}, the excess vacancies thus lower the energy barrier required to nucleate dislocation pairs. In addition, these vacancies introduce weak disorder to the material system, thereby resulting in a lower superconducting transition temperature and a higher normal state resistance; these trends are fully consistent with experimental observation in all aged $\text{Bi}_2\text{Te}_3/\text{FeTe}$ heterostructures.

Conclusion

In conclusion, we study the superconducting properties of as-grown and aged $\text{Bi}_2\text{Te}_3/\text{FeTe}$ heterostructures. Superconductivity is robust after two years' air exposure, even when the thickness of the Bi_2Te_3 layer is down to 3 nm. Comparing with the upper critical fields of the as-grown measurements, a new feature around 13 K induced by the aging effect is demonstrated to be relevant to the interfacial superconductivity. The resistance of the $\text{Bi}_2\text{Te}_3/\text{FeTe}$ heterostructures below the superconducting transition temperature obeys the Arrhenius relation, which demonstrates the TAFF behaviour. The activation energy $U(H)$ follows a logarithmic dependence on the applied magnetic field in the as-grown samples, indicating that the vortex system is two-dimensional. The logarithmic dependence remains valid in the aged samples, although $U(H)$ becomes lower at all magnetic fields studied, leading to the conclusion that the 2D vortex system in $\text{Bi}_2\text{Te}_3/\text{FeTe}$ heterostructures is robust.

Methods

The $\text{Bi}_2\text{Te}_3/\text{FeTe}$ heterostructure samples used in the experiment were grown by molecular beam epitaxy on a (111) semi-insulating GaAs substrate with an undoped 50 nm-thick ZnSe buffer layer. A 140 nm-thick FeTe layer was first deposited onto the ZnSe buffer, followed by a growth of the Bi_2Te_3 layer on the FeTe layer via van der Waals epitaxy. The thicknesses of the Bi_2Te_3 epilayer were 3 nm, 5 nm, 7 nm and 14 nm for four different wafers, respectively. Detailed structural characterizations can be found in the early work³³. Silver paste and aluminum wires were employed to serve as the electrical contacts, after the wafers were cut into $2\text{ mm} \times 6\text{ mm}$ strips by a diamond scribe. After the first round measurements on the as-grown heterostructures, all samples were exposed to the air atmosphere at room temperature for two years. To avoid the complication from the sample dependence, all four samples, i.e. $\text{Bi}_2\text{Te}_3(3\text{ nm})/\text{FeTe}$, $\text{Bi}_2\text{Te}_3(5\text{ nm})/\text{FeTe}$, $\text{Bi}_2\text{Te}_3(7\text{ nm})/\text{FeTe}$, and $\text{Bi}_2\text{Te}_3(14\text{ nm})/\text{FeTe}$, which were measured in the second round after two years, are exactly the same strips as the ones used in the first round. All transport measurements were conducted in a Quantum Design physical property measurement system with a 14-Tesla superconducting magnet and a base temperature of 2 K.

References

- Hasan, M. Z. & Kane, C. L. Topological insulators. *Rev. Mod. Phys.* **82**, 3045–3067 (2010).
- Qi, X. L. & Zhang, S. C. Topological insulators and superconductors. *Rev. Mod. Phys.* **83**, 1057–1110 (2011).

3. Zhang, H. J. *et al.* Topological insulators in Bi_2Se_3 , Bi_2Te_3 and Sb_2Te_3 with a single Dirac cone on the surface. *Nat. Phys.* **5**, 438–442 (2009).
4. Chen, Y. L. *et al.* Experimental realization of a three-dimensional topological insulator, Bi_2Te_3 . *Science* **325**, 178–181 (2009).
5. Checkelsky, J. G. *et al.* Quantum interference in macroscopic crystals of nonmetallic Bi_2Se_3 . *Phys. Rev. Lett.* **103**, 246601 (2009).
6. Peng, H. L. *et al.* Aharonov–Bohm interference in topological insulator nanoribbons. *Nat. Mater.* **9**, 225 (2010).
7. Gehring, P. *et al.* A natural topological insulator. *Nano Lett.* **13**, 1179–1184 (2013).
8. He, H. T. *et al.* Impurity effect on weak antilocalization in the topological insulator Bi_2Te_3 . *Phys. Rev. Lett.* **106**, 166805 (2011).
9. Lu, H. Z., Shi, J. & Shen, S. Q. Competition between weak localization and antilocalization in topological surface states. *Phys. Rev. Lett.* **107**, 076801 (2011).
10. Cao, H. L. *et al.* Quantized Hall Effect and Shubnikov–de Haas oscillations in highly doped Bi_2Se_3 : evidence for layered transport of bulk carriers. *Phys. Rev. Lett.* **108**, 216803 (2012).
11. Cha, J. J. *et al.* Weak antilocalization in $\text{Bi}_2(\text{Se}_x\text{Te}_{1-x})_3$ nanoribbons and nanoplates. *Nano Lett.* **12**, 1107–1111 (2012).
12. Lang, M. R. *et al.* Competing weak localization and weak antilocalization in ultrathin topological insulators. *Nano Lett.* **13**, 48–53 (2013).
13. Liu, H. C. *et al.* Tunable interaction-induced localization of surface electrons in antidot nanostructured Bi_2Te_3 thin films. *ACS Nano* **8**, 9616–9621 (2014).
14. Fu, L. & Kane, C. L. Superconducting proximity effect and Majorana Fermions at the surface of a topological insulator. *Phys. Rev. Lett.* **100**, 096407 (2008).
15. Hor, Y. S. *et al.* Superconductivity in $\text{Cu}_x\text{Bi}_2\text{Se}_3$ and its implications for pairing in the undoped topological insulator. *Phys. Rev. Lett.* **104**, 057001 (2010).
16. Kriener, M. *et al.* Bulk superconducting phase with a full energy gap in the doped topological insulator $\text{Cu}_x\text{Bi}_2\text{Se}_3$. *Phys. Rev. Lett.* **106**, 127004 (2011).
17. Shen, J. *et al.* Revealing surface states in In-doped SnTe nanoplates with low bulk mobility. *Nano Lett.* **15**, 3827–3832 (2015).
18. Liu, Z. K. *et al.* A stable three-dimensional topological Dirac semimetal Cd_3As_2 . *Nat. Mater.* **13**, 677–681 (2014).
19. Xu, S. Y. *et al.* Observation of Fermi arc surface states in a topological metal. *Science* **347**, 294–298 (2015).
20. Weng, H. M. *et al.* Weyl semimetal phase in noncentrosymmetric transition-metal monophosphides. *Phys. Rev. X* **5**, 011029 (2015).
21. Xiong, J. *et al.* Evidence for the chiral anomaly in the Dirac semimetal Na_3Bi . *Science* **350**, 413–416 (2015).
22. Li, H. *et al.* Negative magnetoresistance in Dirac semimetal Cd_3As_2 . *Nat. Commun.* **6**, 10301 (2016).
23. Zhang, D. M. *et al.* Superconducting proximity effect and possible evidence for Pearl vortices in a candidate topological insulator. *Phys. Rev. B* **84**, 165120 (2011).
24. Sochnikov, I. *et al.* Direct measurement of current-phase relations in superconductor/topological insulator/superconductor junctions. *Nano Lett.* **13**, 3086–3092 (2013).
25. Zareapour, P. *et al.* Proximity-induced high-temperature superconductivity in the topological insulators Bi_2Se_3 and Bi_2Te_3 . *Nat. Commun.* **3**, 1056 (2012).
26. Williams, J. R. *et al.* Unconventional Josephson Effect in hybrid superconductor-topological insulator devices. *Phys. Rev. Lett.* **109**, 056803 (2012).
27. Veldhorst, M. *et al.* Josephson supercurrent through a topological insulator surface state. *Nat. Mater.* **11**, 417–421 (2012).
28. Wang, M. X. *et al.* The coexistence of superconductivity and topological order in the Bi_2Se_3 thin films. *Science* **336**, 52–55 (2012).
29. Xu, J. P. *et al.* Experimental detection of a Majorana mode in the core of a magnetic vortex inside a topological insulator-superconductor $\text{Bi}_2\text{Te}_3/\text{NbSe}_2$ heterostructure. *Phys. Rev. Lett.* **114**, 017001 (2015).
30. Mizukami, Y. *et al.* Extremely strong-coupling superconductivity in artificial two-dimensional Kondo lattices. *Nat. Phys.* **7**, 849 (2011).
31. Goh, S. K. *et al.* Anomalous upper critical field in $\text{CeCoIn}_5/\text{YbCoIn}_5$ superlattices with a Rashba-type heavy fermion interface. *Phys. Rev. Lett.* **109**, 157006 (2012).
32. Shimozawa, M. *et al.* Controllable Rashba spin-orbit interaction in artificially engineered superlattices involving the heavy-fermion superconductor CeCoIn_5 . *Phys. Rev. Lett.* **112**, 156404 (2014).
33. He, Q. L. *et al.* Two-dimensional superconductivity at the interface of a $\text{Bi}_2\text{Te}_3/\text{FeTe}$ heterostructure. *Nat. Commun.* **5**, 4247 (2014).
34. Beenakker, C. W. J. Search for Majorana Fermions in superconductors. *Annu. Rev. Condens. Matter Phys.* **4**, 113 (2013).
35. Bando, H. *et al.* The time-dependent process of oxidation of the surface of Bi_2Te_3 studied by x-ray photoelectron spectroscopy. *J. Phys.: Condens. Matter* **12**, 5607–5616 (2000).
36. Zhao, Y. X. & Burda, C. Chemical Synthesis of $\text{Bi}_{0.5}\text{Sb}_{1.5}\text{Te}_3$ nanocrystals and their surface oxidation properties. *ACS Appl. Mat. & Interfaces* **1**, 1259–1263 (2009).
37. Haindl, S. *et al.* Thin film growth of Fe-based superconductors: from fundamental properties to functional devices. A comparative review. *Rep. Prog. Phys.* **77**, 046502 (2014).
38. Mizuguchi, Y. *et al.* Anisotropic upper critical field of the BiS_2 -based superconductor $\text{LaO}_{0.5}\text{F}_{0.5}\text{BiS}_2$. *Phys. Rev. B* **89**, 174515 (2014).
39. Palstra, T. T. M. Thermally activated dissipation in $\text{Bi}_{2-x}\text{Sr}_x\text{Ca}_{0.8}\text{Cu}_3\text{O}_{8+\delta}$. *Phys. Rev. Lett.* **61**, 1662 (1988).
40. Blatter, G. *et al.* Vortices in high-temperature superconductors. *Rev. Mod. Phys.* **66**, 1125 (1994).
41. Lei, H. C. *et al.* Critical fields, thermally activated transport, and critical current density of $\beta\text{-FeSe}$ single crystals. *Phys. Rev. B* **84**, 014520 (2011).
42. Ge, Y. J. *et al.* Superconducting properties of highly oriented $\text{Fe}_{1.03}\text{Te}_{0.55}\text{Se}_{0.45}$ with excess Fe. *Solid State Commun.* **150**, 1641–1645 (2010).
43. Lei, H. C. *et al.* Thermally activated energy and flux-flow Hall effect of $\text{Fe}_{1+y}(\text{Te}_{1-x}\text{S}_x)_z$. *Phys. Rev. B* **82**, 134525 (2010).
44. Jaroszynski, J. *et al.* Upper critical fields and thermally-activated transport of $\text{NdFeAsO}_{0.7}\text{F}_{0.3}$ single crystal. *Phys. Rev. B* **78**, 174523 (2008).
45. Zhang, Y. Z. *et al.* Deviations from plastic barriers in $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ thin films. *Phys. Rev. B* **71**, 052502 (2005).
46. Zhang, Y. Z. *et al.* Thermally activated energies of $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ and $\text{Y}_{0.8}\text{Ca}_{0.2}\text{Ba}_2\text{Cu}_3\text{O}_{7-\delta}$ thin films. *Phys. Rev. B* **74**, 144521 (2006).
47. Sun, Y. *et al.* High temperature superconducting FeSe films on SrTiO_3 substrates. *Sci. Rep.* **4**, 6040 (2014).
48. Tsen, A. W. *et al.* Nature of the quantum metal in a two-dimensional crystalline superconductor. *Nat. Phys.* **12**, 208–212, (2015).
49. Feigelman, M. V. *et al.* Pinning and creep in layered superconductors. *Physica C* **167**, 177–187 (1990).
50. Qiu, X. G. *et al.* Two different thermally activated flux-flow regimes in oxygen-deficient $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ thin films. *Phys. Rev. B* **52**, 559 (1995).
51. Kunchur, M. N. *et al.* Current-induced depairing in the $\text{Bi}_2\text{Te}_3/\text{FeTe}$ interfacial superconductor. *Phys. Rev. B* **92**, 094502 (2015).
52. Kes, P. H. & Tsuei, C. C. Two-dimensional collective flux pinning, defects, and structural relaxation in amorphous superconducting films. *Phys. Rev. B* **28**, 5126 (1983).

Acknowledgements

This work was supported by CUHK (Startup Grant, Direct Grant No. 4053123), UGC Hong Kong (ECS/24300214), and the Research Grants Council of the Hong Kong under Grant Nos 16305514, 17303714, 16304515 and AoE/P-04/08.

Author Contributions

H.C.L., S.K.G. and J.W. conceived and designed the experiments; H.C.L. carried out the transport measurements with contributions from H.L., Q.L.H. and I.K.S. grew the samples. H.C.L., S.K.G. and J.W. performed the data analysis and wrote the manuscript.

Additional Information

Supplementary information accompanies this paper at <http://www.nature.com/srep>

Competing financial interests: The authors declare no competing financial interests.

How to cite this article: Liu, H.-C. *et al.* Robust two-dimensional superconductivity and vortex system in Bi₂Te₃/FeTe heterostructures. *Sci. Rep.* **6**, 26168; doi: 10.1038/srep26168 (2016).

This work is licensed under a Creative Commons Attribution 4.0 International License. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in the credit line; if the material is not included under the Creative Commons license, users will need to obtain permission from the license holder to reproduce the material. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>