SCIENTIFIC REPORTS

OPEN

Corrigendum: Somatic Mutations and Genetic Variants of NOTCH1 in Head and Neck Squamous Cell Carcinoma Occurrence and Development

Yu-Fan Liu, Shang-Lun Chiang, Chien-Yu Lin, Jan-Gowth Chang, Chia-Min Chung, Albert Min-Shan Ko, You-Zhe Lin, Chien-Hung Lee, Ka-Wo Lee, Mu-Kuan Chen, Chun-Hung Hua, Ming-Hsui Tsai, Yuan-Chien Chen & Ying-Chin Ko

Scientific Reports 6:24014; doi: 10.1038/srep24014; published online 01 April 2016; updated 11 July 2016

This Article contains errors in Table 1, where the column headings ‘Without SMs (n = 105)’ and ‘With SMs (n = 23)’ are inverted. The correct Table 1 appears below.

Characteristics	HNSCC male patients (n = 128)		P value
	With SMs (n = 23)	Without SMs (n = 105)	
Age (years, mean ± SD)	52.8 ± 12.2	51.3 ± 10.6	0.56
Primary cancer site			
Buccal	7 (30.4%)	48 (45.7%)	0.83
Tongue	9 (39.1%)	33 (31.4%)	
Gum	3 (12.0%)	12 (11.4%)	
Palate	2 (8.7%)	5 (4.8%)	
Lip	1 (4.3%)	2 (1.9%)	
Oropharynx	1 (4.3%)	2 (1.9%)	
Hypopharynx	0 (0.0%)	1 (1.0%)	
Larynx	0 (0.0%)	1 (1.0%)	
Stage			
I	4 (17.4%)	15 (14.3%)	0.79
II	3 (13.0%)	24 (22.9%)	
III	6 (26.1%)	27 (25.7%)	
IV	9 (39.1%)	38 (36.2%)	
Radiotherapy			
Yes	14 (60.9%)	71 (67.6%)	0.51
No	8 (34.8%)	27 (25.7%)	
Chemotherapy			
Yes	11 (47.8%)	58 (55.2%)	0.28
No	12 (52.2%)	43 (41.0%)	
Recurrence			
Yes	12 (52.2%)	27 (25.7%)	0.02
No	11 (47.8%)	78 (74.3%)	
Fatality			
Yes	7 (30.4%)	15 (14.3%)	0.06
No	16 (69.6%)	90 (85.7%)	

Table 1. Clinical characteristics of HNSCC patients in a 13 years of follow-up cohort.

This work is licensed under a Creative Commons Attribution 4.0 International License. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in the credit line; if the material is not included under the Creative Commons license, users will need to obtain permission from the license holder to reproduce the material. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>